SOUTH CAROLINA COUNTIES AND HEALTH DISTRICTS


OCONEE
PICKENS
GREENVILLE
APPALACHIA II
ANDERSON
APPALACHIA I
ABBEVILLE
LAURENS
SPARTANBURG
CHEROKEE
UNION
APPALACHIA III
YORK
CATAWBA
CHESTER
LANCASTER
CHESTERFIELD
MARLBORO
PEE DEE II
DARLINGTON
DILLON
MARION
FLORENCE
PEE DEE I
HORRY
WACCAMAW
UPPER SAVANNAH
GREENWOOD
McCORMICK
EDGEFIELD
NEWBERRY
WEST MIDLANDS
SALUDA
LEXINGTON
FAIRFIELD
EAST MIDLANDS
RICHLAND
KERSHAW
LEE
WATEREE
SUMTER
CLARENDON
WILLIAMSBURG
GEORGETOWN
CALHOUN
ORANGEBURG
AIKEN
LOWER SAVANNAH I
LOWER SAVANNAH II
BARNWELL
BAMBERG
ALLENDALE
BERKELEY
DORCHESTER
TRIDENT
COLLETON
HAMPTON
LOW COUNTRY
CHARLESTON
JASPER
BEAUFORT

BEST AVAILABLE COPY

S7175-1

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS

1981

VOLUME I

ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

AUGUST 1983

COMMISSIONER AND STATE REGISTRAR

Robert S. Jackson, M.D.

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS

Murray B. Hudson, M.P.H.,
Director

James E. Ferguson,
Statistics and Research Administrator

PREFACE

The majority of this report contains vital statistics data for South Carolina events that occurred in 1981. Vital Statistics certificates filed with the Office of Vital Records and Public Health Statistics of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, fetal deaths, marriages, divorces and annulments. Each year, approximately 140,000 vital records are added to the nearly 6 million such documents stored in the Office of Vital Records and Public Health Statistics.

The purpose of this report is to provide basic reference data for a variety of users. These statistics provide a useful and quantitative data base for consumers in the public and private sectors in support of a variety of uses and activities -- population dynamics, health economics, planning, program development and evaluation, research and surveillance.

Data are presented for South Carolina, its 46 counties, and places of 2,500 or more population. The report is divided into six major sections. The first section is a 20-year summary of selected vital statistics. The second section is devoted to population data. The next three sections contain the core of the publication by presenting data on the major vital events. The last section is devoted to morbidity statistics. This section contains tables showing the number of reported cases of selected communicable diseases by county.

Population estimates for the intercensal years were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board under the Federal-State Cooperative Program on population estimating for local areas. The Bureau of Disease Control of the South Carolina Department of Health and Environmental Control furnished the morbidity data. A table showing reported cases of venereal disease by type by county is included in the Morbidity Section. These data were furnished by the Division of Venereal Disease Control.

The format of this report has changed from year to year as efforts are made to provide and present the data in the most useful and concise manner. Suggestions and comments concerning this report will be welcomed. More detailed statistical data pertaining to vital events may be obtained by submitting a request to:

Office of Vital Records and Public Health Statistics
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29202

TABLE OF CONTENTS

Page

Completeness of Registration i

Allocation of Events by Residence and Occurrence ii

Definitions of Terms iii

Interpretation of Data iv

Vital Statistics Rates and Ratios vi

Equivalents in Pounds and Ounces of the Gram Weight Intervals and Symbols used in Tables vii

SUMMARY OF VITAL EVENTS

Table 1. Population, Live Births, Deaths, Marriages and Divorces, with Rates per 1,000 Population, by Race: South Carolina, 1962-1981 (Residence Data) 1

Table 2. Out-of-Wedlock Births, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days, and Maternal Deaths, with Rates, By Race: South Carolina, 1962-1981 (Residence Data) 2

Table 3. Mortality From Selected Causes of Death by Race with Rates per 100,000 Population: South Carolina, 1962-1981 (Residence Data) 3

POPULATION

Summary of Population 5

Table 4. Population, Live Births, Deaths and Natural Increase: South Carolina, 1962-1981 (Residence Data) 6

Figure 1. Population Growth Due to Natural Increase: South Carolina 1962-1981 (Residence Data) 6

Figure 2. Population Distribution of South Carolina, 1981 7

Table 5. Estimates of Population by Race: South Carolina and Each County, 1981 8

BIRTHS

Page

Summary of Births 9

Figure 3. Live Birth Rate Distribution of South Carolina, 1981 9

Figure 4. Live Birth Rates by Race: South Carolina, 1950-1981 (Residence Data) 10

Table 6. Live Birth Rates by Race: South Carolina, 1950-1981 (Residence Data) 10

Table 7. Live Birth Rates by Attendant by Place of Delivery: South Carolina, 1981 (Residence Data) 11

Table 8. Percentages of Births Occurring in Hospitals by Race: South Carolina, 1972-1981 (Residence Data) 11

Table 9. Percentage Distribution of Out-of-Wedlock Live Births by Age of Mother: South Carolina, 1977-1981 (Residence Data) 12

Table 10. Percentage Distribution of Live Births by Age of Mother: South Carolina, 1977-1981 (Residence Data) 12

Table 11. Live Births by Birth Weight by Race with Percentage of Births in Weight Group: South Carolina, 1981 (Residence Data) 13

Table 12. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1981 (Residence Data) 13

Figure 5. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1981 (Residence Data) 14

Figure 6. Percentage Distribution of Live Births by Birth Weight and Race: South Carolina, 1981 (Residence Data) 14

Table 13. Fertility Rates by Race; South Carolina, 1950, 1960 1970-1981 15

Table 14. Population of Females Age 15-44 Years by Race: South Carolina, 1950, 1960, 1970-1981 15

Table 15. Sex Ratio of Males per 100 Females: South Carolina, 1977-1981 (Residence Data) 16

Table 16. Live Births and Birth Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981 (Residence Data) 17

BIRTHS

Page

Table 17. Live Births and Birth Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981 (Occurrence Data) 21

Table 18. Live Births by Race and Sex: South Carolina and Each County, 1981 (Residence Data) 25

Table 19. Live Births by Race and Sex: South Carolina and Each County, 1981 (Occurrence Data) 26

Table 20. Total Births by Number of Prenatal Care Visits: South Carolina and Each County, 1981 (Residence Data) 27

Table 21. Live Births by Attendant: South Carolina and Each County, 1981 (Residence Data) 28

Table 21-A. Live Births by Attendant by Race: South Carolina and Each County, 1981 (Residence Data) 29

Table 22. Live Births by Attendant: South Carolina and Each County, 1981 (Occurrence Data) 31

Table 22-A. Live Births by Attendant by Race: South Carolina and Each County, 1981 (Occurrence Data) 32

Table 23. Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1981 (Residence Data) 34

Table 24. Live Births by Age of Mother: South Carolina and Each County, 1981 (Residence Data) 35

Table 25. Live Births to Mothers Less Than 20 Years Old: South Carolina and Each County, 1981 (Residence Data) 36

Table 26. Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1981 (Residence Data) 37

Table 27. Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1981 (Residence Data) 38

Table 28. Low Weight Live Birth by Age of Mother: South Carolina and Each County, 1981 (Residence Data) 39

Table 29. Live Births by Birth Weight and Race: South Carolina and Each County, 1981 (Residence Data) 40

BIRTHS

Page

Table 30. Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock: South Carolina and Each County, 1981 (Residence Data) 44

Table 31. Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County, 1981 (Residence Data) 45

Table 32 Live Births with Reported Congenital Malformations: South Carolina and Each County, 1981 (Residence Data) 46

Table 33. Live Births with Reported Congenital Malformations by Type of Malformation: South Carolina, 1979-1981 (Residence Data) 47

DEATHS

Summary of Death 48

Figure 7. Death Rate Map Distribution of South Carolina, 1981 48

Figure 8. Death Rate Graph by Race: South Carolina, 1950-1981 (Residence Data) 49

Table 34. Death Rates by Race: South Carolina, 1950-1981 (Residence Data) 49

Table 35. Percentage Distribution of Deaths by Race, by Age: South Carolina, 1962 and 1981 (Residence Data) 50

Table 36. Leading Causes of Infant Death, by Age at Death: South Carolina, 1981 (Residence Data) 51

Table 37. Maternal Deaths by Cause, Race and Age: South Carolina, 1981 (Residence Data) 52

Table 38. Violent Deaths With Rates by Type: South Carolina, 1977-1981 (Residence Data) 53

Table 39. Types of Accidental Deaths by Sex: South Carolina, 1981 (Residence Data) 53

Table 40. Methods of Suicidal Deaths by Sex: South Carolina, 1981 (Residence Data) 54

Table 41. Methods of Homicidal Deaths by Sex: South Carolina, 1981 (Residence Data) 54

DEATHS

Page

Table 42. Distribution of Malignant Neoplasms by Site: South Carolina, 1981 (Residence Data) 55

Table 43. Deaths From Major Cardiovascular Diseases: South Carolina, 1981 (Residence Data) 56

Table 44. Mortality From Ten Leading Causes of Death by Race: South Carolina, 1981 (Residence Data) 57

Figure 9. Percentage Distribution - Ten Leading Causes of Death and Deaths From All Causes, by Sex: South Carolina, 1981 (Residence Data) 57

Table 45. Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1981 (Residence Data) 59

Table 46. Deaths and Death Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981 (Residence Data) 59

Table 47. Deaths and Death Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981 (Occurrence Data) 63

Table 48. Deaths by Race and Sex: South Carolina and Each County, 1981 (Residence Data) 67

Table 49. Deaths by Race and Sex: South Carolina and Each County, 1981 (Occurrence Data) 68

Table 50. Deaths and Death Rate From Selected Causes, by Race and Sex: South Carolina, 1981 (Residence Data) 69

Table 50-A. Deaths From Selected Causes, by Race and Sex: Each County, 1981 (Residence Data) 70

Table 51. Deaths From Selected Causes, by Age, Sex, and Race: South Carolina, 1981 (Residence Data) 93

Table 52. Deaths by Burial Disposition: South Carolina and Each County, 1981 (Occurrence Data) 103

Table 52-A. Deaths by Burial Disposition by Race: South Carolina and Each County, 1981 (Occurrence Data) 104

Table 53. Major Causes of Accidental Death: South Carolina and Each County, 1981 (Residence Data) 105

DEATHS

Page

Table 54. Major Causes of Accidental Death: South Carolina and Each County, 1981 (Occurrence Data) 106

Table 55. Deaths From Suicides by Method: South Carolina, 1981 (Occurrence Data) 107

Table 56. Deaths From Homicides by Types: South Carolina, 1981 (Occurrence Data) 108

Table 57. Infant Deaths and Infant Mortality Rate by Race: South Carolina and Each County, 1981 (Residence Data) 109

Table 58. Neonatal Deaths and Neonatal Mortality Rate by Race: South Carolina and Each County, 1981 (Residence Data) 110

Table 59. Postneonatal Deaths and Postneonatal Mortality Rate by Race: South Carolina and Each County, 1981 (Residence Data) 111

Table 60. Fetal Deaths and Fetal Mortality Rate by Race: South Carolina and Each County, 1981 (Residence Data) 112

Table 61. Perinatal Deaths and Perinatal Mortality Rate by Race: South Carolina and Each County, 1981 (Residence Data) 113

Table 62. Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1981 (Residence Data) 114

Table 63. Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1981 (Occurrence Data) 114

MARRIAGES, DIVORCES, AND ANNULMENTS

Summary of Marriages, Divorces and Annulments 115

Figure 10. Percentage of Non-Residents Obtaining Marriage Licenses in South Carolina, 1962-1981 115

Table 64. Marriages by Race of Bride and Race of Groom: South Carolina, 1981 (Occurrence Data) 116

Table 65. Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1981.. 117

Table 66. Marriages by Residential Status, by County of Marriage: South Carolina, 1981 (Occurrence Data) 118

MARRIAGES, DIVORCES, AND ANNULMENTS

Page

Table 67. Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1981 119

Table 68. Marriages by Race, By Residential Status, by Age Groups of Grooms: South Carolina, 1981 120

Table 69. Marriages by Age of Bride by Age of Groom: South Carolina, 1981 121

Table 70. Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1981 122

Table 71. Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1981 123

Table 72. Divorces by Age Groups, by Race: South Carolina, 1981 124

Table 73. Divorces and Annulments by Duration of Marriage, by Race: South Carolina, 1981 125

MORBIDITY

Table 74. Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1981 126

Table 75. Reported Cases of Venereal Disease: South Carolina and Each County, 1981 128

APPENDIX

Sample Certificates 129

Comparability Ratios 134

COMPLETENESS OF REGISTRATION

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928. Birth registration, tested for completeness in 1950, was found to be 90 percent complete. Death registration is believed to be even more complete than birth registration since legal requirements must be met.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July, 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July, 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more be registered it is believed that registration is notably incomplete. Fetal death registration will continue to improve in regard to completeness of registration as an increasing amount of attention is directed to the relationship of fetal deaths and early infant deaths.

Delayed registration results in undernumeration of vital events for a specific time period. Frequency counts in this report are based on 1981 events processed in the state office before April 1, 1982. As of January 31, 1983, 20 birth, 8 death, and 1 fetal death record for 1981 were processed during April-December and were not added to the statistical file.

Below are the results of an examination of the 1980 residual events which accrued on or after April 1, 1981 and were not added to the 1980 statistical file.

Event	Total		Filed April 1, 1981 Thru Dec. 31, 1981		Filed Jan. 1, 1982 Thru Present	
	Number	Percent	Number	Percent	Number	Percent
Birth	19	0.0	10	0.0	9	0.0
Death	6	0.0	4	0.0	2	0.0
Fetal Death	-	0	-	0	-	0

Based on the above examination, so few registrations of the prior year's events reached this office after the April 1st date that the validity of the tabulations in this report is little affected by this closing date.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

The user of vital event data must be aware of the methods used in compiling the data if he is to make valid interpretations. With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 1981

	BIRTHS			DEATHS		
	Total	White	Nonwhite	Total	White	Nonwhite
Occurring in S. C.	49,473	28,824	20,649	24,602	16,613	7,989
Residents of S. C.	49,016	28,472	20,544	23,899	16,028	7,871
Of Other Areas	457	352	105	703	585	118
Occurring to S. C. Residents	51,745	30,542	21,203	25,410	17,199	8,211
In South Carolina	49,016	28,472	20,544	23,899	16,028	7,871
Out-of-State	2,729	2,070	659	1,511	1,171	340

NOTE: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950).

LOW BIRTH WEIGHT: Low birth weight is one for which the birth weight is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

OUT-OF-WEDLOCK: A birth which occurs to a woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). (Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a)).

INFANT DEATH: Death of a live born infant under one year of age.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

PERINATAL DEATH: Neonatal deaths plus fetal deaths.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to complications of Pregnancy, Childbirth, and the Puerperium (Ninth Revision ICD 630-676).

UNDERLYING CAUSE OF DEATH: The disease or injury which initiated the train of morbid events, leading directly to death. (International Classification of Disease).

NATURAL INCREASE: The increase in the population due to excess of births over deaths for a particular period.

INTERPRETATION OF DATA

SMALL NUMBER FREQUENCIES: There are variations in all statistics which are the results of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these rates. For this reason, rates for counties with small populations or other small bases should be used cautiously.

MEDICAL CERTIFICATION OF DEATH: Since the medical certification of death can be made only by a person authorized by law, usually a physician or coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out. In addition, mortality statistics represent the underlying cause of death as indicated by the attending physician or coroner. It is recognized that death may not result from a single morbid condition. However, this report does not include multiple cause tabulations.

COMPARABILITY: In order that disease classification may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision from 1958-1968; the Eighth Revision 1969-1978; and the Ninth Revision went into effect in 1979.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, and Eighth Revison of the International Lists, the cause selected for tabulation has been the "underlying" cause is defined as the "disease of injury which initiated the train of morbid events, leading directly to death" (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949 with the Sixth Revision resulted in the basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding.

In order to make valid comparisons of mortality by cause of events classified by different revisions of the ICD, comparability ratios are needed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios were derived by taking the number of deaths classified to a given cause by the Ninth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision. On a national level, provisional comparability ratios for the United States based on the Eighth and Ninth Revisions have been developed for a limited number of causes in the Monthly Vital Statistics Report, Vol. 28, Number 11 published by the National Center for Health Statistics. (See Comparability Ratios in Appendix, page 134.)

RACE: Information on race of the mother and father is required on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths utilize the race of mother. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "nonwhite".

On live births, the races of father and of mother were coded independently and the race of child was generated for the tables in this report by comparing the two parents' codes and following a set of rules:

(1) When the race of both mother and father are white, the child's race will be white;
(2) When both the mother's and father's races are unknown, the race of the child will be nonwhite;
(3) When the race of one of the parents is white and the other parent's race is unknown, the race of the child will be white;
(4) For all combinations other than the above, the race of the child will be nonwhite.

Below is a cross-classification of race of father by race of mother for resident live births for South Carolina, 1981.

Race of Father	Race of Mother							
	White	Black	Indian	Chinese	Japanese	Other	Not Stated	Total
White	28,888	27	26	5	8	121	-	29,075
Black	105	11,259	1	1	-	20	-	11,386
Indian	26	2	13	-	-	-	-	41
Chinese	-	-	-	15	-	2	-	17
Japanese	4	-	-	1	6	-	-	11
Other	36	1	-	-	2	159	-	198
Not Stated	1,654	9,350	7	-	-	6	-	11,017
Total	30,713	20,639	47	22	16	308	-	51,745

"Other" includes Hawaiian, Filipino, Other Pacific Islander, and other nonwhite. The not-stated race includes out-of-wedlock births where the father's race is not shown and also actual unknown race.

VITAL STATISTICS RATES AND RATIOS

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

$$\text{Cause of Death Rate} = \frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}} \times 100{,}000$$

$$\text{Death Rate (crude)} = \frac{\text{Annual number of deaths}}{\text{Population of area}} \times 1{,}000$$

$$\text{Divorce Rate (crude)} = \frac{\text{Annual number of divorces}}{\text{Population of area}} \times 1{,}000$$

$$\text{Fetal Mortality Rate} = \frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{General Fertility Rate} = \frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}} \times 1{,}000$$

$$\text{Out-of-Wedlock Birth Rate} = \frac{\text{Annual number of out-of-wedlock births}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Infant Mortality Rate} = \frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Live Birth Rate (crude)} = \frac{\text{Annual number of live births}}{\text{Population of area}} \times 1{,}000$$

$$\text{Marriage Rate (crude)} = \frac{\text{Annual number of marriages}}{\text{Population of area}} \times 1{,}000$$

$$\text{Maternal Mortality Rate} = \frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}} \times 10{,}000$$

$$\text{Neonatal Mortality Rate} = \frac{\text{Annual number of neonatal deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Postneonatal Mortality Rate} = \frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}} \times 1{,}000$$

$$\text{Perinatal Mortality Rate} = \frac{\text{Annual number of fetal deaths plus Annual number of neonatal deaths}}{\text{Annual number of live births plus Annual number of fetal deaths}} \times 1{,}000$$

$$\text{Low Weight Birth Rate} = \frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}} \times 1{,}000$$

Equivalents in Pounds and Ounces of the Gram Weight Intervals

500 grams or less = 1 lb. 1 oz. or less
501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. - or more

Symbols Used in Tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

SUMMARY OF VITAL EVENTS

Table 1
Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population by Race, South Carolina, 1962-1981
(Residence Data)

Year	Race	Population[1]	Resident Births		Resident Deaths		Marriages[2]		Annulments And Divorces[3]	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate
1962	Total	2,435,000	58,142	23.9	20,390	8.4	41,240	16.9	2,681	1.1
	White	1,602,400	34,216	21.4	12,143	7.6	31,034	19.4	—	—
	Nonwhite	833,100	23,926	28.7	8,247	9.9	10,206	12.3	—	—
1963	Total	2,461,000	58,231	23.7	21,675	8.8	42,469	17.3	2,462[4]	1.0
	White	1,628,200	34,256	21.0	12,714	7.8	32,114	19.7	2,114	1.3
	Nonwhite	833,900	23,975	28.8	8,961	10.7	10,355	12.4	360	0.4
1964	Total	2,487,600	56,906	22.9	21,309	8.6	44,204	17.8	2,477	1.0
	White	1,653,100	33,184	20.1	12,789	7.7	33,390	20.2	2,165	1.3
	Nonwhite	834,700	23,722	28.4	8,520	10.2	10,814	13.0	312	0.4
1965	Total	2,512,200	52,853	21.0	21,668	8.6	46,336	18.4	3,068	1.2
	White	1,676,900	30,635	18.3	13,101	7.8	35,360	21.1	2,628	1.6
	Nonwhite	835,500	22,218	26.6	8,567	10.3	10,976	13.1	440	0.5
1966	Total	2,536,800	50,653	20.0	22,081	8.7	49,812	19.6	3,124	1.2
	White	1,702,500	30,118	17.7	13,427	7.9	38,021	22.3	2,695	1.6
	Nonwhite	834,800	20,535	24.6	8,654	10.4	11,791	14.1	429	0.5
1967	Total	2,660,000	49,822	18.7	21,762	8.2	52,148	19.6	3,584[5]	1.3
	White	1,841,424	29,996	16.3	13,611	7.4	39,522	21.5	3,071	1.7
	Nonwhite	818,576	19,826	24.2	8,151	10.0	12,626	15.4	491	0.6
1968	Total	2,669,000	49,158	18.4	23,411	8.8	54,943	20.6	4,518	1.7
	White	1,836,000	30,416	16.6	14,778	8.0	42,091	22.9	3,873	2.1
	Nonwhite	833,000	18,742	22.5	8,633	10.4	12,852	15.4	645	0.8
1969	Total	2,698,000	50,401	18.7	22,820	8.5	57,981	21.5	5,435	2.0
	White	1,856,600	31,626	17.0	14,612	7.9	44,310	23.9	4,567	2.5
	Nonwhite	841,400	18,775	22.3	8,208	9.8	13,671	16.2	868	1.0
1970	Total	2,590,516	52,283	20.2	22,762	8.8	57,887	22.3	5,829	2.3
	White	1,794,430	32,703	18.2	14,752	8.2	44,730	24.9	4,972	2.8
	Nonwhite	796,086	19,580	24.6	8,010	10.1	13,157	16.5	857	1.1
1971	Total	2,626,800	52,984	20.2	23,140	8.8	58,034	22.1	6,657	2.5
	White	1,833,500	32,912	18.0	15,035	8.2	44,485	24.3	5,613	3.1
	Nonwhite	793,300	20,072	25.3	8,105	10.2	13,549	17.1	1,044	1.3
1972	Total	2,665,000	49,951	18.7	23,920	9.0	59,983	22.5	7,646	2.9
	White	1,873,800	30,857	16.5	15,475	8.3	45,039	24.0	6,489	3.5
	Nonwhite	791,200	19,094	24.1	8,445	10.7	14,944	18.9	1,157	1.5
1973	Total	2,726,000	48,922	17.9	24,871	9.1	56,876	20.9	8,266	3.0
	White	1,930,000	29,881	15.5	16,188	8.4	42,198	21.9	6,973	3.6
	Nonwhite	796,000	10,041	23.9	8,683	10.9	14,678	18.4	1,293	1.6
1974	Total	2,784,000	48,432	17.4	24,169	8.7	53,009	19.0	8,816	3.2
	White		29,469	15.0	15,941	8.1	39,731	20.3	7,431	3.8
	Nonwhite		18,963	23.0	8,228	10.0	13,278	16.1	1,385	1.7
1975	Total	2,818,000	46,665	16.6	23,343	8.3	50,249	17.8	9,671	3.4
	White	1,942,000	28,016	14.4	15,464	8.0	38,372	19.8	8,243	4.2
	Nonwhite	876,000	18,649	21.3	7,879	9.0	11,877	13.6	1,428	1.6
1976	Total	2,848,000	47,651	16.7	23,639	8.3	50,698	17.8	10,641	3.7
	White	1,962,000	29,529	14.5	15,652	8.0	38,482	19.6	8,954	4.6
	Nonwhite	886,000	19,122	21.6	7,987	9.0	12,216	13.8	1,687	1.9
1977	Total	2,876,000	49,848	17.3	24,254	8.4	51,306	17.8	10,717	3.7
	White	1,966,700	29,646	15.1	16,088	8.2	38,924	19.8	8,969	4.6
	Nonwhite	909,100	20,202	22.2	8,166	9.0	12,382	13.6	1,748	1.9
1978	Total	2,917,200	49,558	17.0	24,055	8.2	52,960	18.1	11,900	4.1
	White	2,014,100	29,048	14.4	15,993	7.9	40,224	20.0	9,903	4.9
	Nonwhite	903,100	20,510	22.7	8,062	8.9	12,736	14.1	1,998	2.2
1979	Total	2,931,900	50,586	17.3	24,343	8.3	53,505	18.2	13,747	4.7
	White	2,022,600	29,839	14.8	16,207	8.0	40,790	20.2	11,283	5.6
	Nonwhite	909,300	20,747	22.8	8,136	8.9	12,715	14.0	2,464	2.7
1980	Total	3,121,820	51,908	16.6	25,138	8.1	53,915	17.3	13,595	4.4
	White	1,147,224	30,559	14.2	16,781	7.8	40,955	19.1	11,155	5.2
	Nonwhite	974,596	21,349	21.9	8,357	8.6	12,960	13.3	2,440	2.5
1981	Total	3,196,247	51,745	16.2	25,410	7.9	54,415	17.0	13,974	4.4
	White	2,196,957	30,542	13.9	17,199	7.8	41,746	19.0	11,503	5.2
	Nonwhite	999,290	21,203	21.2	8,210	8.2	12,669	12.7	2,471	2.5

1/ 1970 and 1980 are actual census counts; estimated population for intercensal years. Estimates by race for 1974 have not been published. See S.C. Vital and Morbidity Statistics, 1974, page 5.

2/ Figures represent all reported marriages where license was issued in South Carolina.

3/ Figures represent all reported divorces and annulments granted in South Carolina by race of husband. Source of 1963 data is Vital Statistics of the United States; race breakdown is not available and rates were computed using South Carolina population estimates. (Occurrence Data)

4/ Includes 1 race not stated.

5/ Includes 22 races not stated.

Table 2.
Out-of-Wedlock, Low Weight Births, Fetal Deaths, Death Under One Year
and Under 28 Days[1], and Maternal Deaths, with Rates [2], by Race:
South Carolina, 1962-1981
(Residence Data)

Year	Race	Out-of-Wedlock Live Births		Low Weight Live Births		Fetal Deaths		Infant Deaths				Maternal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1962	Total	7,339	126.2	5,201	89.5	1,078	18.5	1,813	31.2	1,036	17.8	41	7.1
	White	740	21.6	2,457	71.8	381	11.1	796	23.3	590	17.3	8	2.3
	Nonwhite	6,599	275.8	2,744	114.7	697	29.1	1,017	42.5	446	18.6	32	13.8
1963	Total	7,734	132.8	5,565	95.6	1,157	19.9	1,907	32.7	1,110	19.1	49	8.4
	White	864	25.2	2,572	75.1	394	11.5	757	22.2	572	16.7	9	2.6
	Nonwhite	6,870	286.5	2,993	124.8	763	31.8	1,150	48.0	538	22.4	40	16.7
1964	Total	7,504	131.9	5,366	94.3	1,162	20.4	1,775	31.2	1,035	18.2	39	6.9
	White	815	24.6	2,384	71.8	425	12.8	772	23.3	566	17.1	8	2.4
	Nonwhite	6,689	282.0	2,982	125.7	737	31.1	1,003	42.3	469	19.8	31	13.1
1965	Total	7,433	140.6	5,132	97.1	1,039	19.7	1,638	31.0	994	18.8	38	7.2
	White	924	30.2	2,214	72.3	411	13.4	679	22.2	528	17.2	11	3.6
	Nonwhite	6,509	293.0	2,918	131.3	628	28.3	959	43.2	466	20.9	27	12.2
1966	Total	7,417	146.4	4,933	97.4	937	18.5	1,517	29.9	874	17.3	35	6.9
	White	1,061	35.2	2,271	75.4	377	12.5	641	21.3	482	16.0	7	2.3
	Nonwhite	6,356	309.5	2,662	129.6	560	27.3	876	42.7	392	19.2	28	13.6
1967	Total	7,521	151.0	4,833	97.0	937	18.8	1,384	27.8	891	17.9	24	4.8
	White	1,124	37.5	2,224	74.1	414	13.8	628	20.9	493	16.4	8	2.7
	Nonwhite	6,397	322.7	2,609	131.6	523	26.4	756	38.1	398	20.1	16	8.1
1968	Total	7,353	149.6	4,804	97.7	851	17.3	1,342	27.3	838	17.0	28	5.7
	White	1,117	36.7	2,277	74.9	394	13.0	614	20.2	457	15.0	11	3.6
	Nonwhite	6,236	332.7	2,527	134.8	457	24.4	728	38.8	381	20.3	17	9.1
1969	Total	7,439	147.6	4,828	95.8	845	16.8	1,220	24.2	776	15.4	18	3.6
	White	1,193	37.7	2,203	69.7	381	12.0	599	18.9	439	13.9	6	1.9
	Nonwhite	6,246	332.7	2,625	139.8	464	24.7	621	33.1	337	17.9	12	6.4
1970	Total	7,858	150.3	5,008	95.8	815	15.6	1,199	22.9	798	15.3	23	4.4
	White	1,226	37.5	2,374	72.6	417	12.8	607	18.6	469	14.3	6	1.8
	Nonwhite	6,632	338.7	2,634	134.5	398	20.3	592	30.2	329	16.8	17	8.7
1971	Total	8,218	155.1	4,690	88.5	813[3]	15.3	1,149	21.7	789	14.9	28	5.3
	White	1,191	36.2	2,145	65.2	366	11.1	536	16.3	423	12.9	8	2.4
	Nonwhite	7,027	350.1	2,545	126.8	445	22.2	613	30.5	366	18.2	20	10.0
1972	Total	8,387	167.9	4,533	90.7	791	15.8	1,126	22.5	774	15.5	19	3.8
	White	1,249	40.5	2,065	66.9	351	11.4	536	17.4	405	13.1	5	1.6
	Nonwhite	7,138	373.8	2,468	129.3	440	23.0	590	30.9	369	19.3	14	7.3
1973	Total	8,778	179.4	4,404	90.0	809[3]	16.5	1,105	22.6	752	15.4	18	3.7
	White	1,314	44.0	1,989	66.6	354	11.8	527	17.6	395	13.2	4	1.3
	Nonwhite	7,464	392.0	2,415	126.8	453	23.8	578	30.4	357	18.7	14	7.4
1974	Total	8,811	181.9	4,401	90.9	732[4]	15.1	1,031	21.3	727	15.0	10	2.1
	White	1,281	43.5	1,901	64.5	327	11.1	493	16.7	377	12.8	4	1.4
	Nonwhite	7,530	397.1	2,500	131.8	402	21.2	538	28.4	350	18.5	6	3.2
1975	Total	9,242	198.0	4,205	90.1	653[5]	14.0	897	19.2	638	13.7	5	1.1
	White	1,394	49.8	1,840	65.7	282	10.1	431	15.4	318	11.4	1	0.4
	Nonwhite	7,848	420.8	2,365	126.8	370	19.8	466	25.0	320	17.2	4	2.1
1976	Total	9,447	198.3	4,237	88.9	715[6]	15.0	930	19.5	633	13.3	13	2.7
	White	1,404	49.2	1,758	61.6	312	10.9	400	14.0	284	10.0	2	0.7
	Nonwhite	8,043	420.6	2,479	129.6	398	20.8	530	27.7	349	18.3	11	5.8
1977	Total	10,419	209.0	4,442	89.1	685[7]	13.7	876	17.6	607	12.2	10	2.0
	White	1,588	53.6	1,811	61.1	301	10.2	387	13.1	285	9.6	1	0.3
	Nonwhite	8,831	437.1	2,631	130.2	378	18.7	489	24.2	322	15.9	9	4.5
1978	Total	10,822	218.4	4,418	89.1	664	13.4	919	18.5	614	12.4	8	1.6
	White	1,674	57.6	1,749	60.2	284	9.8	386	13.3	274	9.4	5	1.7
	Nonwhite	9,148	446.0	2,669	130.1	380	18.5	533	26.0	340	16.6	3	1.5
1979	Total	10,749	212.5	4,479	88.5	654	12.9	857	17.0	565	11.2	6	1.2
	White	1,571	52.6	1,848	61.9	279	9.4	367	12.3	260	8.7	-	0
	Nonwhite	9,178	442.4	2,631	126.8	375	18.1	490	23.6	305	14.7	6	2.9
1980	Total	11,191	215.6	4,493	86.6	672	12.9	809	15.6	561	10.8	12	2.3
	White	1,747	57.2	1,836	60.1	288	9.4	330	10.8	232	7.6	7	2.3
	Nonwhite	9,444	442.4	2,657	124.5	384	17.9	479	22.4	329	15.4	5	2.3
1981	Total	11,339	219.1	4,582	88.5	669	12.9	836	16.2	562	10.9	3	0.6
	White	1,735	56.8	1,876	61.4	280	9.2	379	12.4	247	8.1	-	0
	Nonwhite	9,604	453.0	2,706	127.6	389	18.3	457	21.6	315	14.9	3	1.4

[1] Data on infant deaths under 28 days (1962-1966) derived from Vital Statistics of the United States.

[2] Rates for out-of-wedlock births, low weight births, fetal deaths, deaths under one year and under 28 days are calculated per 1,000 live births; rates for maternal deaths are calculated per 10,000 live births.

[3] Includes 2 race not stated
[4] Includes 3 race not stated
[5] Includes 1 race not stated
[6] Includes 5 race not stated
[7] Includes 6 race not stated

Table 3.
Mortality From Selected Causes of Death by Race With Rates[1] Per 100,000 Population
South Carolina, 1972-1981
(Residence Data)

Year	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Malignant Neoplasms 140-209 (140-208), 1.0026						Hypertension 400,401,403 (401,403), 1.2703					
1972	3,444	129.2	2,457	131.1	987	124.7	172	6.5	58	3.1	114	14.4
1973	3,688	135.3	2,564	132.8	1,124	141.2	110	4.0	39	2.0	71	8.9
1974	3,819	137.2	2,685	137.1	1,134	137.5	106	3.8	44	2.2	62	7.5
1975	3,840	136.3	2,685	138.3	1,155	131.8	101	3.6	38	2.0	63	7.2
1976	3,979	139.7	2,844	145.0	1,135	128.1	88	3.1	41	2.1	47	5.3
1977	4,272	148.5	3.030	154.1	1,242	136.6	67	2.3	30	1.5	37	4.1
1978	4,278	146.6	3,011	149.5	1,267	140.3	71	2.4	24	1.2	47	5.2
1979	4,563	155.6	3,210	158.7	1,353	148.8	99	3.4	55	2.7	44	4.8
1980	4,890	156.6	3,466	161.4	1,424	146.1	112	3.6	51	2.4	61	6.3
1981	4,904	153.4	3,487	158.7	1,417	141.8	108	3.4	47	2.1	61	6.1
	Malignant Neoplasms of Cervix 180 (180), N.A.*						Atherosclerosis 440 (440), 1.0649					
1972	85	3.2	40	2.1	45	5.7	270	10.1	185	9.9	85	10.7
1973	117	4.3	57	3.0	60	7.5	271	9.9	185	9.6	86	10.8
1974	92	3.3	48	2.4	44	5.3	279	10.0	201	10.3	78	9.5
1975	89	3.2	38	2.0	51	5.8	233	8.3	165	8.5	68	7.8
1976	97	3.4	47	2.4	50	5.6	242	8.5	179	9.1	63	7.1
1977	91	3.2	47	2.4	44	4.8	222	7.7	157	8.0	65	7.1
1978	78	2.7	40	2.0	38	4.2	239	8.2	185	9.2	54	6.0
1979	69	2.4	34	1.7	35	3.8	255	8.7	192	9.5	63	6.9
1980	94	3.0	48	2.2	46	4.7	264	8.5	175	8.2	89	9.1
1981	64	2.0	35	1.6	29	2.9	271	8.5	198	9.0	73	7.3
	Cerebrovascular Disease 430-438 (430-438), 1.0049						Ischemic Heart Disease 410-414 (410-414), 0.8784					
1972	3,010	112.9	1,842	98.3	1,168	147.6	7,468	280.2	5,405	288.5	2,063	260.4
1973	3,073	112.7	1,920	99.5	1,153	144.8	7,738	283.9	5,508	285.4	2,230	280.2
1974	2,906	104.4	1,830	93.4	1,076	130.4	7,384	265.2	5,316	271.4	2,068	250.7
1975	2,725	96.7	1,698	87.4	1,027	117.2	7,026	249.3	5,135	264.4	1,891	215.9
1976	2,739	96.2	1,722	87.3	1,017	114.8	7,143	250.8	5,214	265.7	1,929	217.7
1977	2,697	93.8	1,688	85.8	1,009	111.0	7,224	251.2	5,264	267.7	1,960	215.6
1978	2,541	87.1	1,569	77.9	972	107.6	7,067	242.3	5,190	257.7	1,877	207.8
1979	2,513	85.7	1,549	76.6	964	106.0	5,956	203.1	4,460	220.5	1,496	164.5
1980	2,488	79.7	1,532	71.3	956	98.1	6,060	194.1	4,655	216.8	1,405	144.2
1981	2,384	74.6	1,461	66.5	923	92.4	5,978	187.0	4,686	213.3	1,292	129.3
	Heart Disease 390-398,402,404,410-429 (390-398,402,404-429), 1.0126						Influenza and Pneumonia 470-474,480-486 (480-486,487) 0.9264					
1972	8,320	312.2	5,873	313.4	2,447	309.3	716	26.9	416	22.2	300	37.9
1973	8,779	322.0	6,107	316.4	2,672	335.7	670	24.6	413	21.4	257	32.3
1974	8,363	300.4	5,874	299.8	2,489	301.7	612	22.0	376	19.2	236	28.6
1975	8,139	288.8	5,757	296.4	2,382	271.9	707	25.1	441	22.7	266	30.4
1976	8,392	294.7	5,956	303.6	2,436	274.9	669	23.5	445	22.7	224	25.3
1977	8,636	300.3	6,069	308.6	2,567	282.4	673	23.4	430	21.9	243	26.7
1978	8,550	293.1	6,013	298.6	2,537	280.9	702	24.1	475	23.6	227	25.1
1979	8,640	297.7	6,081	300.7	2,559	281.4	546	18.6	376	18.6	170	18.7
1980	9,047	289.8	6,421	299.0	2,626	269.4	559	17.9	380	17.7	179	18.4
1981	9,151	286.3	6,603	300.6	2,548	255.0	646	20.2	448	20.4	198	19.8

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

[1] Rates in table have not been adjusted

* Not Available

Table 3 (cont.)

	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Diabetes Mellitus 250 (250), 0.9991						Accidents, All Types E800-E949 (E800-E949), 0.9970					
1972	543	20.4	303	16.2	240	30.3	1,972	74.0	1,179	62.9	793	100.2
1973	552	20.2	290	15.0	262	32.9	2,029	74.4	1,264	65.5	765	96.1
1974	586	21.1	326	16.6	260	31.5	1,835	65.9	1,181	60.3	654	79.3
1975	523	18.6	276	14.2	247	28.2	1,624	57.6	1,055	54.3	569	65.0
1976	468	16.4	245	12.5	223	25.2	1,593	55.9	983	50.1	610	68.8
1977	480	16.7	256	13.0	224	24.6	1,749	60.8	1,116	56.7	633	69.6
1978	450	15.4	245	12.2	205	22.7	1,658	56.8	1,052	52.2	606	67.1
1979	471	16.1	274	13.5	197	21.7	1,729	59.0	1,076	53.2	653	71.8
1980	475	15.2	256	11.9	219	22.5	1,700	54.5	1,092	50.9	608	62.4
1981	498	15.6	285	13.0	213	21.3	1,692	52.9	1,070	48.7	622	62.2
	Complications of Pregnancy, Childbirth and Puerperium 630-678 (630-676), 1.100 1/						Motor Vehicle Accidents E810-E823 (E810-E825), 1.0117					
1972	19	3.8	5	1.6	14	7.3	1,075	40.3	657	35.1	418	52.8
1973	18	3.7	4	1.3	14	7.4	996	36.5	650	33.7	346	43.5
1974	10	2.1	4	1.4	6	3.2	861	30.9	568	29.0	293	35.5
1975	5	1.1	1	0.1	4	2.1	814	28.9	535	27.5	279	31.8
1976	13	2.7	2	0.7	11	5.8	816	28.7	526	26.8	290	32.7
1977	10	2.0	1	0.3	9	4.5	952	33.1	676	34.4	276	30.4
1978	8	1.6	5	1.7	3	1.5	919	31.5	613	30.4	306	33.9
1979	6	1.2	–	0	6	2.9	915	31.2	599	29.6	316	34.8
1980	12	2.3	7	2.3	5	2.3	863	27.6	592	27.6	271	27.8
1981	3	0.6	–	0	3	1.4	849	26.6	616	28.0	233	23.3
	Congenital Anomalies 740-759 (740-759), 0.9984						Suicide E950-E959 (E950-E959), 1.0032					
1972	225	8.4	154	8.2	71	9.0	281	10.5	239	12.8	42	5.3
1973	221	8.1	159	8.2	62	7.8	308	11.3	270	14.0	38	4.8
1974	220	7.9	138	7.0	82	9.9	303	10.9	276	14.1	27	3.3
1975	207	7.3	128	6.6	79	9.0	328	11.6	293	15.1	35	4.0
1976	204	7.2	132	6.7	72	8.1	285	10.0	247	12.6	38	4.3
1977	207	7.2	122	6.2	85	9.3	359	12.5	311	15.8	48	5.3
1978	185	6.3	112	5.6	73	8.1	332	11.4	290	14.4	42	4.7
1979	229	7.8	143	7.1	86	9.5	308	10.5	281	13.9	27	3.0
1980	196	6.3	118	5.5	78	8.0	301	9.6	251	11.7	50	5.1
1981	213	6.7	125	5.7	88	8.8	348	10.9	305	13.9	43	4.3
	Certain Conditions Originating In The Perinatal Period 760-778 (760-779), 1.0765						Homicide E960-E978 (E960-E978), 1.0057					
1972	595	22.3	312	16.7	283	35.8	430	16.1	130	6.9	300	37.9
1973	585	21.5	292	15.1	293	36.8	459	16.8	184	9.5	275	34.5
1974	544	19.5	279	14.2	265	32.1	515	18.5	198	10.1	317	38.4
1975	471	16.7	222	11.4	249	28.4	444	15.8	189	9.7	255	29.1
1976	479	16.8	201	10.2	278	31.4	352	12.4	142	7.2	210	23.7
1977	469	16.3	207	10.5	262	28.8	380	13.2	174	8.8	206	22.7
1978	441	15.1	188	9.3	253	28.0	359	12.3	165	8.2	194	21.5
1979	422	14.4	167	8.3	255	28.0	387	13.2	168	8.3	219	24.1
1980	446	14.3	175	8.2	271	27.8	392	12.6	162	7.5	230	23.6
1981	452	14.1	188	8.6	264	26.4	357	11.2	158	7.2	199	19.9

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")
* Rates in table have not been adjusted

1/ Rates per 10,000 live births

POPULATION

SUMMARY OF POPULATION

The estimated population of South Carolina for 1981 was 3,196,247, an increase of 74,427 (2.4 percent) over the 1980 census population of 3,121,820. The 1981 estimate was also an increase of 21.7 percent over the 1971 estimated population of 2,626,800. Population figures for 1981 used in this report were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board.

1970 and 1980 CENSUS OF POPULATION

Population Density: In 1970, the population density (number of persons per square mile of land area) of South Carolina was approximately 85.6. Based on the most recent census count, the 1980 population density had increased to 103.4, a 20.8 percent increase. Approximately 70 percent of the 46 counties in South Carolina had population densities less than that of the state in 1980, and ten of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1970, there were 1,794,430 white and 796,086 nonwhite persons residing in South Carolina. The 1980 census count recorded a 19.7 percent increase in white population and a 22.4 percent increase in nonwhite population. Of the ten year population change from 1970 to 1980, the 25-34 year age group showed the greatest percentage increase. Only two age groups, 5-9 and 10-14, showed a decrease in population from 1970 to 1980. The age distribution and the percent change in number of resident population from 1970 to 1980 are as follows:

	1970		1980		Percent Change
	Total	Percent	Total	Percent	1970-1980
Total	2,590,516	100.0	3,121,820	100.0	+20.5
Under 1 Year	48,675	1.9	50,686	1.6	+ 4.1
1 - 4 Years	187,089	7.2	187,830	6.0	+ 0.4
5 - 9 Years	269,242	10.4	253,643	8.1	- 5.8
10 - 14 Years	282,703	10.9	266,179	8.5	- 5.8
15 - 19 Years	280,881	10.8	317,234	10.2	+12.9
20 - 24 Years	238,202	9.2	313,738	10.1	+31.7
25 - 34 Years	320,245	12.4	516,741	16.6	+61.4
35 - 44 Years	286,000	11.0	350,505	11.2	+22.6
45 - 54 Years	277,119	10.7	299,183	9.6	+ 8.0
55 - 64 Years	209,400	8.1	278,753	8.9	+33.1
65 - 74 Years	125,224	4.8	189,527	6.1	+51.4
75 and Over	65,736	2.5	97,801	3.1	+48.8

Table 4.
Population, Live Births, Deaths, and Natural Increase
South Carolina, 1962 - 1981
(Residence Data)

YEAR	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		NATURAL INCREASE
		Number	Rate	Number	Rate	(Births minus Deaths)
1962	2,435,000	58,142	23.9	20,390	8.4	37,752
1963	2,461,400	58,231	23.7	21,675	8.8	36,556
1964	2,487,600	56,906	22.9	21,309	8.6	35,597
1965	2,512,200	52,853	21.0	21,668	8.6	31,185
1966	2,536,800	50,653	20.0	22,081	8.7	28,572
1967	2,660,000	49,822	18.7	21,762	8.2	28,060
1968	2,669,000	49,158	18.4	23,411	8.8	25,747
1969	2,698,000	50,401	18.7	22,822	8.5	27,581
1970	2,590,516	52,283	20.2	22,762	8.8	29,521
1971	2,626,800	52,984	20.2	23,140	8.8	29,884
1972	2,665,000	49,951	18.7	23,920	9.0	26,031
1973	2,726,000	48,922	17.9	24,871	9.1	24,051
1974	2,784,000	48,432	17.4	24,169	8.7	24,263
1975	2,818,000	46,665	16.6	23,343	8.3	23,322
1976	2,848,000	47,651	16.7	23,639	8.3	24,012
1977	2,876,000	49,848	17.3	23,254	8.4	25,954
1978	2,918,000	49,558	17.0	24,058	8.2	25,503
1979	2,931,900	50,586	17.3	24,343	8.3	26,243
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335

Rate per 1,000 population

Figure 1.

BIRTH RATES, DEATH RATES, AND NATURAL INCREASE
SOUTH CAROLINA, 1962 - 1981
(RESIDENCE DATA)



BEST AVAILABLE COPY

FIGURE 2.

POPULATION(*) DISTRIBUTION OF
SOUTH CAROLINA, 1981


LEGEND: POP
▦ 100001 - 300000
▨ 50001 - 100000
▤ 25001 - 50000
☐ 0 - 25000

(*) BASED ON 1981 ESTIMATED POPULATION

BEST AVAILABLE COPY

Table 5.
Estimates of South Carolina Population by Race by County
July, 1981

COUNTY	TOTAL	WHITE	NONWHITE
SOUTH CAROLINA	3,196,247	2,196,957	999,290
Abbeville	22,775	15,170	7,605
Aiken	107,477	80,198	27,279
Allendale	10,819	3,972	6,847
Anderson	137,273	113,024	24,249
Bamberg	18,387	7,770	10,617
Barnwell	20,212	11,716	8,496
Beaufort	67,443	43,718	23,725
Berkeley	100,972	73,140	27,832
Calhoun	12,378	5,543	6,835
Charleston	281,008	180,345	100,663
Cherokee	41,464	33,152	8,312
Chester	30,231	18,460	11,771
Chesterfield	38,711	25,969	12,742
Clarendon	27,656	11,692	15,964
Colleton	32,292	17,344	14,948
Darlington	63,929	38,081	25,848
Dillon	31,320	17,669	13,651
Dorchester	62,163	45,403	16,760
Edgefield	17,742	8,835	8,907
Fairfield	20,822	8,590	12,232
Florence	113,031	70,097	42,934
Georgetown	43,782	24,001	19,781
Greenville	294,733	240,351	54,382
Greenwood	58,881	41,542	17,339
Hampton	18,437	8,670	9,767
Horry	106,461	81,946	24,515
Jasper	14,864	6,311	8,553
Kershaw	39,535	27,026	12,509
Lancaster	54,764	41,277	13,487
Laurens	52,676	37,207	15,469
Lee	19,016	7,305	11,711
Lexington	148,038	132,183	15,855
McCormick	7,818	3,035	4,783
Marion	34,656	16,440	18,216
Marlboro	32,209	16,709	15,500
Newberry	31,436	21,366	10,070
Oconee	49,669	44,607	5,062
Orangeburg	83,928	36,353	47,575
Pickens	82,419	75,817	6,602
Richland	274,107	163,253	110,854
Saluda	16,335	10,529	5,806
Spartanburg	205,735	162,676	43,059
Sumter	89,258	48,674	40,584
Union	30,882	21,682	9,200
Williamsburg	38,712	14,516	24,196
York	109,791	83,593	26,198

SOURCE: South Carolina Division of Research and Statistical Services

BIRTHS

SUMMARY OF BIRTHS

In 1981, there were 51,745 live births to South Carolina residents with a crude rate of 16.2 per 1,000 estimated population. Of the total resident live births 30,542 (59.0 percent) were white and 21,203 (41.0 percent) were nonwhite. The white live birth rate was 13.9 per 1,000 estimated population; the nonwhite rate was 21.2.

Figure 3.
RESIDENT BIRTH RATES
SOUTH CAROLINA, 1981



In 1960, the birth rate began a steady decline which lasted through 1968. Brtween 1960 and 1968, the white birth rate decreased 25.2 percent; the nonwhite rate decreased 26.0 percent. The birth rate in 1971 remained stable, but in 1972, it dropped to a level near that of 1968. In 1973, the birth rate surpassed the previous low of 1968, and in 1975, it fell to a new record low. The 1976 rate reflected a stabilization after several years of declining rates and the 1977 rate of 17.3 showed a slight increase (3.6 percent) over the 1976 rate of 16.7. In 1978, the rate fell again slightly to a rate of 17.0, but in 1979, the birth rate again rose slightly to a rate of 17.3. However, in 1980, the birth rate again fell to the record low of 16.6 set in 1975. The birth rate in 1981 fell to the lowest recorded rate of 16.2.

BEST AVAILABLE COPY

Figure 4.

LIVE BIRTH RATES BY RACE
SOUTH CAROLINA, 1950 - 1981
(RESIDENCE DATA)



Table 6.

LIVE BIRTHS AND BIRTH RATE BY RACE
1950 - 1981
SOUTH CAROLINA RESIDENTS

YEAR	TOTAL		WHITE		NONWHITE	
	NUMB	RATE	NUMB	RATE	NUMB	RATE
1950	57082	27.1	30547	25.2	26535	29.6
1951	60527	28.6	32948	25.5	27579	33.5
1952	62564	29.6	34871	27.0	27693	33.6
1953	62323	29.4	35035	27.1	27288	33.1
1954	65141	28.6	36524	26.4	28617	32.0
1955	63530	27.3	35444	25.1	28086	30.7
1956	63811	26.9	35656	24.8	28155	30.1
1957	63375	26.2	35887	24.6	27488	28.8
1958	60681	24.5	34790	23.2	25891	26.4
1959	60179	25.8	34502	24.0	25677	28.6
1960	59702	25.1	34428	22.2	25274	30.4
1961	59930	24.9	34771	22.0	25159	30.2
1962	58142	23.9	34216	21.4	23926	28.7
1963	58231	23.7	34256	21.0	23975	28.8
1964	56906	22.9	33184	20.1	23722	28.4
1965	52853	21.0	30635	18.3	22218	26.6
1966	50653	20.0	30118	17.7	20535	24.4
1967	49822	18.7	29996	16.3	19826	24.2
1968	49158	18.4	30416	16.6	18742	22.5
1969	50401	18.7	31626	17.0	18775	22.3
1970	52283	20.2	32703	18.2	19580	24.6
1971	52984	20.2	32912	18.0	20072	25.3
1972	49951	18.7	30857	16.5	19094	24.1
1973	48922	17.9	29881	15.5	19041	23.9
1974	48432	17.4	29469	15.0	18963	23.0
1975	46665	16.6	28016	14.4	18649	21.3
1976	47651	16.7	26529	14.5	19122	21.6
1977	49848	17.3	29646	15.1	20202	22.2
1978	49558	17.0	29048	14.4	20510	22.7
1979	50586	17.3	29839	14.8	20747	22.8
1980	51908	16.6	30559	14.2	21349	21.9
1981	51745	16.2	30542	13.9	21203	21.2

RATE PER 1000 POPULATION

ATTENDANT AT BIRTH

Tables 21 and 22 give the number of births according to attendant at delivery by county of residence and occurrence. Of the total 51,745 resident births, 96.9 percent were attended by a physician. This term "physician" includes osteopaths, residents, interns, and externs. Midwives attended 2.0 percent of the total births, 1.4 percent of the white births, and 2.8 percent of nonwhite births. Other and not stated attendant accounted for less than one percent of total births. The term "other" includes any specified attendant other than physician, midwife or self-attended. Included in the "not stated" category are unknown, not specified or not classifiable attendants.

Table 7 shows resident births by attendant by delivery site. Deliveries by midwives in hospitals represent deliveries by certified nurse-midwives. Granny midwife deliveries are reflected as midwife deliveries at residences and other delivery sites.

Table 7.
Live Births by Attendant by Place of Delivery
South Carolina, 1981
(Residence Data)

	Total	Physician	Midwife	Other	Self	Unknown
Hospital or Clinic	51,306	50,013	1,044	22	226	1
Doctor's Office	88	87	-	-	1	-
Enroute	107	14	-	61	32	-
Residence	244	20	-	152	72	-
TOTAL	51,745	50,134	1,044	235	331	1

The percentages of total births which were delivered in hospitals are shown by race in Table 8 for the 10 year period 1972-1981. Only 96.2 percent of the total births occurred in hospitals in 1972, in contrast to 99.2 percent in 1981. The greatest change has been among nonwhite births for which the frequency of hospital delivery has increased from 90.5 percent in 1972 to 98.7 percent in 1981.

Table 8.
Percentages of Births Occurring in Hospitals by Race:
South Carolina, 1972-1981
(Residence Data)

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1972	96.2	99.7	90.5	1977	98.8	99.8	97.8
1973	97.2	99.7	93.1	1978	99.0	99.5	98.3
1974	97.8	99.8	94.8	1979	99.2	99.5	98.7
1975	98.1	99.6	95.9	1980	99.3	99.5	99.1
1976	98.5	99.6	97.0	1981	99.2	99.5	98.7

OUT-OF-WEDLOCK

In 1981, there were 11,339 out-of-wedlock live births to resident mothers in South Carolina, representing 21.9 percent of all live births. This is an increase of 1.4 percent from the percent out-of-wedlock reported in 1980. The out-of-wedlock rate (rate per 1,000 total live births) increased from 215.6 in 1980 to 219.1 in 1981. Data for 1981 out-of-wedlock live births and percent of out-of-wedlock live births are given, by county, in Table 30. As in the past, out-of-wedlock births occurred more frequently among young mothers. Females under age 20 accounted for 47.5 percent of all out-of-wedlock live births in 1981. However, this percentage has decreased 11.5 percent since 1977.

Table 9.
Percentage Distribution of Out-of-Wedlock Live Births
By Age of Mother: South Carolina, 1977-1981
(Residence Data)

Age	1977	1978	1979	1980	1981
All Ages...............	100.0	100.0	100.0	100.0	100.0
Under 15 Years.........	2.6	2.9	2.1	2.4	1.9
15-19 Years............	51.1	48.8	48.2	46.9	45.6
20-24 Years............	30.9	32.8	33.6	33.7	33.9
25-29 Years............	9.9	10.2	10.9	11.4	12.6
30 Years and Over......	5.4	5.3	5.2	5.6	6.0

AGE OF MOTHER

In 1981, there were 227 resident live births to mothers under 15 years of age and only 16 live births to mothers 45 years of age and over. Woman aged 15-44 years were responsible for 99.5 percent of all live births. The median age of resident mothers giving birth in 1981 was 24.0 years. The youngest resident mother giving birth in 1981 was 12 years old and the oldest was 49 years old.

Table 10.
Percentage Distribution of Live Births by Age of Mother:
South Carolina, 1977-1981
(Residence Data)

Age	1977	1978	1979	1980	1981
All Ages..............	100.0	100.0	100.0	100.0	100.0
Under 15 Years........	0.6	0.7	0.5	0.6	0.4
15-19 Years...........	21.3	20.3	19.8	19.2	18.5
20-24 Years...........	35.7	35.7	35.3	35.0	34.6
25-29 Years...........	27.5	27.9	28.1	28.7	28.9
30-34 Years...........	11.4	11.7	12.5	13.0	13.9
35-39 Years...........	3.0	3.0	3.2	3.1	3.2
40-44 Years...........	0.5	0.5	0.5	0.5	0.5
45 Years and Over.....	0.0	0.0	0.0	0.0	0.0

BIRTH WEIGHT

Birth weights of less than 5 pounds 8 ounces (Low Birth Weight) were reported for 8.9 percent of 51,745 resident births in 1981. A greater proportion of the nonwhite children were born at the low birth weights than the white children. The nonwhite low birth weight rate was 127.6 per 1,000 live births; the white rate, 61.4.

Table 11.
Live Births by Birth Weight by Race With Percentages of Births in Weight Group: South Carolina, 1981 (Residence Data)

Weight Group	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Total..................	51,745	100.0	30,542	100.0	21,203	100.0
Less Than 2,500 grams..	4,582	8.9	1,876	6.1	2,706	12.8
Under 1,000 grams...	393	0.8	141	0.5	252	1.2
1,000-1,499 grams...	436	0.8	183	0.6	253	1.2
1,500-1,999 grams...	908	1.8	366	1.2	542	2.6
2,000-2,499 grams...	2,845	5.5	1,186	3.9	1,659	7.8
2,500 or More grams....	47,151	91.1	28,663	93.8	18,494	87.2
Unknown Weight.........	6	0.0	3	0.0	3	0.0

The live birth of an infant weighing 1,499 grams or less was a very infrequent event (1.6 percent of all live births). The gram weight group of 2,000-2,499 grams represented only 5.5 percent of all live births, but accounted for 62.1 percent of all of the low birth weight babies.

In relation to age of mother, low weight births were comparatively frequent among very young mothers; 12.2 percent of all births to mothers age 15-19 were low weight. Only 7.2 percent of all live births to mothers age 25-34 were low weight. The percent of births that are low weight, by age of mother and race, is shown in Table 12 and Figure 5 .

Table 12.
Percent* of Births Less Than 2,500 Grams By Age of Mother and Race: South Carolina, 1981 (Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	18.5	12.2	8.9	7.2	9.5	0
White	12.9	8.4	6.3	5.3	7.4	0
Nonwhite	19.4	15.5	12.8	10.8	12.3	0

*Low weight birth percentages are based on total live births within each age group.

Figure 5.
Percent of Births Less Than 2,500 Grams
by Age of Mother and Race
South Carolina, 1981
(Residence Data)



Eighty-two percent of all resident live births in 1981 occurred in the weight interval 2,500-3,999 grams. The first group in this interval (2,500-2,999 grams) contained 18.7 percent of all live births. The second gram weight group (3,000-3,499) contained 37.1 percent and the third (3,500-3,999 grams), 26.1 percent. Only a comparatively small proportion of births (1.5 percent) occurred in the upper weight interval of 4,500 grams or more.

Comparison of the percentages of white and nonwhite births at weights around the modal group for the distributions reveals some variation (see Figure 6). For both, the highest proportion of births occurred at 3,000-3,499 grams, but the mean white live birth weight was higher than the nonwhite mean weight.

Figure 6.
PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
BY BIRTHWEIGHT AND RACE:
SOUTH CAROLINA 1981
(RESIDENCE DATA)



FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the proper population exposed to the chance of having a birth, since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. If the event of birth were to be related to the population exposed to risk, that is, to females of the childbearing ages 15-44, a more specific rate could be computed. This fertility rate per 1,000 females in the age group 15-44 has decreased 20.8 percent from 84.8 in 1972 to 67.2 in 1981, even though the female population between these ages has increased by 30.7 percent. By race, this 1972 to 1981 pattern shows a 22.3 percent decrease in the white fertility rate and a 19.7 percent decrease occurring to nonwhites.

Table 13.
Fertility Rates[1/] by Race:
South Carolina, 1950, 1960, 1970-1981

YEAR	TOTAL	WHITE	NONWHITE
1950	116.1	99.3	144.1
1960	120.3	103.1	155.6
1970	93.7	83.4	117.9
1971	92.1	82.6	113.7
1972	84.8	75.7	105.3
1973	81.1	71.6	102.6
1974	78.5	69.0	100.0
1975	73.3	63.4	95.9
1976	74.5	64.7	96.4
1977	76.5	66.0	100.1
1978	74.2	63.2	98.7
1979	72.1	62.1	94.2
1980	69.1	60.4	87.4
1981	67.2	58.8	84.6

[1/] Rate per 1,000 census population of females aged 15-44 years (1950, 1960, 1970, 1980)
Rate per 1,000 projected female population aged 15-44 years (1971-1979)
Rate per 1,000 estimated population aged 15-44 years (1981)

Table 14.
Population of Females Age 15-44, by Race:
South Carolina, 1950, 1960, 1970-1981

YEAR	TOTAL	WHITE	NONWHITE
1950	491,675	307,558	184,117
1960	496,192	333,772	162,420
1970	558,052	392,021	166,031
1971	575,207	398,639	176,568
1972	589,015	407,756	181,259
1973	602,886	417,291	185,595
1974	616,927	427,272	189,655
1975	636,469	442,097	194,372
1976	639,264	440,857	198,407
1977	651,320	449,482	201,838
1978	663,289	458,227	205,062
1979*	697,351	479,583	217,768
1980	746,625	505,229	241,396
1981	769,799	519,118	250,681

*revised

SEX RATIO

Out of the total 51,745 live births occurring to South Carolina residents in 1981, male births numbered 26,230 and female births numbered 25,515, giving a ratio of 102.8 males per 100 females.

Table 15.
Sex Ratio of Males Per 100 Females:
South Carolina, 1977-1981
(Residence Data)

Year	Total	White	Nonwhite
1977	103.6	104.3	102.7
1978	105.0	107.3	102.0
1979	105.7	107.2	103.7
1980	105.1	106.0	103.8
1981	102.8	104.8	99.9

MULTIPLE BIRTHS

During 1981, a total of 1,068 live births occurred as a result of multiple births. Of that number, there were 522 sets of twins and 8 sets of triplets. The 1,068 multiple births resulted in a ratio of 1 multiple birth per 48.5 live births.

CONGENITAL MALFORMATIONS

Congenital malformations were reported on 509 birth records in 1981. This corresponds to a rate of 9.8 per 1,000 live births. The three major malformations reported in 1981 were 1) Other Anomalies of Limbs, 2) Congenital Anomalies of Genital Organs, and 3) Cleft Lip and Cleft Palate. Table 32 shows live births with reported congenital malformations for residents of South Carolina and each county.

Table 16.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA..........	51,745	16.2	30,542	13.9	21,203	21.2
Abbeville..............	355	15.6	203	13.4	152	20.0
Abbeville............	97	---	38	---	59	---
Honea Path(part)......	1	---	1	---	-	---
Balance of County....	257	---	164	---	93	---
Aiken..................	1,830	17.0	1,222	15.2	608	22.3
Aiken................	272	---	131	---	141	---
New Ellenton.........	42	---	27	---	15	---
North Augusta........	233	---	161	---	72	---
Balance of County....	1,283	---	903	---	380	---
Allendale..............	226	20.9	52	13.1	174	25.4
Allendale............	87	---	12	---	75	---
Balance of County....	139	---	40	---	99	---
Anderson...............	1,931	14.1	1,459	12.9	472	19.5
Anderson.............	410	---	227	---	183	---
Belton...............	74	---	49	---	25	---
Clemson Vil(part)....	-	---	-	---	-	---
Honea Path(part)......	56	---	46	---	10	---
Pendleton............	47	---	23	---	24	---
Williamston..........	45	---	35	---	10	---
Balance of County....	1,299	---	1,079	---	220	---
Bamberg................	288	15.7	101	13.0	187	17.6
Bamberg..............	51	---	30	---	21	---
Denmark..............	83	---	17	---	66	---
Balance of County....	154	---	54	---	100	---
Barnwell...............	356	17.6	173	14.8	183	21.5
Barnwell.............	88	---	41	---	47	---
Williston............	51	---	19	---	32	---
Balance of County....	217	---	113	---	104	---
Beaufort...............	1,399	20.7	828	18.9	571	24.1
Beaufort.............	219	---	139	---	80	---
Port Royal...........	101	---	72	---	29	---
Balance of County....	1,079	---	617	---	462	---
Berkeley...............	2,017	20.0	1,342	18.3	675	24.3
Goose Creek..........	336	---	276	---	60	---
Balance of County....	1,681	---	1,066	---	615	---
Calhoun................	188	15.2	52	9.4	136	19.9
Charleston.............	5,089	18.1	2,793	15.5	2,296	22.8
Charleston...........	1,635	---	733	---	902	---
Isle of Palm.........	35	---	35	---	-	---
Mt. Pleasant.........	291	---	230	---	61	---
North Charleston.....	745	---	445	---	300	---
Balance of County....	2,383	---	1,350	---	1,033	---
Cherokee...............	583	14.1	400	12.1	183	22.0
Gaffney..............	213	---	94	---	119	---
Balance of County....	370	---	306	---	64	---
Chester................	564	18.7	259	14.0	305	25.9
Chester..............	153	---	50	---	103	---
Great Falls..........	44	---	31	---	13	---
Balance of County....	367	---	178	---	189	---

Table 16 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield	614	15.9	361	13.9	253	19.9
Cheraw	85	---	38	---	47	---
Balance of County	529	---	323	---	206	---
Clarendon	468	16.9	129	11.0	339	21.2
Manning	67	---	24	---	43	---
Balance of County	401	---	105	---	296	---
Colleton	542	16.8	231	13.3	311	20.8
Walterboro	139	---	62	---	77	---
Balance of County	403	---	169	---	234	---
Darlington	955	14.9	458	12.0	497	19.2
Darlington	127	---	58	---	69	---
Hartsville	153	---	68	---	85	---
Balance of County	675	---	332	---	343	---
Dillon	577	18.4	244	13.8	333	24.4
Dillon	146	---	73	---	73	---
Balance of County	431	---	171	---	260	---
Dorchester	1,097	17.6	771	17.0	326	19.5
Summerville	318	---	225	---	93	---
Balance of County	779	---	546	---	233	---
Edgefield	316	17.8	139	15.7	177	19.9
Edgefield	34	---	14	---	20	---
Johnston	44	---	20	---	24	---
Balance of County	238	---	105	---	133	---
Fairfield	316	15.2	95	11.1	221	18.1
Winnsboro	43	---	16	---	27	---
Balance of County	273	---	79	---	194	---
Florence	1,897	16.8	971	13.9	926	21.6
Florence	576	---	256	---	320	---
Lake City	117	---	32	---	85	---
Balance of County	1,204	---	683	---	521	---
Georgetown	766	17.5	324	13.5	442	22.3
Andrews(part)	67	---	19	---	48	---
Georgetown	162	---	59	---	103	---
Balance of County	537	---	246	---	291	---
Greenville	4,393	14.9	3,381	14.1	1,012	18.6
Fountain Inn(part)	24	---	12	---	12	---
Greenville	978	---	533	---	445	---
Greer(part)	50	---	48	---	2	---
Mauldin	11	---	8	---	3	---
Simpsonville	43	---	35	---	8	---
Balance of County	3,287	---	2,745	---	542	---
Greenwood	834	14.2	483	11.6	351	20.2
Greenwood	368	---	159	---	209	---
Balance of County	466	---	324	---	142	---
Hampton	373	20.2	104	12.0	269	27.5
Hampton	46	---	28	---	18	---
Balance of County	327	---	76	---	251	---
Horry	1,755	16.5	1,238	15.1	517	21.1
Conway	168	---	92	---	76	---
Myrtle Beach	319	---	254	---	65	---
Balance of County	1,268	---	892	---	376	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper	308	20.7	119	18.9	189	22.1
Kershaw	624	15.8	364	13.5	260	20.8
Camden	101	---	44	---	57	---
Balance of County	523	---	320	---	203	---
Lancaster	795	14.5	518	12.5	277	20.5
Lancaster	207	---	92	---	115	---
Balance of County	588	---	426	---	162	---
Laurens	765	14.5	505	13.6	260	16.8
Clinton	116	---	61	---	55	---
Fountain Inn(part)	5	---	2	---	3	---
Laurens	150	---	73	---	77	---
Balance of County	494	---	369	---	125	---
Lee	338	17.8	82	11.2	256	21.9
Bishopville	54	---	12	---	42	---
Balance of County	284	---	70	---	214	---
Lexington	2,066	14.0	1,710	12.9	356	22.5
Batesburg(part)	42	---	25	---	17	---
Cayce	147	---	112	---	35	---
Springdale	1	---	1	---	-	---
West Columbia	259	---	208	---	51	---
Balance of County	1,617	---	1,364	---	253	---
McCormick	143	18.3	31	10.2	112	23.4
Marion	625	18.0	206	12.5	419	23.0
Marion	145	---	41	---	104	---
Mullins	85	---	25	---	60	---
Balance of County	395	---	140	---	255	---
Marlboro	556	17.3	210	12.6	346	22.3
Bennettsville	191	---	51	---	140	---
McColl	51	---	40	---	11	---
Balance of County	314	---	119	---	195	---
Newberry	497	15.8	279	13.1	218	21.6
Newberry	163	---	83	---	80	---
Balance of County	334	---	196	---	138	---
Oconee	683	13.8	598	13.4	85	16.8
Seneca	134	---	87	---	47	---
Walhalla	43	---	39	---	4	---
Westminster	40	---	30	---	10	---
Balance of County	466	---	442	---	24	---
Orangeburg	1,561	18.6	501	13.8	1,060	22.3
Orangeburg	303	---	94	---	209	---
Balance of County	1,258	---	407	---	851	---
Pickens	1,019	12.4	933	12.3	86	13.0
Clemson Vil(part)	60	---	38	---	22	---
Easley	110	---	101	---	9	---
Liberty	25	---	20	---	5	---
Pickens	25	---	21	---	4	---
Balance of County	799	---	753	---	46	---
Richland	4,202	15.3	1,957	12.0	2,245	20.3
Columbia	1,864	---	724	---	1,140	---
Forest Acres	1	---	1	---	-	---
Balance of County	2,337	---	1,232	---	1,105	---

Table 16 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda..................	258	15.8	127	12.1	131	22.6
Batesburg(part)......	4	---	-	---	4	---
Balance of County....	254	---	127	---	127	---
Spartanburg............	3,064	14.9	2,220	13.6	844	19.6
Greer(part)..........	45	---	24	---	21	---
Spartanburg..........	654	---	264	---	390	---
Woodruff............	40	---	19	---	21	---
Balance of County....	2,325	---	1,913	---	412	---
Sumter.................	1,755	19.7	839	17.2	916	22.6
Sumter..............	574	---	226	---	348	---
Balance of County....	1,181	---	613	---	568	---
Union..................	444	14.4	244	11.3	200	21.7
Union...............	156	---	55	---	101	---
Balance of County....	288	---	189	---	99	---
Williamsburg...........	674	17.4	158	10.9	516	21.3
Andrews(part)........	6	---	1	---	5	---
Kingstree...........	94	---	18	---	76	---
Balance of County....	574	---	139	---	435	---
York...................	1,640	14.9	1,128	13.5	512	19.5
Clover..............	48	---	34	---	14	---
Fort Mill...........	68	---	45	---	23	---
Rock Hill...........	577	---	290	---	287	---
York................	121	---	75	---	46	---
Balance of County....	826	---	684	---	142	---

Rate per 1,000 estimated population

Table 17.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA..........	49,473	15.5	28,824	13.2	20,649	20.8
Abbeville...............	209	9.2	63	4.2	146	19.2
Abbeville...........	209	---	63	---	146	---
Honea Path(part).....	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Aiken...................	698	6.5	387	4.8	311	11.4
Aiken...............	689	---	382	---	307	---
New Ellenton.........	-	---	-	---	-	---
North Augusta........	-	---	-	---	-	---
Balance of County....	9	---	5	---	4	---
Allendale...............	183	16.9	27	6.8	156	22.8
Allendale............	-	---	-	---	-	---
Balance of County....	183	---	27	---	156	---
Anderson................	2,237	16.3	1,701	15.0	536	22.1
Anderson.............	2,231	---	1,696	---	535	---
Belton...............	1	---	-	---	1	---
Clemson Vil(part)....	-	---	-	---	-	---
Honea Path(part).....	-	---	-	---	-	---
Pendleton............	1	---	1	---	-	---
Williamston..........	-	---	-	---	-	---
Balance of County....	4	---	4	---	-	---
Bamberg.................	353	19.2	103	13.3	250	23.5
Bamberg..............	350	---	100	---	250	---
Denmark..............	-	---	-	---	-	---
Balance of County....	3	---	3	---	-	---
Barnwell................	189	9.4	57	4.9	132	15.5
Barnwell.............	186	---	56	---	130	---
Williston............	-	---	-	---	-	---
Balance of County....	3	---	1	---	2	---
Beaufort................	1,486	22.0	802	18.3	684	28.8
Beaufort.............	901	---	370	---	531	---
Port Royal...........	1	---	-	---	1	---
Balance of County....	584	---	432	---	152	---
Berkeley................	4	0.0	1	0.0	3	0.1
Goose Creek..........	-	---	-	---	-	---
Balance of County....	4	---	1	---	3	---
Calhoun.................	-	---	-	---	-	---
Charleston..............	8,622	30.7	5,138	28.5	3,484	34.6
Charleston...........	6,284	---	3,298	---	2,986	---
Isle of Palm.........	-	---	-	---	-	---
Mt. Pleasant.........	1	---	1	---	-	---
North Charleston.....	1,821	---	1,433	---	388	---
Balance of County....	516	---	406	---	110	---
Cherokee................	329	7.9	171	5.2	158	19.0
Gaffney..............	1	---	-	---	1	---
Balance of County....	328	---	171	---	157	---
Chester.................	485	16.0	211	11.4	274	23.3
Chester..............	-	---	-	---	-	---
Great Falls..........	-	---	-	---	-	---
Balance of County....	485	---	211	---	274	---

Table 17 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield............	274	7.1	132	5.1	142	11.1
Cheraw...............	202	---	100	---	102	---
Balance of County....	72	---	32	---	40	---
Clarendon...............	313	11.3	58	5.0	255	16.0
Manning..............	311	---	58	---	253	---
Balance of County....	78	---	28	---	50	---
Colleton...............	254	7.9	45	2.6	209	14.0
Walterboro...........	225	---	34	---	191	---
Balance of County....	29	---	11	---	18	---
Darlington..............	931	14.6	415	10.9	516	20.0
Darlington...........	601	---	239	---	362	---
Hartsville...........	328	---	175	---	153	---
Balance of County....	2	---	1	---	1	---
Dillon..................	368	11.7	139	7.9	229	16.8
Dillon...............	367	---	139	---	228	---
Balance of County....	1	---	-	---	1	---
Dorchester..............	6	0.1	5	0.1	1	0.1
Summerville..........	4	---	4	---	-	---
Balance of County....	2	---	1	---	1	---
Edgefield...............	140	7.9	15	1.7	125	14.0
Edgefield............	138	---	14	---	124	---
Johnston.............	-	---	-	---	-	---
Balance of County....	2	---	1	---	1	---
Fairfield...............	55	2.6	6	0.7	49	4.0
Winnsboro............	-	---	-	---	-	---
Balance of County....	55	---	6	---	49	---
Florence................	2,357	20.9	1,277	18.2	1,080	25.2
Florence.............	2,351	---	1,275	---	1,076	---
Lake City............	1	---	-	---	1	---
Balance of County....	5	---	2	---	3	---
Georgetown..............	796	18.2	301	12.5	495	25.0
Andrews(part)........	1	---	-	---	1	---
Georgetown...........	793	---	301	---	492	---
Balance of County....	2	---	-	---	2	---
Greenville..............	5,342	18.1	4,237	17.6	1,105	20.3
Fountain Inn(part)...	-	---	-	---	-	---
Greenville...........	4,723	---	3,719	---	1,004	---
Greer(part)..........	371	---	346	---	25	---
Mauldin..............	-	---	-	---	-	---
Simpsonville.........	225	---	155	---	70	---
Balance of County....	23	---	17	---	6	---
Greenwood...............	1,787	30.3	1,060	25.5	727	41.9
Greenwood............	1,785	---	1,059	---	726	---
Balance of County....	2	---	1	---	1	---
Hampton.................	297	16.1	63	7.3	234	24.0
Hampton..............	-	---	-	---	-	---
Balance of County....	297	---	63	---	234	---
Horry...................	1,732	16.3	1,240	15.1	492	20.1
Conway...............	525	---	383	---	142	---
Myrtle Beach.........	975	---	762	---	213	---
Balance of County....	232	---	95	---	137	---

Table 17 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper	24	1.6	4	0.6	20	2.3
Kershaw	424	10.7	277	10.2	147	11.8
Camden	421	---	276	---	145	---
Balance of County	3	---	1	---	2	---
Lancaster	625	11.4	340	8.2	285	21.1
Lancaster	623	---	340	---	283	---
Balance of County	2	---	-	---	2	---
Laurens	160	3.0	86	2.3	74	4.8
Clinton	-	---	-	---	-	---
Fountain Inn(part)	-	---	-	---	-	---
Laurens	95	---	44	---	51	---
Balance of County	65	---	42	---	23	---
Lee	112	5.9	8	1.1	104	8.9
Bishopville	-	---	-	---	-	---
Balance of County	112	---	8	---	104	---
Lexington	1,577	10.7	1,325	10.0	252	15.9
Batesburg(part)	-	---	-	---	-	---
Cayce	-	---	-	---	-	---
Springdale	-	---	-	---	-	---
West Columbia	1	---	1	---	-	---
Balance of County	1,576	---	1,324	---	252	---
McCormick	1	0.1	1	0.3	-	---
Marion	839	24.2	311	18.9	528	29.0
Marion	615	---	228	---	387	---
Mullins	222	---	83	---	139	---
Balance of County	2	---	-	---	2	---
Marlboro	461	14.3	136	8.1	325	21.0
Bennettsville	460	---	136	---	324	---
McColl	-	---	-	---	-	---
Balance of County	1	---	-	---	1	---
Newberry	434	13.8	224	10.5	210	20.9
Newberry	432	---	223	---	209	---
Balance of County	2	---	1	---	1	---
Oconee	398	8.0	337	7.6	61	12.1
Seneca	-	---	-	---	-	---
Walhalla	-	---	-	---	-	---
Westminster	-	---	-	---	-	---
Balance of County	398	---	337	---	61	---
Orangeburg	1,533	18.3	520	14.3	1,013	21.3
Orangeburg	1,524	---	519	---	1,005	---
Balance of County	9	---	1	---	8	---
Pickens	532	6.5	509	6.7	23	3.5
Clemson Vil(part)	-	---	-	---	-	---
Easley	530	---	507	---	23	---
Liberty	-	---	-	---	-	---
Pickens	-	---	-	---	-	---
Balance of County	2	---	2	---	-	---
Richland	5,664	20.7	2,811	17.2	2,853	25.7
Columbia	5,654	---	2,805	---	2,849	---
Forest Acres	-	---	-	---	-	---
Balance of County	10	---	6	---	4	---

Table 17 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda..................	3	0.2	-	0	3	0.5
Batesburg(part)........	-	---	-	---	-	---
Balance of County.....	3	---	-	---	3	---
Spartanburg..............	3,184	15.5	2,318	14.2	866	20.1
Greer(part)...........	1	---	1	---	-	---
Spartanburg...........	2,231	---	1,453	---	778	---
Woodruff..............	-	---	-	---	-	---
Balance of County.....	952	---	864	---	88	---
Sumter..................	2,051	23.0	934	19.2	1,117	27.5
Sumter................	1,644	---	653	---	991	---
Balance of County.....	407	---	281	---	126	---
Union....................	313	10.1	135	6.2	178	19.3
Union.................	313	---	135	---	178	---
Balance of County.....	-	---	-	---	-	---
Williamsburg.............	368	9.5	45	3.1	323	13.3
Andrews(part).........	-	---	-	---	-	---
Kingstree.............	364	---	45	---	319	---
Balance of County.....	4	---	-	---	4	---
York.....................	1,323	12.1	849	10.2	474	18.1
Clover................	-	---	-	---	-	---
Fort Mill.............	-	---	-	---	-	---
Rock Hill.............	1,216	---	803	---	413	---
York..................	106	---	45	---	61	---
Balance of County.....	1	---	1	---	-	---

Rate per 1,000 estimated population

Table 18.
Live Births by Race and Sex: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	51,745	26,230	25,515	30,542	15,632	14,910	21,203	10,598	10,605
Abbeville	355	189	166	203	107	96	152	82	70
Aiken	1,830	933	897	1,222	631	591	608	302	306
Allendale	226	114	112	52	22	30	174	92	82
Anderson	1,931	1,005	926	1,459	769	690	472	236	236
Bamberg	288	150	138	101	57	44	187	93	94
Barnwell	356	186	170	173	85	88	183	101	82
Beaufort	1,399	696	703	828	420	408	571	276	295
Berkeley	2,017	1,054	963	1,342	700	642	675	354	321
Calhoun	188	94	94	52	30	22	136	64	72
Charleston	5,089	2,591	2,498	2,793	1,452	1,341	2,296	1,139	1,157
Cherokee	583	298	285	400	210	190	183	88	95
Chester	564	316	248	259	142	117	305	174	131
Chesterfield	614	296	318	361	169	192	253	127	126
Clarendon	468	232	236	129	69	60	339	163	176
Colleton	542	273	269	231	113	118	311	160	151
Darlington	955	485	470	458	244	214	497	241	256
Dillon	577	284	293	244	119	125	333	165	168
Dorchester	1,097	545	552	771	386	385	326	159	167
Edgefield	316	152	164	139	68	71	177	84	93
Fairfield	316	141	175	95	38	57	221	103	118
Florence	1,897	967	930	971	498	473	926	469	457
Georgetown	766	391	375	324	170	154	442	221	221
Greenville	4,393	2,240	2,153	3,381	1,729	1,652	1,012	511	501
Greenwood	834	418	416	483	243	240	351	175	176
Hampton	373	178	195	104	51	53	269	127	142
Horry	1,755	915	840	1,238	660	578	517	255	262
Jasper	308	153	155	119	58	61	189	95	94
Kershaw	624	306	318	364	184	180	260	122	138
Lancaster	795	401	394	518	277	241	277	124	153
Laurens	765	402	363	505	260	245	260	142	118
Lee	338	167	171	82	37	45	256	130	126
Lexington	2,066	1,003	1,063	1,710	830	880	356	173	183
McCormick	143	72	71	31	15	16	112	57	55
Marion	625	306	319	206	102	104	419	204	215
Marlboro	556	278	278	210	114	96	346	164	182
Newberry	497	266	231	279	156	123	218	110	108
Oconee	683	339	344	598	296	302	85	43	42
Orangeburg	1,561	792	769	501	252	249	1,060	540	520
Pickens	1,019	522	497	933	477	456	86	45	41
Richland	4,201	2,138	2,063	1,957	1,003	954	2,244	1,135	1,109
Saluda	258	130	128	127	62	65	131	68	63
Spartanburg	3,064	1,542	1,522	2,220	1,114	1,106	844	428	416
Sumter	1,755	869	886	839	427	412	916	442	474
Union	444	214	230	244	119	125	200	95	105
Williamsburg	674	361	313	158	85	73	516	276	240
York	1,640	826	814	1,128	582	546	512	244	268

Table 19.
Live Births by Race and Sex: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	49,473	25,100	24,373	28,824	14,777	14,047	20,649	10,323	10,326
Abbeville	209	114	95	63	38	25	146	76	70
Aiken	698	350	348	387	201	186	311	149	162
Allendale	183	91	92	27	9	18	156	82	74
Anderson	2,237	1,188	1,049	1,701	912	789	536	276	260
Bamberg	353	170	183	103	48	55	250	122	128
Barnwell	189	99	90	57	26	31	132	73	59
Beaufort	1,486	736	750	802	404	398	684	332	352
Berkeley	4	2	2	1	1	-	3	1	2
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	8,622	4,393	4,229	5,138	2,665	2,473	3,484	1,728	1,756
Cherokee	329	170	159	171	96	75	158	74	84
Chester	485	270	215	211	115	96	274	155	119
Chesterfield	274	150	124	132	74	58	142	76	66
Clarendon	313	160	153	58	29	29	255	131	124
Colleton	254	135	119	45	20	25	209	115	94
Darlington	931	454	477	415	213	202	516	241	275
Dillon	368	187	181	139	69	70	229	118	111
Dorchester	6	4	2	5	3	2	1	1	-
Edgefield	140	60	80	15	9	6	125	51	74
Fairfield	55	22	33	6	2	4	49	20	29
Florence	2,357	1,208	1,149	1,277	655	622	1,080	553	527
Georgetown	796	404	392	301	157	144	495	247	248
Greenville	5,342	2,743	2,599	4,237	2,179	2,058	1,105	564	541
Greenwood	1,787.	918	869	1,060	546	514	727	372	355
Hampton	297	139	158	63	28	35	234	111	123
Horry	1,732	896	836	1,240	651	589	492	245	247
Jasper	24	16	8	4	1	3	20	15	5
Kershaw	424	197	227	277	138	139	147	59	88
Lancaster	625	318	307	340	177	163	285	141	144
Laurens	160	78	82	86	41	45	74	37	37
Lee	112	55	57	8	3	5	104	52	52
Lexington	1,577	753	824	1,325	635	690	252	118	134
McCormick	1	-	1	1	-	1	-	-	-
Marion	839	424	415	311	165	146	528	259	269
Marlboro	461	226	235	136	75	61	325	151	174
Newberry	434	228	206	224	121	103	210	107	103
Oconee	398	183	215	337	156	181	61	27	34
Orangeburg	1,533	786	747	520	263	257	1,013	523	490
Pickens	532	262	270	509	248	261	23	14	9
Richland	5,664	2,884	2,780	2,811	1,442	1,369	2,853	1,442	1,411
Saluda	3	3	-	-	-	-	3	3	-
Spartanburg	3,184	1,588	1,596	2,318	1,150	1,168	866	438	428
Sumter	2,051	1,019	1,032	934	478	456	1,117	541	576
Union	313	156	157	135	72	63	178	84	94
Williamsburg	368	200	168	45	25	20	323	175	148
York	1,323	661	662	849	437	412	474	224	250

Table 20.
Total Births by Number of Prenatal Care Visits: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits					
		No Visits	01-05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unknown
SOUTH CAROLINA	51,745	642	5,682	21,425	21,298	2,331	367
Abbeville	355	4	28	178	134	9	2
Aiken	1,830	34	168	701	748	89	90
Allendale	226	4	50	87	74	10	1
Anderson	1,931	16	196	950	720	46	3
Bamberg	288	5	42	106	122	10	3
Barnwell	356	3	23	155	161	6	8
Beaufort	1,399	11	57	365	902	63	1
Berkeley	2,017	15	184	721	967	128	2
Calhoun	188	2	11	77	91	6	1
Charleston	5,089	50	543	1,809	2,318	365	4
Cherokee	583	12	62	226	243	36	4
Chester	564	12	85	268	190	7	2
Chesterfield	614	8	65	236	260	43	2
Clarendon	468	11	102	199	134	21	1
Colleton	542	4	81	252	189	15	1
Darlington	955	6	179	476	265	29	-
Dillon	577	10	208	255	96	7	1
Dorchester	1,097	9	99	387	532	65	5
Edgefield	316	7	70	118	107	10	4
Fairfield	316	3	43	139	113	11	7
Florence	1,897	15	104	1,086	667	22	3
Georgetown	766	10	72	249	385	48	2
Greenville	4,393	44	607	2,315	1,238	187	2
Greenwood	834	11	90	332	313	62	26
Hampton	373	2	85	161	109	16	-
Horry	1,755	28	115	645	879	82	6
Jasper	308	3	33	69	191	10	2
Kershaw	624	4	45	205	330	34	6
Lancaster	795	9	86	346	304	47	3
Laurens	765	4	110	296	288	40	27
Lee	338	6	41	131	129	29	2
Lexington	2,066	16	110	689	1,133	105	13
McCormick	143	-	32	60	40	7	4
Marion	625	4	96	281	216	27	1
Marlboro	556	6	140	264	129	15	2
Newberry	497	1	29	186	250	30	1
Oconee	683	9	72	325	238	38	1
Orangeburg	1,561	16	83	653	791	13	5
Pickens	1,019	7	78	400	470	64	-
Richland	4,201	53	457	1,548	1,920	158	65
Saluda	258	2	35	120	85	5	11
Spartanburg	3,064	71	326	1,367	1,178	93	29
Sumter	1,755	58	156	594	840	104	3
Union	444	9	80	219	120	14	2
Williamsburg	674	8	97	364	175	22	8
York	1,640	20	207	815	514	83	1

Table 21.
Live Births by Attendant: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total								
	Total	Physician		Certified Nurse Midwife	Other Midwife		Other	Self	Unknown
		In Hospital	Out Hospital	In Hospital	In Hospital	Out Hospital			
SOUTH CAROLINA	51,745	50,024	110	1,044	227	18	235	79	8
Abbeville	355	354	-	1	-	-	-	-	-
Aiken	1,830	1,814	2	-	-	-	10	2	2
Allendale	226	225	-	1	-	-	-	-	-
Anderson	1,931	1,924	-	-	-	-	7	-	-
Bamberg	288	138	1	138	8	-	3	-	-
Barnwell	356	337	-	14	-	-	3	2	-
Beaufort	1,399	1,311	1	-	83	-	3	1	-
Berkeley	2,017	1,835	-	149	17	-	12	4	-
Calhoun	188	185	-	3	-	-	-	-	-
Charleston	5,089	4,737	2	274	38	-	24	13	1
Cherokee	583	581	-	1	-	-	1	-	-
Chester	564	562	1	-	-	-	1	-	-
Chesterfield	614	548	58	5	-	-	2	1	-
Clarendon	468	452	-	1	12	-	1	2	-
Colleton	542	495	20	9	6	-	5	6	1
Darlington	955	942	2	-	-	-	11	-	-
Dillon	577	573	-	1	-	-	3	-	-
Dorchester	1,097	1,004	2	68	12	-	9	2	-
Edgefield	316	313	-	-	-	-	1	1	1
Fairfield	316	310	-	-	-	1	3	2	-
Florence	1,897	1,882	-	5	-	-	10	-	-
Georgetown	766	758	-	1	-	-	5	2	-
Greenville	4,393	4,330	9	18	-	7	26	3	-
Greenwood	834	831	-	-	-	-	2	-	1
Hampton	373	357	-	2	9	-	-	5	-
Horry	1,755	1,667	1	82	-	-	4	1	-
Jasper	308	296	-	-	9	-	2	1	-
Kershaw	624	618	-	-	-	-	5	1	-
Lancaster	795	789	-	-	-	-	5	1	-
Laurens	765	762	-	1	-	-	2	-	-
Lee	338	333	-	1	1	-	3	-	-
Lexington	2,066	2,049	-	6	-	-	9	2	-
McCormick	143	142	-	-	-	1	-	-	-
Marion	625	619	-	1	-	-	4	-	1
Marlboro	556	554	-	-	-	-	2	-	-
Newberry	497	493	1	-	-	-	2	1	-
Oconee	683	681	2	-	-	-	-	-	-
Orangeburg	1,561	1,445	1	90	6	-	14	5	-
Pickens	1,019	1,013	1	1	-	1	2	1	-
Richland	4,201	4,174	1	3	-	2	9	11	1
Saluda	258	254	-	-	-	3	1	-	-
Spartanburg	3,064	3,034	3	4	-	-	20	3	-
Sumter	1,755	1,561	1	163	24	-	3	3	-
Union	444	444	-	-	-	-	-	-	-
Williamsburg	674	665	1	-	2	3	2	1	-
York	1,640	1,633	-	1	-	-	4	2	-

Table 21-A.
Live Births by Attendant: South Carolina and Each County, 1981
(Residence Data)

County of Residence	White								
	Total	Physician		Certified Nurse Midwife	Other Midwife		Other	Self	Unknown
		In Hospital	Out Hospital	In Hospital	In Hospital	Out Hospital			
SOUTH CAROLINA	30,542	29,824	58	440	103	8	98	9	2
Abbeville	203	202	-	1	-	-	-	-	-
Aiken	1,222	1,216	1	-	-	-	4	-	1
Allendale	52	52	-	-	-	-	-	-	-
Anderson	1,459	1,453	-	-	-	-	6	-	-
Bamberg	101	72	1	23	2	-	3	-	-
Barnwell	173	162	-	9	-	-	1	1	-
Beaufort	828	790	1	-	36	-	1	-	-
Berkeley	1,342	1,286	-	40	13	-	3	-	-
Calhoun	52	50	-	2	-	-	-	-	-
Charleston	2,793	2,674	2	87	21	-	7	2	-
Cherokee	400	399	-	1	-	-	-	-	-
Chester	259	258	1	-	-	-	-	-	-
Chesterfield	361	333	27	-	-	-	1	-	-
Clarendon	129	128	-	-	1	-	-	-	-
Colleton	231	212	6	6	3	-	3	-	1
Darlington	458	455	1	-	-	-	2	-	-
Dillon	244	243	-	1	-	-	-	-	-
Dorchester	771	731	2	25	8	-	5	-	-
Edgefield	139	138	-	-	-	-	1	-	-
Fairfield	95	95	-	-	-	-	-	-	-
Floren	971	964	-	4	-	-	3	-	-
Georgetown	324	323	-	1	-	-	-	-	-
Greenville	3,381	3,334	9	17	-	5	16	-	-
Greenwood	483	481	-	-	-	-	2	-	-
Hampton	104	101	-	-	3	-	-	-	-
Horry	1,238	1,167	1	69	-	-	1	-	-
Jasper	119	118	-	-	1	-	-	-	-
Kershaw	364	363	-	-	-	-	1	-	-
Lancaster	518	518	-	-	-	-	-	-	-
Laurens	505	503	-	-	-	-	2	-	-
Lee	82	82	-	-	-	-	-	-	-
Lexington	1,710	1,697	-	5	-	-	8	-	-
McCormick	31	30	-	-	-	1	-	-	-
Marion	206	205	-	1	-	-	-	-	-
Marlboro	210	209	-	-	-	-	1	-	-
Newberry	279	278	-	-	-	-	-	1	-
Oconee	598	596	2	-	-	-	-	-	-
Orangeburg	501	471	-	28	-	-	2	-	-
Pickens	933	927	1	1	-	1	2	1	-
Richland	1,957	1,946	-	3	-	1	6	1	-
Saluda	127	126	-	-	-	-	1	-	-
Spartanburg	2,220	2,197	3	4	-	-	14	2	-
Sumter	839	713	-	111	15	-	-	-	-
Union	244	244	-	-	-	-	-	-	-
Williamsburg	158	158	-	-	-	-	-	-	-
York	1,128	1,124	-	1	-	-	2	1	-

Table 21-A (Cont.)

Live Births by Attendant: South Carolina and Each County, 1981

(Residence Data)

County of Residence	Nonwhite								
	Total	Physician		Certified Nurse Midwife	Other Midwife		Other	Self	Unknown
		In Hospital	Out Hospital	In Hospital	In Hospital	Out Hospital			
SOUTH CAROLINA	21,203	20,200	52	604	124	10	137	70	6
Abbeville	152	152	-	-	-	-	-	-	-
Aiken	608	598	1	-	-	-	6	2	1
Allendale	174	173	-	1	-	-	-	-	-
Anderson	472	471	-	-	-	-	1	-	-
Bamberg	187	66	-	115	6	-	-	-	-
Barnwell	183	175	-	5	-	-	2	1	-
Beaufort	571	521	-	-	47	-	2	1	-
Berkeley	675	549	-	109	4	-	9	4	-
Calhoun	136	135	-	1	-	-	-	-	-
Charleston	2,296	2,063	-	187	17	-	17	11	1
Cherokee	183	182	-	-	-	-	1	-	-
Chester	305	304	-	-	-	-	1	-	-
Chesterfield	253	215	31	5	-	-	1	1	-
Clarendon	339	324	-	1	11	-	1	2	-
Colleton	311	283	14	3	3	-	2	6	-
Darlington	497	487	1	-	-	-	9	-	-
Dillon	333	330	-	-	-	-	3	-	-
Dorchester	326	273	-	43	4	-	4	2	-
Edgefield	177	175	-	-	-	-	-	1	1
Fairfield	221	215	-	-	-	1	3	2	-
Florence	926	918	-	1	-	-	7	-	-
Georgetown	442	435	-	-	-	-	5	2	-
Greenville	1,012	996	-	1	-	2	10	3	-
Greenwood	351	350	-	-	-	-	-	-	1
Hampton	269	256	-	2	6	-	-	5	-
Horry	517	500	-	13	-	-	3	1	-
Jasper	189	178	-	-	8	-	2	1	-
Kershaw	260	255	-	-	-	-	4	1	-
Lancaster	277	271	-	-	-	-	5	1	-
Laurens	260	259	-	1	-	-	-	-	-
Lee	256	251	-	1	1	-	3	-	-
Lexington	356	352	-	1	-	-	1	2	-
McCormick	112	112	-	-	-	-	-	-	-
Marion	419	414	-	-	-	-	4	-	1
Marlboro	346	345	-	-	-	-	1	-	-
Newberry	218	215	1	-	-	-	2	-	-
Oconee	85	85	-	-	-	-	-	-	-
Orangeburg	1,060	974	1	62	6	-	12	5	-
Pickens	86	86	-	-	-	-	-	-	-
Richland	2,244	2,228	1	-	-	1	3	10	1
Saluda	131	128	-	-	-	3	-	-	-
Spartanburg	844	837	-	-	-	-	6	1	-
Sumter	916	848	1	52	9	-	3	3	-
Union	200	200	-	-	-	-	-	-	-
Williamsburg	516	507	1	-	2	3	2	1	-
York	512	509	-	-	-	-	2	1	-

Table 22.
Live Births by Attendant: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Total								
	Total	Physician		Certified Nurse Midwife	Other Midwife		Other	Self	Unknown
		In Hospital	Out Hospital	In Hospital	In Hospital	Out Hospital			
SOUTH CAROLINA	49,473	47,738	122	1,043	227	19	237	80	7
Abbeville	209	209	-	-	-	-	-	-	-
Aiken	698	684	2	-	-	-	10	1	1
Allendale	183	183	-	-	-	-	-	-	-
Anderson	2,237	2,230	-	-	-	-	7	-	-
Bamberg	353	34	1	298	17	-	3	-	-
Barnwell	189	184	-	-	-	-	2	3	-
Beaufort	1,486	1,374	1	-	106	-	4	1	-
Berkeley	4	-	-	-	-	-	3	1	-
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	8,622	8,041	2	455	65	-	39	19	1
Cherokee	329	328	-	-	-	-	1	-	-
Chester	485	483	1	-	-	-	1	-	-
Chesterfield	274	194	71	7	-	-	1	1	-
Clarendon	313	294	-	-	16	-	1	2	-
Colleton	254	220	22	-	1	-	4	6	1
Darlington	931	917	1	-	-	-	13	-	-
Dillon	368	366	-	-	-	-	2	-	-
Dorchester	6	-	-	-	-	-	5	1	-
Edgefield	140	138	-	-	-	-	1	-	1
Fairfield	55	50	-	-	-	1	2	2	-
Florence	2,357	2,347	-	-	-	-	10	-	-
Georgetown	796	789	-	-	-	-	5	2	-
Greenville	5,342	5,273	9	23	-	8	26	3	-
Greenwood	1,787	1,782	-	-	-	-	3	1	1
Hampton	297	292	-	-	-	-	-	5	-
Horry	1,732	1,642	1	84	-	-	4	1	-
Jasper	24	22	-	-	-	-	1	1	-
Kershaw	424	419	-	-	-	-	5	-	-
Lancaster	625	619	-	-	-	-	5	1	-
Laurens	160	159	-	-	-	-	1	-	-
Lee	112	109	-	-	-	-	3	-	-
Lexington	1,577	1,562	-	6	-	-	8	1	-
McCormick	1	-	-	-	-	1	-	-	-
Marion	839	833	-	-	-	-	5	-	1
Marlboro	461	459	-	-	-	-	2	-	-
Newberry	434	430	1	-	-	-	2	1	-
Oconee	398	396	2	-	-	-	-	-	-
Orangeburg	1,533	1,517	1	-	-	-	13	2	-
Pickens	532	527	1	-	-	1	2	1	-
Richland	5,664	5,630	1	-	-	2	15	15	1
Saluda	3	-	-	-	-	3	-	-	-
Spartanburg	3,184	3,158	3	-	-	-	20	3	-
Sumter	2,051	1,852	1	170	22	-	3	3	
Union	313	313	-	-	-	-	-	-	-
Williamsburg	368	362	1	-	-	3	1	1	-
York	1,323	1,317	-	-	-	-	4	2	-

Table 22-A.
Live Births by Attendant: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	White								
	Total	Physician		Certified Nurse Midwife	Other Midwife		Other	Self	Unknown
		In Hospital	Out Hospital	In Hospital	In Hospital	Out Hospital			
SOUTH CAROLINA	28,824	28,103	63	436	103	9	99	10	1
Abbeville	63	63	-	-	-	-	-	-	-
Aiken	387	382	1	-	-	-	4	-	-
Allendale	27	27	-	-	-	-	-	-	-
Anderson	1,701	1,695	-	-	-	-	6	-	-
Bamberg	103	12	1	84	3	-	3	-	-
Barnwell	57	55	-	-	-	-	1	1	-
Beaufort	802	758	1	-	42	-	1	-	-
Berkeley	1	-	-	-	-	-	1	-	-
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	5,138	4,942	2	141	42	-	9	2	-
Cherokee	171	171	-	-	-	-	-	-	-
Chester	211	210	1	-	-	-	-	-	-
Chesterfield	132	100	32	-	-	-	-	-	-
Clarendon	58	56	-	-	2	-	-	-	-
Colleton	45	32	8	-	1	-	2	1	1
Darlington	415	411	1	-	-	-	3	-	-
Dillon	139	139	-	-	-	-	-	-	-
Dorchester	5	-	-	-	-	-	5	-	-
Edgefield	15	14	-	-	-	-	1	-	-
Fairfield	6	6	-	-	-	-	-	-	
Florence	1,277	1,274	-	-	-	-	3	-	-
Georgetown	301	301	-	-	-	-	-	-	-
Greenville	4,237	4,185	9	21	-	6	16	-	-
Greenwood	1,060	1,057	-	-	-	-	3	-	-
Hampton	63	63	-	-	-	-	-	-	-
Horry	1,240	1,167	1	71	-	-	1	-	-
Jasper	4	4	-	-	-	-	-	-	-
Kershaw	277	275	-	-	-	-	2	-	-
Lancaster	340	340	-	-	-	-	-	-	-
Laurens	86	85	-	-	-	-	1	-	-
Lee	8	8	-	-	-	-	-	-	-
Lexington	1,325	1,312	-	5	-	-	8	-	-
McCormick	1	-	-	-	-	1	-	-	-
Marion	311	311	-	-	-	-	-	-	-
Marlboro	136	135	-	-	-	-	1	-	-
Newberry	224	223	-	-	-	-	-	1	-
Oconee	337	335	2	-	-	-	-	-	-
Orangeburg	520	518	-	-	-	-	2	-	-
Pickens	509	504	1	-	-	1	2	1	-
Richland	2,811	2,801	-	-	-	1	8	1	-
Saluda	-	-	-	-	-	-	-	-	-
Spartanburg	2,318	2,299	3	-	-	-	14	2	-
Sumter	934	807	-	114	13	-	-	-	-
Union	135	135	-	-	-	-	-	-	-
Williamsburg	45	45	-	-	-	-	-	-	-
York	849	846	-	-	-	-	2	1	-

Table 22-A. (Cont.)
Live Births by Attendant: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Nonwhite								
	Total	Physician		Certified Nurse Midwife	Other Midwife		Other	Self	Unknown
		In Hospital	Out Hospital	In Hospital	In Hospital	Out Hospital			
SOUTH CAROLINA	20,649	19,635	59	607	124	10	138	70	6
Abbeville	146	146	-	-	-	-	-	-	-
Aiken	311	302	1	-	-	-	6	1	1
Allendale	156	156	-	-	-	-	-	-	-
Anderson	536	535	-	-	-	-	1	-	-
Bamberg	250	22	-	214	14	-	-	-	-
Barnwell	132	129	-	-	-	-	1	2	-
Beaufort	684	616	-	-	64	-	3	1	-
Berkeley	3	-	-	-	-	-	2	1	-
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	3,484	3,099	-	314	23	-	30	17	1
Cherokee	158	157	-	-	-	-	1	-	-
Chester	274	273	-	-	-	-	1	-	-
Chesterfield	142	94	39	7	-	-	1	1	-
Clarendon	255	238	-	-	14	-	1	2	-
Colleton	209	188	14	-	-	-	2	5	-
Darlington	516	506	-	-	-	-	10	-	-
Dillon	229	227	-	-	-	-	2	-	-
Dorchester	1	-	-	-	-	-	-	1	-
Edgefield	125	124	-	-	-	-	-	-	1
Fairfield	49	44	-	-	-	1	2	2	-
Florence	1,080	1,073	-	-	-	-	7	-	-
Georgetown	495	488	-	-	-	-	5	2	-
Greenville	1,105	1,088	-	2	-	2	10	3	-
Greenwood	727	725	-	-	-	-	-	1	1
Hampton	234	229	-	-	-	-	-	5	-
Horry	492	475	-	13	-	-	3	1	-
Jasper	20	18	-	-	-	-	1	1	-
Kershaw	147	144	-	-	-	-	3	-	-
Lancaster	285	279	-	-	-	-	5	1	-
Laurens	74	74	-	-	-	-	-	-	-
Lee	104	101	-	-	-	-	3	-	-
Lexington	252	250	-	1	-	-	-	1	-
McCormick	-	-	-	-	-	-	-	-	-
Marion	528	522	-	-	-	-	5	-	1
Marlboro	325	324	-	-	-	-	1	-	-
Newberry	210	207	1	-	-	-	2	-	-
Oconee	61	61	-	-	-	-	-	-	-
Orangeburg	1,013	999	1	-	-	-	11	2	-
Pickens	23	23	-	-	-	-	-	-	-
Richland	2,853	2,829	1	-	-	1	7	14	1
Saluda	3	-	-	-	-	3	-	-	-
Spartanburg	866	859	-	-	-	-	6	1	-
Sumter	1,117	1,045	1	56	9	-	3	3	-
Union	178	178	-	-	-	-	-	-	-
Williamsburg	323	317	1	-	-	3	1	1	-
York	474	471	-	-	-	-	2	1	-

Table 23.
Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1981
(Residence Data)

Age of Mother	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Live Births by Age of Mother						
All Ages	51,745	100.0	30,542	100.0	21,203	100.0
Under 15	227	0.4	31	0.1	196	0.9
15 - 19	9,565	18.5	4,392	14.4	5,173	24.4
20 - 24	17,920	34.6	10,613	34.7	7,307	34.5
25 - 29	14,931	28.9	9,811	32.1	5,120	24.1
30 - 34	7,204	13.9	4,630	15.2	2,574	12.1
35 - 44	1,876	3.6	1,054	3.5	822	3.9
45+	16	0.0	8	0.0	8	0.0
Not Stated	6	0.0	3	0.0	3	0.0
Live Births by Age of Married Mother						
All Ages	40,406	100.0	28,807	100.0	11,599	100.0
Under 15	16	0.0	14	0.0	2	0.0
15 - 19	4,389	10.9	3,520	12.2	869	7.5
20 - 24	14,076	34.8	10,055	34.9	4,021	34.7
25 - 29	13,507	33.4	9,624	33.4	3,883	33.5
30 - 34	6,702	16.6	4,563	15.8	2,139	18.4
35 - 44	1,699	4.2	1,021	3.5	678	5.8
45+	15	0.0	8	0.0	7	0.1
Not Stated	2	0.0	2	0.0	-	0
Live Births by Age of Unmarried Mother						
All Ages	11,339	100.0	1,735	100.0	9,604	100.0
Under 15	211	0.4	17	1.0	194	2.0
15 - 19	5,176	45.6	872	50.3	4,304	44.8
20 - 24	3,844	33.9	558	32.2	3,286	34.2
25 - 29	1,424	12.6	187	10.8	1,237	12.9
30 - 34	502	4.4	67	3.9	435	4.5
35 - 44	177	1.7	33	1.9	144	1.5
45+	1	0.0	-	0	1	0.0
Not Stated	4	0.0	1	0.1	-	0

Table 24.
Live Births by Age of Mother:
South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	51,745	227	9,565	17,920	14,931	7,204	1,876	16	6
Abbeville	355	4	70	123	106	36	16	-	-
Aiken	1,830	4	312	631	549	256	77	1	-
Allendale	226	3	60	74	48	33	8	-	-
Anderson	1,931	10	413	681	496	273	57	1	-
Bamberg	288	4	70	92	81	33	8	-	-
Barnwell	356	2	65	137	91	51	10	-	-
Beaufort	1,399	4	224	590	385	158	37	1	-
Berkeley	2,017	6	300	773	590	268	79	-	1
Calhoun	188	2	39	65	46	26	10	-	-
Charleston	5,089	21	907	1,763	1,503	724	170	-	1
Cherokee	583	6	146	201	140	75	15	-	-
Chester	564	2	110	197	175	58	22	-	-
Chesterfield	614	5	123	214	166	79	27	-	-
Clarendon	468	-	105	164	124	58	17	-	-
Colleton	542	2	104	186	156	79	14	-	1
Darlington	955	6	223	317	250	117	42	-	-
Dillon	577	2	153	202	143	59	17	1	-
Dorchester	1,097	3	144	379	339	190	41	1	-
Edgefield	316	-	61	117	82	44	12	-	-
Fairfield	316	1	69	116	87	34	8	1	-
Florence	1,897	3	328	619	566	294	85	2	-
Georgetown	766	7	131	270	204	113	40	1	-
Greenville	4,393	15	745	1,414	1,353	697	169	-	-
Greenwood	834	8	169	292	231	103	30	-	1
Hampton	373	4	68	132	98	59	12	-	-
Horry	1,755	9	314	668	493	218	52	1	-
Jasper	308	-	66	122	74	37	9	-	-
Kershaw	624	1	107	221	175	91	29	-	-
Lancaster	795	4	160	292	207	108	24	-	-
Laurens	765	3	169	269	215	89	20	-	-
Lee	338	-	68	115	101	44	10	-	-
Lexington	2,066	9	293	699	665	329	69	1	1
McCormick	143	2	34	48	31	22	6	-	-
Marion	625	2	139	204	182	77	21	-	-
Marlboro	556	3	154	203	124	55	17	-	-
Newberry	497	2	95	168	133	79	20	-	-
Oconee	683	-	127	255	190	84	27	-	-
Orangeburg	1,561	10	344	515	449	183	60	-	-
Pickens	1,019	2	160	378	311	144	24	-	-
Richland	4,201	19	639	1,296	1,388	671	186	2	-
Saluda	258	1	50	82	79	34	12	-	-
Spartanburg	3,064	18	600	1,010	890	451	93	2	-
Sumter	1,755	7	342	688	450	216	52	-	-
Union	444	1	114	163	111	39	15	1	-
Williamsburg	674	3	127	224	172	98	49	-	1
York	1,640	7	324	551	482	218	58	-	-

Table 25.
Live Births To Mothers Less Than 20 Years Old
South Carolina and Each County, 1981
(Residence Data)

County of Residence	Age of Mother						
	Total ≤19	<15	15	16	17	18	19
SOUTH CAROLINA	9,792	227	594	1,213	1,912	2,621	3,225
Abbeville	74	4	9	11	11	20	19
Aiken	316	4	21	33	46	93	119
Allendale	63	3	10	7	16	12	15
Anderson	423	10	31	63	89	108	122
Bamberg	74	4	6	7	16	14	27
Barnwell	67	2	7	9	10	19	20
Beaufort	228	4	11	19	29	64	101
Berkeley	306	6	12	27	53	84	124
Calhoun	41	2	3	3	8	11	14
Charleston	928	21	51	105	189	238	324
Cherokee	152	6	11	25	32	35	43
Chester	112	2	11	19	13	33	34
Chesterfield	128	5	5	19	20	37	42
Clarendon	105	-	8	13	23	25	36
Colleton	106	2	6	15	23	29	31
Darlington	229	6	13	23	53	61	73
Dillon	155	2	9	20	33	43	48
Dorchester	147	3	5	19	36	46	38
Edgefield	61	-	4	8	11	19	19
Fairfield	70	1	1	12	12	18	26
Florence	331	3	21	46	67	90	104
Georgetown	138	7	11	10	31	33	46
Greenville	760	15	44	91	160	218	232
Greenwood	177	8	14	29	29	47	50
Hampton	72	4	4	15	10	20	19
Horry	323	9	14	46	51	84	119
Jasper	66	-	4	11	11	19	21
Kershaw	108	1	6	14	22	23	42
Lancaster	164	4	10	18	35	50	47
Laurens	172	3	10	16	34	52	57
Lee	68	-	3	10	13	18	24
Lexington	302	9	19	34	56	87	97
McCormick	36	2	5	3	6	9	11
Marion	141	2	19	20	34	29	37
Marlboro	157	3	13	18	36	39	48
Newberry	97	2	5	9	16	24	41
Oconee	127	-	3	16	34	27	47
Orangeburg	354	10	19	46	76	98	105
Pickens	162	2	10	22	24	46	58
Richland	658	19	32	90	127	183	207
Saluda	51	1	6	6	14	9	15
Spartanburg	618	18	47	77	121	150	205
Sumter	349	7	10	39	61	98	134
Union	115	1	11	15	28	27	33
Williamsburg	130	3	8	12	19	35	53
York	331	7	12	43	74	97	98

Table 26.
Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1981
(Residence Data)

County and Race	Total	Birth Weight*											
		499 grams or Less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
All Ages..................	51,745	80	313	436	908	2,845	9,702	19,183	13,518	3,995	666	93	6
White..............	30,542	26	115	183	366	1,186	4,395	10,975	9,511	3,178	537	67	3
Nonwhite...........	21,203	54	198	253	542	1,659	5,307	8,208	4,007	817	129	26	3
Under 15 Years...........	227	1	4	6	6	25	66	85	30	4	-	-	-
White..............	31	-	-	1	-	3	6	12	7	2	-	-	-
Nonwhite...........	196	1	4	5	6	22	60	73	23	2	-	-	-
15 - 19 Years............	9,565	19	76	132	242	700	2,238	3,749	1,949	395	59	6	-
White..............	4,392	7	22	44	90	206	760	1,747	1,167	302	42	5	-
Nonwhite...........	5,173	12	54	88	152	494	1,478	2,002	782	93	17	1	-
20 - 24 Years............	17,920	18	112	161	293	1,015	3,529	6,784	4,553	1,256	174	24	1
White..............	10,613	6	47	70	115	428	1,608	3,883	3,262	1,028	147	18	1
Nonwhite...........	7,307	12	65	91	178	587	1,921	2,901	1,291	228	27	6	-
25 - 34 Years............	22,135	39	111	117	329	997	3,541	7,947	6,464	2,141	391	53	5
White..............	14,441	13	39	61	150	496	1,858	4,996	4,750	1,717	320	39	2
Nonwhite...........	7,694	26	72	56	179	501	1,683	2,951	1,714	424	71	14	3
35 - 44 Years............	1,876	3	10	20	38	108	321	611	515	198	42	10	-
White..............	1,054	-	7	7	11	53	160	335	319	129	28	5	-
Nonwhite...........	822	3	3	13	27	55	161	276	196	69	14	5	-
45 and Over..............	16	-	-	-	-	-	4	6	5	1	-	-	-
White..............	8	-	-	-	-	-	2	2	4	-	-	-	-
Nonwhite...........	8	-	-	-	-	-	2	4	1	1	-	-	-
Not Stated...............	6	-	-	-	-	-	3	1	2	-	-	-	-
White..............	3	-	-	-	-	-	1	-	2	-	-	-	-
Nonwhite...........	3	-	-	-	-	-	2	1	-	-	-	-	-

Table 27.

Low Weight* Live Births and Percent of Live Births That Were Low Weight South Carolina and Each County, 1981 (Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	4,582	8.9	1,876	6.1	2,706	12.8
Abbeville	25	7.0	9	4.4	16	10.5
Aiken	176	9.6	75	6.1	101	16.6
Allendale	25	11.1	5	9.6	20	11.5
Anderson	174	9.0	103	7.1	71	15.0
Bamberg	28	9.7	4	4.0	24	12.8
Barnwell	26	7.3	6	3.5	20	10.9
Beaufort	112	8.0	40	4.8	72	12.6
Berkeley	167	8.3	90	6.7	77	11.4
Calhoun	22	11.7	1	1.9	21	15.4
Charleston	450	8.8	158	5.7	292	12.7
Cherokee	51	8.7	25	6.3	26	14.2
Chester	46	8.2	18	6.9	28	9.2
Chesterfield	75	12.2	32	8.9	43	17.0
Clarendon	47	10.0	7	5.4	40	11.8
Colleton	38	7.0	7	3.0	31	10.0
Darlington	96	10.1	27	5.9	69	13.9
Dillon	59	10.2	16	6.6	43	12.9
Dorchester	89	8.1	49	6.4	40	12.3
Edgefield	29	9.2	11	7.9	18	10.2
Fairfield	42	13.3	4	4.2	38	17.2
Florence	169	8.9	43	4.4	126	13.6
Georgetown	72	9.4	19	5.9	53	12.0
Greenville	339	7.7	208	6.2	131	12.9
Greenwood	73	8.8	35	7.2	38	10.8
Hampton	36	9.7	10	9.6	26	9.7
Horry	134	7.6	64	5.2	70	13.5
Jasper	30	9.7	9	7.6	21	11.1
Kershaw	35	5.6	21	5.8	14	5.4
Lancaster	77	9.7	49	9.5	28	10.1
Laurens	75	9.8	40	7.9	35	13.5
Lee	45	13.3	8	9.8	37	14.5
Lexington	154	7.5	98	5.7	56	15.7
McCormick	13	9.1	1	3.2	12	10.7
Marion	72	11.5	14	6.8	58	13.8
Marlboro	75	13.5	19	9.0	56	16.2
Newberry	36	7.2	19	6.8	17	7.8
Oconee	45	6.6	33	5.5	12	14.1
Orangeburg	172	11.0	35	7.0	137	12.9
Pickens	62	6.1	53	5.7	9	10.5
Richland	366	8.7	101	5.2	265	11.8
Saluda	32	12.4	8	6.3	24	18.3
Spartanburg	271	8.8	141	6.4	130	15.4
Sumter	154	8.8	48	5.7	106	11.6
Union	37	8.3	18	7.4	19	9.5
Williamsburg	78	11.6	11	7.0	67	13.0
York	153	9.3	84	7.4	69	13.5

*Live birth weighing less than 2500 grams

Table 28.
Low Weight* Live Births by Age of Mother South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	4,582	42	1,169	1,599	1,076	517	179	-	-
Abbeville	25	-	8	5	11	-	1	-	-
Aiken	176	1	50	56	41	18	10	-	-
Allendale	25	1	9	8	1	4	2	-	-
Anderson	174	4	43	68	27	27	5	-	-
Bamberg	28	1	10	8	5	1	3	-	-
Barnwell	26	-	6	10	7	1	2	-	-
Beaufort	112	-	14	51	28	15	4	-	-
Berkeley	167	-	30	55	56	19	7	-	-
Calhoun	22	-	4	11	4	3	-	-	-
Charleston	450	2	121	147	112	52	16	-	-
Cherokee	51	-	16	18	11	5	1	-	-
Chester	46	-	11	14	12	5	4	-	-
Chesterfield	75	-	22	24	20	7	2	-	-
Clarendon	47	-	15	19	10	1	2	-	-
Colleton	38	1	10	13	12	1	1	-	-
Darlington	96	3	26	30	20	12	5	-	-
Dillon	59	-	30	15	9	3	2	-	-
Dorchester	89	-	13	31	28	13	4	-	-
Edgefield	29	-	6	17	3	3	-	-	-
Fairfield	42	-	12	12	11	7	-	-	-
Florence	169	2	44	51	44	18	10	-	-
Georgetown	72	1	17	25	19	7	3	-	-
Greenville	339	2	93	108	93	30	13	-	-
Greenwood	73	2	14	22	18	11	6	-	-
Hampton	36	1	11	9	5	8	2	-	-
Horry	134	1	38	53	25	15	2	-	-
Jasper	30	-	9	12	3	4	2	-	-
Kershaw	35	-	7	10	10	4	4	-	-
Lancaster	77	1	10	31	21	10	4	-	-
Laurens	75	1	23	28	17	5	1	-	-
Lee	45	-	15	15	8	6	1	-	-
Lexington	154	2	33	52	43	20	4	-	-
McCormick	13	-	5	5	2	1	-	-	-
Marion	72	-	22	28	13	9	-	-	-
Marlboro	75	-	28	32	11	3	1	-	-
Newberry	36	-	13	6	5	10	2	-	-
Oconee	45	-	9	17	13	4	2	-	-
Orangeburg	172	4	48	54	45	18	6	-	-
Pickens	62	1	12	28	16	3	2	-	-
Richland	366	3	80	129	91	48	15	-	-
Saluda	32	1	5	14	6	2	4	-	-
Spartanburg	271	2	71	90	59	44	5	-	-
Sumter	154	3	48	58	28	15	2	-	-
Union	37	-	14	13	3	4	3	-	-
Williamsburg	78	-	12	37	13	8	8	-	-
York	153	2	35	60	37	13	6	-	-

*Live birth weighing less than 2500 grams

Table 29.
Live Births by Birth Weight and Race:South Carolina and Each County, 1981
(Residence Data)

County and Race	Total	Birth Weight											
		499 grams or Less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
SOUTH CAROLINA...........	51,745	80	313	436	908	2,845	9,702	19,183	13,518	3,995	666	93	6
White.................	30,542	26	115	183	366	1,186	4,395	10,975	9,511	3,178	537	67	3
Nonwhite..............	21,203	54	198	253	542	1,659	5,307	8,208	4,007	817	129	26	3
Abbeville................	355	-	3	2	4	16	63	142	92	25	7	1	-
White.................	203	-	-	1	-	8	28	78	66	18	4	-	-
Nonwhite..............	152	-	3	1	4	8	35	64	26	7	3	1	-
Aiken....................	1,830	1	5	15	43	112	325	669	488	145	20	5	2
White.................	1,222	1	-	4	19	51	182	454	378	110	18	4	1
Nonwhite..............	608	-	5	11	24	61	143	215	110	35	2	1	1
Allendale................	226	2	2	5	2	14	47	85	53	14	1	1	-
White.................	52	2	1	1	-	1	7	18	15	5	1	1	-
Nonwhite..............	174	-	1	4	2	13	40	67	38	9	-	-	-
Anderson.................	1,931	4	18	15	32	105	341	720	512	147	36	1	-
White.................	1,459	1	10	11	17	64	230	527	437	131	31	-	-
Nonwhite..............	472	3	8	4	15	41	111	193	75	16	5	1	-
Bamberg..................	288	-	2	1	3	22	55	111	70	20	2	2	-
White.................	101	-	1	1	-	2	14	35	32	12	2	2	-
Nonwhite..............	187	-	1	-	3	20	41	76	38	8	-	-	-
Barnwell.................	356	1	2	3	8	12	69	137	89	29	5	1	-
White.................	173	1	2	-	1	2	27	58	53	26	3	-	-
Nonwhite..............	183	-	-	3	7	10	42	79	36	3	2	1	-
Beaufort.................	1,399	-	6	17	24	65	260	518	365	125	18	1	-
White.................	828	-	3	10	8	19	117	292	261	102	15	1	-
Nonwhite..............	571	-	3	7	16	46	143	226	104	23	3	-	-
Berkeley.................	2,017	5	17	10	27	108	317	761	555	172	42	3	-
White.................	1,342	1	7	6	16	60	170	490	401	150	38	3	-
Nonwhite..............	675	4	10	4	11	48	147	271	154	22	4	-	-
Calhoun..................	188	1	1	1	1	18	50	67	41	6	2	-	-
White.................	52	-	-	-	-	1	11	19	18	2	1	-	-
Nonwhite..............	136	1	1	1	1	17	39	48	23	4	1	-	-
Charleston...............	5,089	14	31	29	100	276	945	1,927	1,300	395	64	7	1
White.................	2,793	4	7	9	44	94	366	1,006	894	310	52	6	1
Nonwhite..............	2,296	10	24	20	56	182	579	921	406	85	12	1	-
Cherokee.................	583	2	3	4	15	27	113	221	152	42	3	1	-
White.................	400	-	1	1	9	14	69	151	117	34	3	1	-
Nonwhite..............	183	2	2	3	6	13	44	70	35	8	-	-	-

Table 29 (Cont.)

County and Race	Total	Birth Weight											
		499 grams or Less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
Chester..................	564	-	2	5	11	28	128	198	144	39	7	2	-
White..................	259	-	-	2	4	12	37	95	80	25	3	1	-
Nonwhite.............	305	-	2	3	7	16	91	103	64	14	4	1	-
Chesterfield............	614	1	4	9	15	46	110	234	142	44	9	-	-
White..................	361	1	-	5	6	20	49	136	104	33	7	-	-
Nonwhite.............	253	-	4	4	9	26	61	98	38	11	2	-	-
Clarendon................	468	-	-	4	10	33	87	191	111	28	3	1	-
White..................	129	-	-	2	-	5	12	44	51	13	2	-	-
Nonwhite.............	339	-	-	2	10	28	75	147	60	15	1	1	-
Colleton.................	542	-	-	2	8	28	110	210	122	51	11	-	-
White..................	231	-	-	-	1	6	41	79	61	34	9	-	-
Nonwhite.............	311	-	-	2	7	22	69	131	61	17	2	-	-
Darlington..............	955	4	7	6	15	64	205	351	232	63	7	1	-
White..................	458	-	2	-	3	22	74	153	156	44	3	1	-
Nonwhite.............	497	4	5	6	12	42	131	198	76	19	4	-	-
Dillon....................	577	-	5	11	7	36	142	188	139	44	3	2	-
White..................	244	-	2	6	-	8	40	76	75	33	3	1	-
Nonwhite.............	333	-	3	5	7	28	102	112	64	11	-	1	-
Dorchester..............	1,097	2	7	14	17	49	183	405	303	96	17	4	-
White..................	771	1	2	5	10	31	100	276	245	82	16	3	-
Nonwhite.............	326	1	5	9	7	18	83	129	58	14	1	1	-
Edgefield................	316	-	4	4	4	17	60	101	98	21	7	-	-
White..................	139	-	2	2	1	6	12	49	44	18	5	-	-
Nonwhite.............	177	-	2	2	3	11	48	52	54	3	2	-	-
Fairfield................	316	2	5	4	8	23	63	115	73	19	3	1	-
White..................	95	-	-	-	1	3	12	41	27	10	1	-	-
Nonwhite.............	221	2	5	4	7	20	51	74	46	9	2	1	-
Florence.................	1,897	2	11	13	33	110	389	726	453	134	20	6	-
White..................	971	1	3	1	6	32	142	386	285	100	12	3	-
Nonwhite.............	926	1	8	12	27	78	247	340	168	34	8	3	-
Georgetown..............	766	1	12	8	16	35	134	276	210	59	12	2	1
White..................	324	-	3	4	5	7	43	106	111	37	8	-	-
Nonwhite.............	442	1	9	4	11	28	91	170	99	22	4	2	1
Greenville..............	4,393	9	21	34	62	213	770	1,598	1,243	379	51	13	-
White..................	3,381	6	16	18	35	133	511	1,196	1,070	340	45	11	-
Nonwhite.............	1,012	3	5	16	27	80	259	402	173	39	6	2	-

Table 29 (Cont.)

County and Race	Total	Birth Weight											
		499 grams or Less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
Greenwood................	834	2	4	8	12	47	162	322	207	58	10	2	-
White.................	483	-	3	4	6	22	73	181	143	40	9	2	-
Nonwhite.............	351	2	1	4	6	25	89	141	64	18	1	-	-
Hampton..................	373	-	4	6	8	18	81	138	84	30	3	1	-
White.................	104	-	1	2	1	6	16	38	27	10	2	1	-
Nonwhite.............	269	-	3	4	7	12	65	100	57	20	1	-	-
Horry....................	1,755	-	4	17	40	73	310	643	495	149	21	3	-
White.................	1,238	-	2	11	17	34	177	450	399	126	19	3	-
Nonwhite.............	517	-	2	6	23	39	133	193	96	23	2	-	-
Jasper...................	308	-	1	2	5	22	61	124	76	15	2	-	-
White.................	119	-	-	1	2	6	16	45	37	11	1	-	-
Nonwhite.............	189	-	1	1	3	16	45	79	39	4	1	-	-
Kershaw..................	624	-	-	2	5	28	130	223	175	58	3	-	-
White.................	364	-	-	2	4	15	62	117	121	41	2	-	-
Nonwhite.............	260	-	-	-	1	13	68	106	54	17	1	-	-
Lancaster................	795	-	6	8	15	48	154	276	220	63	5	-	-
White.................	518	-	4	7	7	31	81	176	155	52	5	-	-
Nonwhite.............	277	-	2	1	8	17	73	100	65	11	-	-	-
Laurens..................	765	1	6	7	13	48	123	284	198	73	11	1	-
White.................	505	1	4	4	7	24	64	170	155	66	9	1	-
Nonwhite.............	260	-	2	3	6	24	59	114	43	7	2	-	-
Lee......................	338	1	6	7	4	27	96	112	71	13	1	-	-
White.................	82	-	3	1	-	4	13	25	28	7	1	-	-
Nonwhite.............	256	1	3	6	4	23	83	87	43	6	-	-	-
Lexington................	2,066	1	8	11	22	112	321	738	612	196	43	2	-
White.................	1,710	1	2	9	15	71	225	610	554	183	38	2	-
Nonwhite.............	356	-	6	2	7	41	96	128	58	13	5	-	-
McCormick................	143	1	4	1	2	5	26	50	43	8	2	1	-
White.................	31	-	1	-	-	-	3	9	15	2	1	-	-
Nonwhite.............	112	1	3	1	2	5	23	41	28	6	1	1	-
Marion...................	625	-	6	14	13	39	142	216	154	35	5	1	-
White.................	206	-	2	5	1	6	30	67	67	25	3	-	-
Nonwhite.............	419	-	4	9	12	33	112	149	87	10	2	1	-
Marlboro.................	556	-	7	3	16	49	104	207	132	31	7	-	-
White.................	210	-	2	2	7	8	26	72	65	21	7	-	-
Nonwhite.............	346	-	5	1	9	41	78	135	67	10	-	-	-

Table 29 (Cont.)

County and Race	Total	Birth Weight										
		499 grams or Less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
Newberry	497	-	3	3	5	25	100	189	121	42	7	2	-
White	279	-	-	-	2	17	43	97	84	28	7	1	-
Nonwhite	218	-	3	3	3	8	57	92	37	14	-	1	-
Oconee	683	-	4	5	6	30	120	251	190	69	7	1	-
White	598	-	3	4	4	22	98	220	175	64	7	1	-
Nonwhite	85	-	1	1	2	8	22	31	15	5	-	-	-
Orangeburg	1,561	2	7	18	36	109	377	579	341	79	13	-	-
White	501	-	4	3	6	22	83	179	150	46	8	-	-
Nonwhite	1,060	2	3	15	30	87	294	400	191	33	5	-	-
Pickens	1,019	4	1	6	16	35	145	368	332	94	15	3	-
White	933	2	1	5	15	30	129	323	319	93	13	3	-
Nonwhite	86	2	-	1	1	5	16	45	13	1	2	-	-
Richland	4,201	7	31	35	81	212	839	1,624	1,010	303	56	3	-
White	1,957	3	7	7	19	65	268	735	604	210	37	2	-
Nonwhite	2,244	4	24	28	62	147	571	889	406	93	19	1	-
Saluda	258	2	2	3	4	21	53	89	70	13	1	-	-
White	127	-	1	-	-	7	19	45	42	12	1	-	-
Nonwhite	131	2	1	3	4	14	34	44	28	1	-	-	-
Spartanburg	3,064	2	11	25	47	186	539	1,134	839	232	40	9	-
White	2,220	-	4	14	27	96	343	814	669	211	35	7	-
Nonwhite	844	2	7	11	20	90	196	320	170	21	5	2	-
Sumter	1,755	2	15	11	25	101	325	669	460	126	20	1	-
White	839	-	4	3	11	30	111	303	262	98	16	1	-
Nonwhite	916	2	11	8	14	71	214	366	198	28	4	-	-
Union	444	-	2	5	10	20	88	185	105	24	4	1	-
White	244	-	-	2	7	9	42	91	71	18	3	1	-
Nonwhite	200	-	2	3	3	11	46	94	34	6	1	-	-
Williamsburg	674	3	2	9	20	44	150	230	160	39	13	3	1
White	158	-	-	1	5	5	31	47	46	17	6	-	-
Nonwhite	516	3	2	8	15	39	119	183	114	22	7	3	1
York	1,640	1	11	14	38	89	290	581	436	148	27	4	1
White	1,128	-	5	7	17	55	148	396	342	128	25	4	1
Nonwhite	512	1	6	7	21	34	142	185	94	20	2	-	-

Table 30.

Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock
South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	11,339	21.9	1,735	5.7	9,604	45.3
Abbeville	102	28.7	9	4.4	93	61.2
Aiken	312	17.0	81	6.6	231	38.0
Allendale	94	41.6	1	1.9	93	53.4
Anderson	303	15.7	77	5.3	226	47.9
Bamberg	96	33.3	6	5.9	90	48.1
Barnwell	94	26.4	14	8.1	80	43.7
Beaufort	235	16.8	22	2.7	213	37.3
Berkeley	268	13.3	50	3.7	218	32.3
Calhoun	67	35.6	2	3.8	65	47.8
Charleston	1,224	24.1	172	6.2	1,052	45.8
Cherokee	135	23.2	26	6.5	109	59.6
Chester	148	26.2	8	3.1	140	45.9
Chesterfield	125	20.4	12	3.3	113	44.7
Clarendon	161	34.4	7	5.4	154	45.4
Colleton	148	27.3	14	6.1	134	43.1
Darlington	281	29.4	17	3.7	264	53.1
Dillon	210	36.4	25	10.2	185	55.6
Dorchester	133	12.1	41	5.3	92	28.2
Edgefield	89	28.2	8	5.8	81	45.8
Fairfield	103	32.6	5	5.3	98	44.3
Florence	468	24.7	50	5.1	418	45.1
Georgetown	199	26.0	17	5.2	182	41.2
Greenville	718	16.3	189	5.6	529	52.3
Greenwood	198	23.7	33	6.8	165	47.0
Hampton	102	27.3	2	1.9	100	37.2
Horry	312	17.8	71	5.7	241	46.6
Jasper	110	35.7	9	7.6	101	53.4
Kershaw	139	22.3	17	4.7	122	46.9
Lancaster	154	19.4	36	6.9	118	42.6
Laurens	178	23.3	36	7.1	142	54.6
Lee	145	42.9	2	2.4	143	55.9
Lexington	245	11.9	95	5.6	150	42.1
McCormick	59	41.3	-	0	59	52.7
Marion	212	33.9	16	7.8	196	46.8
Marlboro	208	37.4	34	16.2	174	50.3
Newberry	122	24.5	13	4.7	109	50.0
Oconee	66	9.7	36	6.0	30	35.3
Orangeburg	551	35.3	37	7.4	514	48.5
Pickens	77	7.6	43	4.6	34	39.5
Richland	986	23.5	102	5.2	884	39.4
Saluda	54	20.9	5	3.9	49	37.4
Spartanburg	603	19.7	143	6.4	460	54.5
Sumter	410	23.4	50	6.0	360	39.3
Union	121	27.3	20	8.2	101	50.5
Williamsburg	204	30.3	4	2.5	200	38.8
York	370	22.6	78	6.9	292	57.0

Table 31.
Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	11,339	211	5,176	3,844	1,424	502	177	1	4
Abbeville	102	3	42	34	15	3	5	-	-
Aiken	312	4	135	106	48	13	6	-	-
Allendale	94	3	51	25	10	4	1	-	-
Anderson	303	9	151	98	26	17	2	-	-
Bamberg	96	4	48	29	9	5	1	-	-
Barnwell	94	2	35	38	15	2	2	-	-
Beaufort	235	4	94	96	28	11	2	-	-
Berkeley	268	5	116	93	34	17	3	-	-
Calhoun	67	2	33	18	9	2	3	-	-
Charleston	1,224	21	542	428	158	59	15	-	1
Cherokee	135	6	67	35	17	7	3	-	-
Chester	148	2	61	46	28	9	2	-	-
Chesterfield	125	4	55	39	21	4	2	-	-
Clarendon	161	-	74	62	18	6	1	-	-
Colleton	148	2	77	43	19	4	2	-	1
Darlington	281	6	142	87	27	15	4	-	-
Dillon	210	2	99	72	28	6	3	-	-
Dorchester	133	1	62	38	17	10	5	-	-
Edgefield	89	-	40	34	11	3	1	-	-
Fairfield	103	1	45	38	16	1	2	-	-
Florence	468	2	200	173	65	19	9	-	-
Georgetown	199	7	85	78	21	3	5	-	-
Greenville	718	13	353	234	84	32	2	-	-
Greenwood	198	8	91	58	25	12	3	-	1
Hampton	102	3	42	38	12	7	-	-	-
Horry	312	8	153	106	27	11	7	-	-
Jasper	110	-	45	40	15	8	2	-	-
Kershaw	139	1	63	48	15	6	6	-	-
Lancaster	154	4	76	52	14	6	2	-	-
Laurens	178	3	86	55	26	6	2	-	-
Lee	145	-	56	49	25	12	3	-	-
Lexington	245	9	109	86	32	5	4	-	-
McCormick	59	2	29	14	10	3	1	-	-
Marion	212	2	107	62	28	10	3	-	-
Marlboro	208	3	102	75	18	7	3	-	-
Newberry	122	2	56	42	10	10	2	-	-
Oconee	66	-	36	19	8	1	2	-	-
Orangeburg	551	10	246	196	68	25	6	-	-
Pickens	77	1	41	26	5	3	1	-	-
Richland	986	18	405	337	165	45	15	1	-
Saluda	54	1	29	14	5	2	3	-	-
Spartanburg	603	16	282	196	73	23	13	-	-
Sumter	410	6	185	155	42	19	3	-	-
Union	121	1	66	41	8	2	3	-	-
Williamsburg	204	3	85	70	24	14	7	-	1
York	370	7	179	121	45	13	5	-	-

Table 32.
Live Births With Reported Congenital Malformations[1]
South Carolina and Each County, 1979-1981
(Residence Data)

County of Residence	1979		1980		1981	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	390	7.7	408	7.9	509	9.8
Abbeville	6	17.6	5	15.7	-	0
Aiken	9	5.1	16	9.5	10	5.5
Allendale	-	0	4	17.7	1	4.4
Anderson	8	4.3	6	3.1	9	4.7
Bamberg	7	24.0	2	6.8	6	20.8
Barnwell	1	2.9	4	11.6	3	8.4
Beaufort	18	14.1	19	14.4	18	12.9
Berkeley	12	6.7	16	8.0	26	12.9
Calhoun	4	19.1	1	4.7	2	10.6
Charleston	40	8.1	30	6.0	71	14.0
Cherokee	3	4.6	5	7.9	10	17.2
Chester	8	15.2	7	11.8	5	8.9
Chesterfield	11	17.3	8	12.5	11	17.9
Clarendon	2	4.2	2	3.9	5	10.7
Colleton	10	20.1	10	19.6	6	11.1
Darlington	15	15.0	9	9.6	17	17.8
Dillon	16	26.1	33	55.1	41	71.1
Dorchester	4	4.0	8	7.6	10	9.1
Edgefield	2	6.7	5	16.7	6	19.0
Fairfield	5	13.8	1	2.9	4	12.7
Florence	15	7.8	12	6.0	8	4.2
Georgetown	8	10.2	3	3.8	8	10.4
Greenville	12	2.9	12	2.7	17	3.9
Greenwood	2	2.4	5	5.7	5	6.0
Hampton	4	11.3	1	2.9	1	2.7
Horry	12	6.6	15	7.9	12	6.8
Jasper	5	16.6	3	9.7	4	13.0
Kershaw	8	12.3	4	6.5	8	12.8
Lancaster	10	13.2	12	14.4	9	11.3
Laurens	5	6.6	8	10.2	9	11.8
Lee	4	11.2	3	9.5	3	8.9
Lexington	15	7.6	14	7.0	11	5.3
McCormick	-	0	1	6.3	1	7.0
Marion	3	4.8	5	7.8	3	4.8
Marlboro	3	5.3	11	18.6	9	16.2
Newberry	1	2.1	4	8.8	4	8.0
Oconee	8	11.0	7	9.4	9	13.2
Orangeburg	13	9.4	17	11.3	19	12.2
Pickens	5	5.0	6	5.7	10	9.8
Richland	26	6.7	20	5.0	45	10.7
Saluda	-	0	2	8.1	1	3.9
Spartanburg	18	5.9	17	5.4	17	5.5
Sumter	9	5.2	13	7.3	13	7.4
Union	4	8.8	4	8.3	5	11.3
Williamsburg	11	13.5	3	3.9	3	4.5
York	8	4.8	15	8.7	14	8.5

[1] Classified and coded according to the International Classification of Diseases, (ICD) Ninth Revision 740-759
Rates per 1,000 live births

Table 33.
Live Births With Reported Congenital Malformations[1], by Type: South Carolina, 1979-1981
(Residence Data)

CONGENITAL MALFORMATIONS	1979	1980	1981
Anencephalus (740)	5	4	4
Spina Bifida (741)	21	18	13
Other of Nervous System (742)	17	14	18
Of Eye (743)	5	6	3
Of Ear, Face, and Neck (744)	12	14	15
Bulbus Cordis and Cardiac Septal Closure (745)	-	4	2
Other of Heart (746)	18	20	19
Circulatory System (747)	4	6	6
Respiratory System (748)	3	6	25
Cleft Palate and Cleft Lip (749)	33	42	30
Other of Upper Alimentary Tract (750)	6	15	9
Other Digestive System (751)	10	4	16
Of Genital Organs (752)	37	47	53
Of Urinary System (753)	3	5	8
Certain Musculoskeletal Deformities (754)	28	26	42
Other of Limbs (755)	105	94	142
Other Musculoskeletal Anomalies (756)	22	15	26
Of the Integument (757)	14	23	29
Chromosomal Anomalies (758)	13	9	16
Other, Unspecified or Multiple Anomalies (759)	34	36	33
TOTAL	390	408	509
Rate Per 1,000 live births	7.7	7.9	9.8

---

[1] Classified and coded according the International Classification of Diseases, (ICD) Ninth Revision

DEATHS

DEATH SUMMARY

In 1981, there were 25,410 deaths to residents of South Carolina. This is an increase of 272 from the number of deaths reported in 1980. The 1981 death rate of 7.9 per 1,000 estimated population decreased slightly from the 1980 rate of 8.1.

Figure 7.

RESIDENT DEATH RATES
SOUTH CAROLINA, 1981


LEGEND: DEATH
▨ 9.4 - 11.8
▨ 8.8 - 9.3
▤ 7.8 - 8.7
☐ 4.6 - 7.7
RATE CALCULATED PER 1000 POPULATION

The pattern of mortality for the last thirty-two years is shown by race in Figure 8 . The total death rate fluctuated between the lowest rate of 7.8 and highest rate of 9.1 for this period. The nonwhite death rate has been consistently higher than the white or total rate for this same time period, as Figure 8 shows.

BEST AVAILABLE COPY

Figure 8.

TOTAL DEATH RATES BY RACE
SOUTH CAROLINA, 1950 - 1981
(RESIDENCE DATA)



Table 34.

TOTAL DEATHS AND DEATH RATE BY RACE
1950 - 1981
SOUTH CAROLINA RESIDENTS

	TOTAL		WHITE		NONWHITE	
YEAR	NUMB	RATE	NUMB	RATE	NUMB	RATE
1950	17874	8.5	9285	7.7	8589	9.6
1951	17706	8.4	9326	7.2	8380	10.2
1952	18543	8.8	9612	7.4	8931	10.8
1953	18176	8.6	9676	7.5	8500	10.3
1954	17838	7.8	9578	6.9	8260	9.2
1955	18166	7.8	9987	7.1	8179	8.9
1956	18397	7.8	10265	7.1	8132	8.7
1957	19125	7.9	10555	7.2	8570	9.0
1958	19655	7.9	11135	7.4	8520	8.7
1959	19773	8.5	11157	7.8	8616	9.6
1960	20589	8.6	11850	7.6	8739	10.5
1961	20151	8.4	11780	7.5	8371	10.1
1962	20390	8.4	12143	7.6	8247	9.9
1963	21675	8.8	12714	7.8	8961	10.7
1964	21309	8.6	12789	7.7	8520	10.2
1965	21668	8.6	13101	7.8	8567	10.3
1966	22081	8.7	13427	7.9	8654	10.4
1967	21762	8.2	13611	7.4	8151	10.0
1968	23411	8.8	14778	8.0	8633	10.4
1969	22820	8.5	14612	7.9	8208	9.8
1970	22762	8.8	14752	8.2	8010	10.1
1971	23140	8.8	15035	8.2	8105	10.2
1972	23920	9.0	15475	8.3	8445	10.7
1973	24871	9.1	16188	8.4	8683	10.9
1974	24169	8.7	15941	8.1	8228	10.0
1975	23343	8.3	15464	8.0	7879	9.0
1976	23639	8.3	15652	8.0	7987	9.0
1977	24254	8.4	16088	8.2	8166	9.0
1978	24055	8.2	15993	7.9	8062	8.9
1979	24343	8.3	16207	8.0	8136	8.9
1980	25138	8.1	16781	7.8	8357	8.6
1981	25410	7.9	17199	7.8	8211	8.2

RATE PER 1000 POPULATION

AGE AT DEATH

A comparison of mortality by age between 1981 and twenty years ago shows how the age at death structure is changing. The age group showing the greatest percentage change from 1962 to 1981 is infants under one year of age. In 1962, there were 8.9 percent of all deaths that occurred to infants under one year of age; in 1981, however, this group accounted for only 3.3 percent of all deaths. The age groups of 55 years old and over accounted for a greater percentage of total deaths in 1981 (76.9 percent) than in 1962, when deaths in these age groups represented 62.8 percent of all deaths.

The percentage distribution of resident deaths by age and race, for South Carolina, 1962 and 1981, is shown in Table 35. This table shows that the changes in age at death between 1962 and 1981, as noted for total deaths, are paralleled by changes in the race distributions.

Table 35.
Percentage Distribution of Deaths by Race by Age:
South Carolina, 1962 and 1981
(Residence Data)

Age at Death	Total 1962	Total 1981	White 1962	White 1981	Nonwhite 1962	Nonwhite 1981
All Ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	8.9	3.3	6.6	2.2	12.3	5.6
01 - 04	1.6	0.6	1.0	0.4	2.5	1.0
05 - 09	0.9	0.3	0.7	0.3	1.0	0.4
10 - 14	0.8	0.4	0.7	0.3	1.0	0.6
15 - 19	1.3	1.0	1.1	1.0	1.7	0.9
20 - 24	1.4	1.6	1.2	1.5	1.7	1.8
25 - 34	3.0	3.3	2.4	2.6	3.9	4.8
35 - 44	6.7	4.1	5.5	3.3	8.5	5.8
45 - 54	12.5	8.4	10.9	7.6	14.7	10.4
55 - 64	18.3	18.0	16.4	17.3	21.1	19.5
65 - 74	22.0	25.2	23.1	25.0	20.3	25.5
75 and Over	22.5	33.7	30.3	38.4	11.0	23.8
Unknown	0.1	0.0	0.1	0.0	0.2	0.0

INFANT DEATH

Resident deaths in South Carolina to infants under one year of age numbered 836 in 1981 and occurred at a rate of 16.2 per 1,000 live births. The infant mortality rate increased 3.8 percent from the previous year's rate of 15.6. As seen in Table 36, over 40 percent of all infant deaths occurred within the first 24 hours of life and 55.5 percent occurred within the first week after birth. Over one-half (54.7 percent) of the total infant deaths were nonwhite. There were 457 nonwhite and 379 white infant deaths. The white infant mortality rate increased from the previous year's rate by 14.8 percent and the nonwhite rate decreased by 3.6 percent. Of the total resident infant deaths, 463 (or 55.4 percent) were males and 373 (or 44.6 percent) were females.

The leading causes of infant death in South Carolina in 1981 are shown, by age at death, in Table 36. The first leading cause of infant death was Certain Conditions Originating in the Perinatal Period, followed by Congenital Anomalies as the second leading cause.

Table 36.
Leading Causes of Infant Death, by Age at Death
South Carolina, 1981
(Residence Data)

Cause of Death	Total	Under 1 Day	1-6 Days	7-27 Days	28-364 Days
Total Infant Deaths	836	335	129	98	274
Certain Conditions Originating in the Perinatal Period (760-779)	450	278	97	58	17
Congenital Anomalies (740-759)	134	47	25	19	43
Symptoms and Ill-defined Conditions (780-799)	103	2	-	5	96
Infective and Parasitic Disease (001-139)	32	-	-	2	30
Accidents (E800-E949)	24	-	1	1	22
Influenza and Pneumonia (480-487)	12	3	-	1	8
Meningitis (320-322)	12	-	-	2	10
Disease of Heart (390-398, 402, 404-429)	10	1	-	1	8
Homicide (E960-E978)	5	3	-	-	2
Other Disease of the Respiratory System (510-519)	5	-	-	-	5
All Other Causes	49	1	6	9	33

NEONATAL DEATH

Deaths in the first 27 days of life (neonatal deaths) numbered 562, representing 67.2 percent of all infant deaths. The total neonatal mortality rate (10.9 per 1,000 live births) increased 0.9 percent from the rate in 1980 (10.8). The white neonatal mortality rate increased 6.6 percent to a rate of 8.1 while the nonwhite rate decreased 3.2 percent to a rate of 14.9.

POSTNEONATAL DEATHS

Deaths to infants 28 through 364 days of age (postneonatal deaths) numbered 274 in 1981. The postneonatal mortality rate of 5.3 per 1,000 live births represents an increase of 10.4 percent from the 1980 rate of 4.8. As shown in Table 36 , the leading causes of death for infants 28-364 days differ from the leading causes of death for infants under 28 days. The first leading cause of postneonatal mortality in 1981 was Symptoms and Ill-defined Conditions and second leading cause was Congenital Anomalies.

MATERNAL DEATH

A total of 3 maternal deaths occurred to South Carolina residents during 1981 at a rate of 0.6 per 10,000 live births. The 1981 maternal mortality rate represents a decrease of 73.9 percent from the previous year's rate of 2.3. All of the 3 maternal deaths in 1981 were nonwhite.

Table 37.
Maternal Deaths by Cause, Race, and Age:
South Carolina, 1981
(Residence Data)

Cause of Maternal Death	Race	All Ages	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
All Maternal Deaths (630-676)	Total	3	-	-	-	1	-	-	2	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	1	-	-	2	-
1. Pregnancy with abortive outcome (630-639)	Total	1	-	-	-	-	-	-	1	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-
2. Complications mainly related to pregnancy (640-648)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
3. Normal delivery & other indications for care in pregnancy, labor and delivery (650-659)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
4. Complications occurring mainly in the course of labor & delivery (660-669)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
5. Complications of the puerperium (670-676)	Total	2	-	-	-	1	-	-	1	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	1	-	-	1	-

Cause of death classified according to the *International Classification of Diseases,* (ICD), 9th Revision.

FETAL DEATH

In 1981, there were 669 fetal deaths, representing a rate of 12.9 per 1,000 live births . The total number of white fetal deaths (280) decreased 2.8 percent, and the nonwhite number (389) decreased 1.6 percent from the previous year.

PERINATAL DEATH

In 1981, there were 1,231 deaths in the perinatal period, corresponding to a rate of 23.5 per 1,000 deliveries. The total number of perinatal deaths decreased by 2 from 1980 and the rate remained the same. Of the total 1,231 perinatal deaths, 527 were white and 704 were nonwhite.

VIOLENT DEATHS

There were 2,415 South Carolina residents who died from violent causes in 1981. Violent causes are defined as accidents, suicides, homicides, and "injury undetermined whether accidentally or purposely inflicted."

Table 38 shows the number of deaths with death rates for each type of violent death for the past five years.

Table 38.
Violent Deaths With Rates by Type:
South Carolina, 1977-1981
(Residence Data)

Type of Violence	1977		1978		1979		1980		1981	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	2,510	87.3	2,375	81.4	2,452	83.6	2,413	77.3	2,415	75.6
Accidents	1,749	60.8	1,658	56.8	1,729	59.0	1,700	54.5	1,692	53.4
Homicide	380	13.2	359	12.3	387	13.2	392	12.6	357	11.3
Suicide	359	12.5	332	11.4	308	10.5	301	9.6	348	11.0
Unable to Determine	22	0.8	26	0.9	28	1.0	20	0.6	18	0.7

Rate per 100,000 population

ACCIDENTAL DEATH

Accidental deaths to residents of South Carolina numbered 1,692 in 1981. This represents a 0.5 percent decrease from the previous year. The death rate for motor vehicle accidents decreased from 27.6 per 100,000 population in 1980 to 26.8 per 100,000 population in 1981, a decrease of 2.9 percent.

Table 39.
Types of Accidental Deaths by Sex:
South Carolina, 1981
(Residence Data)

Sex	Total	Transport	Poison	Falls	Fire and Flames	Drowning	Firearms	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E910	E922	E800-E949
Total	1,692	910	61	131	192	96	41	261
Male	1,207	678	41	67	123	82	33	181
Female	485	232	20	64	69	14	8	78

SUICIDE

The methods used most frequently for resident suicide deaths were firearms (74.4 percent) and poisoning (12.9 percent). Table 40 summarizes the methods most frequently used for each of the sex groups in 1981. Firearms were most frequently used to commit suicide in 1981 by both males (77.0 percent) and females(65.8 percent)

Table 40.
Methods of Suicidal Deaths by Sex:
South Carolina, 1981
(Residence Data)

	All Suicides (E950-E959)	Poisoning (E950-E952)	Hanging Strangulation & Suffocation (E953)	Drowning (E954)	Firearms (E955)	Cutting and Piercing (E956)	Jumping From High Places (E957)	All Other
Total	348	45	31	6	259	3	1	3
Male	269	29	26	3	207	1	1	2
Female	79	16	5	3	52	2	-	1

HOMICIDE

Deaths from homicide accounted for 14.2 percent of all violent deaths in 1981. The most frequently used method for committing homicide in 1981 was firearms. Sex distribution of methods for committing homicide is shown in Table 41.

Table 41.
Methods of Homicidal Deaths by Sex:
South Carolina, 1981
(Residence Data)

	All Homicides (E960-E978)	Fight Brawl Rape (E960)	Assault by Poisoning (E962)	Assault by Hanging & Strangulation (E963)	Assault by Submersion (E964)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	All Other
Total	357	-	1	12	2	239	65	38
Male	278	-	1	5	1	190	56	25
Female	79	-	-	7	1	49	9	13

TEN LEADING CAUSES OF DEATH

The ten leading causes of death in South Carolina during 1981 are shown by rank, with the number of deaths from each cause and the corresponding percentage of total deaths, in Table 44 . These ten causes accounted for 82.6 percent of all deaths in 1981; 71.3 percent of all deaths were attributed to the first four causes.

The first leading cause of death was diseases of the heart, which accounted for 9,151 deaths in 1981. The death rate for diseases of the heart was 288.9 per 100,000 population. Deaths attributed to this cause represented 36.0 percent of total deaths. Of all deaths from disease of the heart, 65.3 percent were attributed to ischemic heart disease. The majority of deaths from diseases of the heart occurred to persons over the age of 44. However, deaths from diseases of the heart accounted for 35.5 percent of all deaths occurring to white males 35-54 years of age.

The second leading cause of death was malignant neoplasms, which was the cause of 4,904 resident deaths in 1981. The majority of deaths from malignant neoplasms occurred to persons in the age group 55-74. Table 42 shows the distribution of malignant neoplasms by site. Of all deaths attributed to malignant neoplasms, 29.8 percent were attributed to malignant neoplasms of the respiratory system; 23.9 percent to malignant neoplasms of the digestive system and peritoneum.

Table 42.
Distribution of Malignant Neoplasms by Site:
South Carolina, 1981
(Residence Data)

	ICD CODES	NUMBER	PERCENT
Malignant Neoplasms	140-208	4,904	100.0
Lip, Oral Cavity and Pharynx	140-149	97	2.0
Digestive Organs and Peritoneum	150-159	1,172	23.9
Respiratory System	160-165	1,460	29.8
Breast	174-175	409	8.3
Genital Organs	179-187	600	12.2
Cervix Uteri	(179-180)	(110)	(2.2)
Other Female Genital Organs	(181-184)	(176)	(3.6)
Prostate	(185)	(306)	(6.2)
Other Male Genital Organs	(186-187)	(8)	(0.2)
Urinary Organs	188-189	186	3.8
Leukemia	204-208	158	3.2
Other and Unspecified Sites	170-173, 190-199	585	11.9
Lymphatic and Hematopoietic Tissues	200-203	237	4.8

Cerebrovascular diseases, the third leading cause of death in 1981, accounted for 2,384 deaths, or 9.4 percent of total deaths. Of the deaths attributed to cerebrovascular diseases, 78.2 percent occurred to persons 65 years of age and older. Fifty seven percent of deaths from cerebrovascular diseases occurred to females, with 36.7 percent of all cerebrovascular disease deaths occurring to white females.

Table 43.
Death From Major Cardiovascular Diseases:
South Carolina, 1981
(Residence Data)

	Number of Deaths	Percent of Total Deaths
Major Cardiovascular Disease (390-448)	12,161	47.9
Disease of Heart (390-398, 402, 404-429)	9,151	36.0
Hypertension (401, 403)	108	0.4
Cerebrovascular Disease (430-438)	2,384	9.4
Atheriosclerosis (440)	271	1.1
Other Diseases of Arteries, Arterioles, and Capillaries (441-448)	247	1.0

Figure 9 depicts the sex percentage of the ten leading causes of death in South Carolina for 1981. Table 45 presents the five leading causes of death within each age group for 1981. While diseases of the heart is the leading cause of death for all ages combined, accidental death is the leading cause for all five age groups between the ages of one and 45 years.

Table 44.
Mortality From Ten Leading Causes of Death by Race: South Carolina, 1981
(Residence Data)

Cause of Death	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages...............	25,410	100.0	17,199	100.0	8,211	100.0
Ten Leading Causes, All Ages.......	20,980	82.6	14,256	82.9	6,724	81.9
Diseases of Heart (390-398,402,404-429)............................	9,151	36.0	6,603	38.4	2,548	31.0
Malignant Neoplasms (140-208).....	4,904	19.3	3,487	20.3	1,417	17.3
Cerebrovascular Diseases (430-438).	2,384	9.4	1,461	8.5	923	11.2
Accidents (E800-E949).............	1,692	6.7	1,070	6.2	622	7.6
Pneumonia and Influenza (480-487)..	646	2.5	448	2.6	198	2.4
Symptoms and Ill-Defined Conditions (780-799)......................	549	2.2	252	1.5	297	3.6
Diabetes Mellitus (250)...........	498	2.0	285	1.7	213	2.6
Certain Conditions Originating in the Perinatal Period (760-779)..	451	1.8	187	1.1	264	3.2
Homicide and Legal Intervention (E960-E978)....................	357	1.4	158	0.9	199	2.4
Suicide (E950-E959)...............	348	1.4	305	1.8	43	0.5
All Other Causes..................	4,430	17.4	2,943	17.1	1,487	18.1

Figure 9.
Percentage Distribution of Ten Leading Causes of Death And Deaths From All Causes by Sex, South Carolina, 1981
(Residence Data)



Table 45.
Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1981 (Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	836	100.0	379	100.0	457	100.0
Certain Conditions Originating in the Perinatal Period (760-779)	450	53.8	186	49.1	264	57.8
Congenital Anomalies (740-759)	134	16.0	78	20.6	56	12.3
Symptoms and Ill-defined Conditions (780-799)	103	12.3	42	11.1	61	13.3
Infective and Parasitic Disease (001-139)	32	3.8	18	4.7	14	3.1
Accidents (E800-E949)	24	2.9	13	3.4	11	2.4
All Other Causes	93	11.2	42	11.1	51	11.2
1 - 4 Years						
All Causes	146	100.0	67	100.0	79	100.0
Accidents (E800-E949)	59	40.4	30	44.8	29	36.7
Congenital Anomalies (740-759)	24	16.4	11	16.4	13	16.5
Infective and Parasitic Disease (001-139)	8	5.5	2	3.0	6	7.6
Malignant Neoplasms (140-208)	6	4.1	4	6.0	2	2.5
Disease of Heart (390-398,402,404-429)	6	4.1	6	9.0	-	0
All Other Causes	43	29.4	14	20.9	29	36.7
5 - 14 Years						
All Causes	188	100.0	104	100.0	84	100.0
Accidents (E800-E949)	105	55.9	52	50.0	53	63.1
Malignant Neoplasms 140-208)	20	10.6	16	15.4	4	4.8
Congenital Anomalies (740-759)	10	5.3	8	7.7	2	2.4
Infective and Parasitic Disease (001-139)	4	2.1	3	2.9	1	1.2
Disease of Heart (390-398,402,404-429)	4	2.1	2	1.9	2	2.4
Other Disease of Respiratory System (510-519)	4	2.1	1	1.0	3	3.6
Homicide and Legal Intervention (E960-E978)	4	2.1	3	2.9	1	1.2
All Other Causes	37	19.7	19	18.3	18	21.4
15 - 24 Years						
All Causes	653	100.0	432	100.0	221	100.0
Accidents (E800-E949)	359	55.0	261	60.4	98	44.3
Suicide (E950-E959)	75	11.5	63	14.6	12	5.4
Homicide and Legal Intervention (E960-E978)	61	9.3	30	6.9	31	14.0
Malignant Neoplasms (140-208)	33	5.1	20	4.6	13	5.9
Disease of Heart (390-398,402,404-429)	26	4.0	11	2.5	15	6.8
All Other Causes	99	15.2	47	10.9	52	23.5
25 - 44 Years						
All Causes	1,884	100.0	1,016	100.0	868	100.0
Accidents (E800-E949)	481	25.5	299	29.4	182	21.0
Disease of Heart (390-398,402,404-429)	313	16.6	170	16.7	143	16.5
Malignant Neoplasms (140-208)	248	13.2	157	15.5	91	10.5
Homicide and Legal Intervention (E960-E978)	189	10.0	71	7.0	118	13.6
Suicide (E950-E959)	140	7.4	119	11.7	21	2.4
All Other Causes	513	27.2	200	19.7	313	36.1
45 - 64 Years						
All Other Causes	6,755	100.0	4,298	100.0	2,457	100.0
Disease of Heart (390-398,402,404-429)	2,380	35.2	1,541	35.9	839	34.1
Malignant Neoplasms (140-208)	1,858	27.5	1,258	29.3	600	24.4
Cerebrovascular Diseases (430-438)	434	6.4	196	4.6	238	9.7
Accidents (E800-E949)	353	5.2	206	4.8	147	6.0
Chronic Liver Disease and Cirrhosis (571)	173	2.6	125	2.9	48	2.0
All Other Causes	1,557	23.0	972	22.6	585	23.8
65 - 74 Years						
All Causes	6,394	100.0	4,301	100.0	2,093	100.0
Disease of Heart (390-398,402,404-429)	2,580	40.4	1,834	42.6	746	35.6
Malignant Neoplasms (140-208)	1,536	24.0	1,106	25.7	430	20.5
Cerebrovascular Diseases (430-438)	602	9.4	294	6.8	308	14.7
Diabetes Mellitus (250)	157	2.5	83	1.9	74	3.5
Accidents (E800-E949)	154	2.4	87	2.0	67	3.2
All Other Causes	1,365	21.3	897	20.9	468	22.4
75 Years and Over						
All Causes	8,552	100.0	6,601	100.0	1,951	100.0
Disease of Heart (390-398,402,404-429)	3,831	44.8	3,033	45.9	798	40.9
Cerebrovascular Diseases (430-438)	1,263	14.8	939	14.2	324	16.6
Malignant Neoplasms (140-208)	1,201	14.0	924	14.0	277	14.2
Influenza and Pneumonia (487, 480-486)	358	4.2	289	4.4	69	3.5
Atherosclerosis (440)	196	2.3	158	2.4	38	1.9
All Other Causes	1,703	19.9	1,258	19.1	445	22.8

*This table does not include 2 resident deaths with unknown ages

Table 46.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	25,410	7.9	17,199	7.8	8,211	8.2
Abbeville	208	9.1	139	9.2	69	9.1
Abbeville	82	---	43	---	39	---
Honea Path(part)	1	---	-	---	1	---
Balance of County	125	---	96	---	29	---
Aiken	882	8.2	639	8.0	243	8.9
Aiken	218	---	143	---	75	---
New Ellenton	22	---	17	---	5	---
North Augusta	143	---	121	---	22	---
Balance of County	499	---	358	---	141	---
Allendale	117	10.8	48	12.1	69	10.1
Allendale	43	---	16	---	27	---
Balance of County	74	---	32	---	42	---
Anderson	1,123	8.2	940	8.3	183	7.5
Anderson	400	---	297	---	103	---
Belton	58	---	56	---	2	---
Clemson Village(part)	3	---	2	---	1	---
Honea Path(part)	39	---	36	---	3	---
Pendleton	16	---	5	---	11	---
Williamston	40	---	34	---	6	---
Balance of County	567	---	510	---	57	---
Bamberg	159	8.6	79	10.2	80	7.5
Bamberg	41	---	26	---	15	---
Denmark	41	---	13	---	28	---
Balance of County	77	---	40	---	37	---
Barnwell	178	8.8	97	8.3	81	9.5
Barnwell	49	---	28	---	21	---
Williston	25	---	15	---	10	---
Balance of County	104	---	54	---	50	---
Beaufort	443	6.6	268	6.1	175	7.4
Beaufort	141	---	96	---	45	---
Port Royal	15	---	9	---	6	---
Balance of County	287	---	163	---	124	---
Berkeley	487	4.8	311	4.3	176	6.3
Goose Creek	56	---	51	---	5	---
Balance of County	431	---	260	---	171	---
Calhoun	102	8.2	40	7.2	62	9.1
Charleston	1,887	6.7	1,124	6.2	763	7.6
Charleston	771	---	381	---	390	---
Isle of Palms	10	---	10	---	-	---
Mt. Pleasant	94	---	72	---	22	---
N. Charleston	183	---	138	---	45	---
Balance of County	829	---	523	---	306	---
Cherokee	372	9.0	279	8.4	93	11.2
Gaffney	184	---	133	---	51	---
Balance of County	188	---	146	---	42	---
Chester	326	10.8	220	11.9	106	9.0
Chester	77	---	44	---	33	---
Great Falls	35	---	30	---	5	---
Balance of County	214	---	146	---	68	---

Table 46 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield............	346	8.9	245	9.4	101	7.9
Cheraw..............	66	---	35	---	31	---
Balance of County....	280	---	210	---	70	---
Clarendon..............	264	9.5	115	9.8	149	9.3
Manning.............	34	---	23	---	11	---
Balance of County....	230	---	92	---	138	---
Colleton...............	317	9.8	180	10.4	137	9.2
Walterboro..........	98	---	72	---	26	---
Balance of County....	219	---	108	---	111	---
Darlington.............	565	8.8	355	9.3	210	8.1
Darlington..........	150	---	64	---	86	---
Hartsville..........	91	---	63	---	28	---
Balance of County....	324	---	228	---	96	---
Dillon.................	276	8.8	163	9.2	113	8.3
Dillon..............	82	---	49	---	33	---
Balance of County....	194	---	114	---	80	---
Dorchester.............	374	6.0	247	5.4	127	7.6
Summerville..........	83	---	63	---	20	---
Balance of County....	291	---	184	---	107	---
Edgefield..............	149	8.4	74	8.4	75	8.4
Edgefield...........	35	---	17	---	18	---
Johnston............	15	---	6	---	9	---
Balance of County....	99	---	51	---	48	---
Fairfield..............	202	9.7	91	10.6	111	9.1
Winnsboro...........	38	---	20	---	18	---
Balance of County....	164	---	71	---	93	---
Florence...............	960	8.5	561	8.0	399	9.3
Florence............	347	---	167	---	180	---
Lake City...........	63	---	22	---	41	---
Balance of County....	550	---	372	---	178	---
Georgetown.............	380	8.7	199	8.3	181	9.2
Andrews(part)........	23	---	12	---	11	---
Georgetown..........	145	---	78	---	67	---
Balance of County....	212	---	109	---	103	---
Greenville.............	2,271	7.7	1,856	7.7	415	7.6
Fountain Inn(part)...	30	---	23	---	7	---
Greenville..........	661	---	435	---	226	---
Greer(part)..........	153	---	144	---	9	---
Mauldin.............	25	---	24	---	1	---
Simpsonville.........	48	---	47	---	1	---
Balance of County....	1,354	---	1,183	---	171	---
Greenwood..............	533	9.1	378	9.1	155	8.9
Greenwood...........	279	---	187	---	92	---
Balance of County....	254	---	191	---	63	---
Hampton................	185	10.0	89	10.3	96	9.8
Hampton.............	33	---	23	---	10	---
Balance of County....	152	---	66	---	86	---
Horry..................	842	7.9	673	8.2	169	6.9
Conway..............	117	---	85	---	32	---
Myrtle Beach.........	128	---	116	---	12	---
Balance of County	597	---	472	---	125	---

Table 46 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper	145	9.8	70	11.1	75	8.8
Kershaw	365	9.2	226	8.4	139	11.1
Camden	123	---	60	---	63	---
Balance of County	242	---	166	---	76	---
Lancaster	423	7.7	330	8.0	93	6.9
Lancaster	126	---	88	---	38	---
Balance of County	297	---	242	---	55	---
Laurens	552	10.5	413	11.1	139	9.0
Clinton	93	---	72	---	21	---
Fountain Inn(part)	6	---	6	---	-	---
Laurens	153	---	105	---	48	---
Balance of County	300	---	230	---	70	---
Lee	135	7.1	56	7.7	79	6.7
Bishopville	36	---	19	---	17	---
Balance of County	99	---	37	---	62	---
Lexington	869	5.9	763	5.8	106	6.7
Batesburg(part)	36	---	24	---	12	---
Cayce	79	---	70	---	9	---
Springdale	-	---	-	---	-	---
West Columbia	173	---	162	---	11	---
Balance of County	581	---	507	---	74	---
McCormick	66	8.4	30	9.9	36	7.5
Marion	325	9.4	156	9.5	169	9.3
Marion	101	---	42	---	59	---
Mullins	62	---	31	---	31	---
Balance of County	162	---	83	---	79	---
Marlboro	321	10.0	175	10.5	146	9.4
Bennettsville	105	---	46	---	59	---
McColl	36	---	33	---	3	---
Balance of County	180	---	96	---	84	---
Newberry	370	11.8	247	11.6	123	12.2
Newberry	156	---	96	---	60	---
Balance of County	214	---	151	---	63	---
Oconee	464	9.3	419	9.4	45	8.9
Seneca	81	---	63	---	18	---
Walhalla	56	---	52	---	4	---
Westminister	26	---	24	---	2	---
Balance of County	301	---	280	---	21	---
Orangeburg	739	8.8	380	10.5	359	7.5
Orangeburg	187	---	115	---	72	---
Balance of County	552	---	265	---	287	---
Pickens	510	6.2	464	6.1	46	7.0
Clemson Vil(part)	47	---	40	---	7	---
Easley	149	---	132	---	17	---
Liberty	29	---	21	---	8	---
Pickens	31	---	25	---	6	---
Balance of County	254	---	246	---	8	---
Richland	2,158	7.9	1,337	8.2	821	7.4
Columbia	1,215	---	766	---	449	---
Forest Acres	-	---	-	---	-	---
Balance of County	943	---	571	---	372	---

Table 46 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda..................	147	7.9	98	9.3	49	8.4
Batesburg(part).......	3	---	3	---	-	---
Balance of County.....	144	---	95	---	49	---
Spartanburg.............	1,744	8.5	1,349	8.3	395	9.2
Greer(part)...........	35	---	21	---	14	---
Spartanburg...........	561	---	374	---	187	---
Woodruff..............	34	---	26	---	8	---
Balance of County.....	1,114	---	928	---	186	---
Sumter..................	679	7.6	329	6.8	350	8.6
Sumter................	368	---	203	---	165	---
Balance of County.....	311	---	126	---	185	---
Union...................	286	9.3	201	9.3	85	9.2
Union.................	93	---	68	---	25	---
Balance of County.....	193	---	133	---	60	---
Williamsburg............	316	8.2	117	8.1	199	8.2
Andrews(part).........	1	---	-	---	1	---
Kingstree.............	67	---	29	---	38	---
Balance of County.....	248	---	88	---	160	---
York....................	848	7.7	629	7.5	219	8.4
Clover................	37	---	27	---	10	---
Fort Mill.............	43	---	32	---	11	---
Rock Hill.............	382	---	267	---	115	---
York..................	68	---	44	---	24	---
Balance of County.....	318	---	259	---	59	---

Rate per 1,000 estimated population

Table 47.

Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1981

(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA..........	24,602	7.7	16,613	7.6	7,989	8.0
Abbeville...............	153	6.7	98	6.5	55	7.2
Abbeville............	113	---	67	---	46	---
Honea Path(part).....	-	---	-	---	-	---
Balance of County....	40	---	31	---	9	---
Aiken..................	537	5.0	364	4.5	173	6.3
Aiken...............	323	---	214	---	109	---
New Ellenton.........	5	---	5	---	-	---
North Augusta........	50	---	37	---	13	---
Balance of County....	159	---	108	---	51	---
Allendale..............	92	8.5	37	9.3	55	8.0
Allendale............	12	---	3	---	9	---
Balance of County....	80	---	34	---	46	---
Anderson...............	1,073	7.8	901	8.0	172	7.1
Anderson.............	861	---	716	---	145	---
Belton...............	11	---	10	---	1	---
Clemson Vil(part)....	-	---	-	---	-	---
Honea Path(part).....	14	---	13	---	1	---
Pendleton............	3	---	2	---	1	---
Williamston..........	9	---	8	---	1	---
Balance of County....	175	---	152	---	23	---
Bamberg................	144	7.8	73	9.4	71	6.7
Bamberg..............	106	---	53	---	53	---
Denmark..............	8	---	5	---	3	---
Balance of County....	30	---	15	---	15	---
Barnwell...............	125	6.2	62	5.3	63	7.4
Barnwell.............	82	---	40	---	42	---
Williston............	5	---	4	---	1	---
Balance of County....	38	---	18	---	20	---
Beaufort...............	389	5.8	243	5.6	146	6.2
Beaufort.............	214	---	115	---	99	---
Port Royal...........	-	---	-	---	-	---
Balance of County....	175	---	128	---	47	---
Berkeley...............	195	1.9	120	1.6	75	2.7
Goose Creek..........	11	---	11	---	-	---
Balance of County....	184	---	109	---	75	---
Calhoun................	39	3.2	11	2.0	28	4.1
Charleston.............	2,833	10.1	1,739	9.6	1,094	10.9
Charleston...........	1,967	---	1,149	---	818	---
Isle of Palm.........	2	---	2	---	-	---
Mt. Pleasant.........	27	---	21	---	6	---
North Charleston.....	170	---	123	---	47	---
Balance of County....	667	---	444	---	223	---
Cherokee...............	291	7.0	219	6.6	72	8.7
Gaffney..............	24	---	21	---	3	---
Balance of County....	267	---	198	---	69	---
Chester................	247	8.2	164	8.9	83	7.1
Chester..............	12	---	8	---	4	---
Great Falls..........	10	---	10	---	-	---
Balance of County....	225	---	146	---	79	---

Table 47 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Chesterfield	203	5.2	134	5.2	69	5.4
Cheraw	110	---	69	---	41	---
Balance of County	93	---	65	---	28	---
Clarendon	201	7.3	83	7.1	118	7.4
Manning	123	---	55	---	68	---
Balance of County	78	---	28	---	50	---
Colleton	303	9.4	171	9.9	132	8.8
Walterboro	225	---	128	---	97	---
Balance of County	78	---	43	---	35	---
Darlington	489	7.6	299	7.9	190	7.4
Darlington	231	---	118	---	113	---
Hartsville	178	---	130	---	48	---
Balance of County	80	---	51	---	29	---
Dillon	215	6.9	131	7.4	84	6.2
Dillon	140	---	77	---	63	---
Balance of County	75	---	54	---	21	---
Dorchester	155	2.5	101	2.2	54	3.2
Summerville	15	---	12	---	3	---
Balance of County	140	---	89	---	51	---
Edgefield	117	6.6	55	6.2	62	7.0
Edgefield	68	---	28	---	40	---
Johnston	11	---	5	---	6	---
Balance of County	38	---	22	---	16	---
Fairfield	122	5.9	56	6.5	66	5.4
Winnsboro	8	---	4	---	4	---
Balance of County	114	---	52	---	62	---
Florence	1,158	10.2	681	9.7	477	11.1
Florence	877	---	504	---	373	---
Lake City	54	---	23	---	31	---
Balance of County	277	---	154	---	73	---
Georgetown	324	7.4	173	7.2	151	7.6
Andrews(part)	7	---	4	---	3	---
Georgetown	249	---	135	---	114	---
Balance of County	68	---	34	---	34	---
Greenville	2,505	8.5	2,045	8.5	460	8.5
Fountain Inn(part)	9	---	9	---	-	---
Greenville	1,086	---	801	---	285	---
Greer(part)	212	---	195	---	17	---
Mauldin	6	---	6	---	-	---
Simpsonville	79	---	64	---	15	---
Balance of County	1,113	---	970	---	143	---
Greenwood	699	11.9	500	12.0	199	11.5
Greenwood	659	---	469	---	190	---
Balance of County	40	---	31	---	9	---
Hampton	139	7.5	59	6.8	80	8.2
Hampton	6	---	5	---	1	---
Balance of County	133	---	54	---	79	---
Horry	835	7.8	669	8.2	166	6.8
Conway	226	---	174	---	52	---
Myrtle Beach	248	---	217	---	31	---
Balance of County	361	---	278	---	83	---

Table 47 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Jasper..................	96	6.5	46	7.3	50	5.8
Kershaw.................	290	7.3	184	6.8	106	8.5
Camden...............	242	---	157	---	85	---
Balance of County....	48	---	27	---	21	---
Lancaster...............	371	6.8	283	6.9	88	6.5
Lancaster............	309	---	234	---	75	---
Balance of County....	62	---	49	---	13	---
Laurens.................	374	7.1	274	7.4	100	6.5
Clinton..............	10	---	7	---	3	---
Fountain Inn(part)...	-	---	-	---	-	---
Laurens..............	176	---	128	---	48	---
Balance of County....	188	---	139	---	49	---
Lee.....................	80	4.2	29	4.0	51	4.4
Bishopville..........	10	---	4	---	6	---
Balance of County....	70	---	25	---	45	---
Lexington...............	658	4.4	567	4.3	91	5.7
Batesburg(part)......	8	---	7	---	1	---
Cayce................	24	---	22	---	2	---
Springdale...........	-	---	-	---	-	---
West Columbia........	40	---	36	---	4	---
Balance of County....	586	---	502	---	84	---
McCormick...............	30	3.8	14	4.6	16	3.3
Marion..................	357	10.3	187	11.4	170	9.3
Marion...............	190	---	95	---	95	---
Mullins..............	108	---	65	---	43	---
Balance of County....	59	---	27	---	32	---
Marlboro................	272	8.4	144	8.6	128	8.3
Bennettsville........	204	---	103	---	101	---
McColl...............	9	---	9	---	-	---
Balance of County....	59	---	32	---	27	---
Newberry................	261	8.3	173	8.1	88	8.7
Newberry.............	232	---	150	---	82	---
Balance of County....	29	---	23	---	6	---
Oconee..................	402	8.1	359	8.0	43	8.5
Seneca...............	13	---	12	---	1	---
Walhalla.............	9	---	7	---	2	---
Westminister.........	7	---	7	---	-	---
Balance of County....	373	---	333	---	40	---
Orangeburg..............	739	8.8	381	10.5	358	7.5
Orangeburg...........	530	---	294	---	236	---
Balance of County....	209	---	87	---	122	---
Pickens.................	390	4.7	352	4.6	38	5.8
Clemson Vil(part)....	22	---	19	---	3	---
Easley...............	200	---	182	---	18	---
Liberty..............	10	---	7	---	3	---
Pickens..............	66	---	61	---	5	---
Balance of County....	92	---	83	---	9	---
Richland................	3,114	11.4	2,009	12.3	1,105	10.0
Columbia.............	2,572	---	1,690	---	882	---
Forest Acres.........	-	---	-	---	-	---
Balance of County....	542	---	319	---	223	---

Table 47 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Saluda..................	76	4.7	50	4.7	26	4.5
Batesburg(part)......	-	---	-	---	-	---
Balance of County....	76	---	50	---	26	---
Spartanburg............	1,713	8.3	1,319	8.1	394	9.2
Greer(part)..........	7	---	6	---	1	---
Spartanburg..........	1,296	---	951	---	345	---
Woodruff.............	48	---	40	---	8	---
Balance of County....	362	---	322	---	40	---
Sumter.................	627	7.0	302	6.2	325	8.0
Sumter...............	473	---	241	---	232	---
Balance of County....	154	---	61	---	93	---
Union..................	227	7.4	155	7.1	72	7.8
Union................	184	---	126	---	58	---
Balance of County....	43	---	29	---	14	---
Williamsburg...........	238	6.1	84	5.8	154	6.4
Andrews(part)........	-	---	-	---	-	---
Kingstree............	158	---	53	---	105	---
Balance of County....	80	---	31	---	49	---
York...................	704	6.4	513	6.1	191	7.3
Clover...............	13	---	9	---	4	---
Fort Mill............	10	---	7	---	3	---
Rock Hill............	516	---	374	---	142	---
York.................	115	---	76	---	39	---
Balance of County....	50	---	47	---	3	---

Rate per 1,000 estimated population

Table 48.

Deaths by Race and Sex: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	25,410	13,937	11,473	17,199	9,430	7,769	8,211	4,507	3,704
Abbeville	208	105	103	139	70	69	69	35	34
Aiken	882	504	378	639	364	275	243	140	103
Allendale	117	70	47	48	29	19	69	41	28
Anderson	1,123	602	521	940	502	438	183	100	83
Bamberg	159	83	76	79	41	38	80	42	38
Barnwell	178	96	82	97	52	45	81	44	37
Beaufort	443	240	203	268	154	114	175	86	89
Berkeley	487	295	192	311	187	124	176	108	68
Calhoun	102	53	49	40	20	20	62	33	29
Charleston	1,887	1,033	854	1,124	606	518	763	427	336
Cherokee	372	206	166	279	159	120	93	47	46
Chester	326	185	141	220	120	100	106	65	41
Chesterfield	346	215	131	245	155	90	101	60	41
Clarendon	264	149	115	115	65	50	149	84	65
Colleton	317	176	141	180	99	81	137	77	60
Darlington	565	293	272	355	185	170	210	108	102
Dillon	276	141	135	163	78	85	113	63	50
Dorchester	374	207	167	247	133	114	127	74	53
Edgefield	149	73	76	74	35	39	75	38	37
Fairfield	202	110	92	91	50	41	111	60	51
Florence	960	518	442	561	306	255	399	212	187
Georgetown	380	236	144	199	137	62	181	99	82
Greenville	2,271	1,217	1,054	1,856	995	861	415	222	193
Greenwood	533	277	256	378	194	184	155	83	72
Hampton	185	101	84	89	48	41	96	53	43
Horry	842	492	350	673	387	286	169	105	64
Jasper	145	74	71	70	31	39	75	43	32
Kershaw	365	194	171	226	122	104	139	72	67
Lancaster	423	233	190	330	186	144	93	47	46
Laurens	552	311	241	413	235	178	139	76	63
Lee	135	81	54	56	33	23	79	48	31
Lexington	869	493	376	763	434	329	106	59	47
McCormick	66	46	20	30	22	8	36	24	12
Marion	325	182	143	156	91	65	169	91	78
Marlboro	321	175	146	175	95	80	146	80	66
Newberry	370	206	164	247	143	104	123	63	60
Oconee	464	278	186	419	252	167	45	26	19
Orangeburg	739	367	372	380	181	199	359	186	173
Pickens	510	268	242	464	240	224	46	28	18
Richland	2,158	1,190	968	1,337	736	601	821	454	367
Saluda	147	76	71	98	50	48	49	26	23
Spartanburg	1,744	952	792	1,349	729	620	395	223	172
Sumter	679	352	327	329	166	163	350	186	164
Union	286	145	141	201	101	100	85	44	41
Williamsburg	316	174	142	117	69	48	199	105	94
York	848	463	385	629	343	286	219	120	99

Table 49.
Deaths by Race and Sex: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Total			White			Nonwhite		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	24,602	13,434	11,168	16,613	9,078	7,535	7,989	4,356	3,633
Abbeville	153	83	70	98	52	46	55	31	24
Aiken	537	300	237	364	210	154	173	90	83
Allendale	92	50	42	37	18	19	55	32	23
Anderson	1,073	571	502	901	473	428	172	98	74
Bamberg	144	74	70	73	37	36	71	37	34
Barnwell	125	63	62	62	29	33	63	34	29
Beaufort	389	218	171	243	147	96	146	71	75
Berkeley	195	122	73	120	73	47	75	49	26
Calhoun	39	23	16	11	7	4	28	16	12
Charleston	2,833	1,605	1,228	1,739	989	750	1,094	616	478
Cherokee	291	157	134	219	125	94	72	32	40
Chester	247	139	108	164	86	78	83	53	30
Chesterfield	203	126	77	134	86	48	69	40	29
Clarendon	201	114	87	83	52	31	118	62	56
Colleton	303	166	137	171	91	80	132	75	57
Darlington	489	250	239	299	153	146	190	97	93
Dillon	215	111	104	131	64	67	84	47	37
Dorchester	155	81	74	101	47	54	54	34	20
Edgefield	117	52	65	55	23	32	62	29	33
Fairfield	122	62	60	56	28	28	66	34	32
Florence	1,158	607	551	681	356	325	477	251	226
Georgetown	324	203	121	173	119	54	151	84	67
Greenville	2,505	1,302	1,203	2,045	1,064	981	460	238	222
Greenwood	699	358	341	500	257	243	199	101	98
Hampton	139	81	58	59	33	26	80	48	32
Horry	835	488	347	669	386	283	166	102	64
Jasper	96	42	54	46	21	25	50	21	29
Kershaw	290	151	139	184	97	87	106	54	52
Lancaster	371	198	173	283	158	125	88	40	48
Laurens	374	204	170	274	150	124	100	54	46
Lee	80	48	32	29	19	10	51	29	22
Lexington	658	363	295	567	315	252	91	48	43
McCormick	30	22	8	14	10	4	16	12	4
Marion	357	189	168	187	100	87	170	89	81
Marlboro	272	142	130	144	77	67	128	65	63
Newberry	261	132	129	173	89	84	88	43	45
Oconee	402	234	168	359	213	146	43	21	22
Orangeburg	739	351	388	381	172	209	358	179	179
Pickens	390	199	191	352	179	173	38	20	18
Richland	3,114	1,855	1,259	2,009	1,214	795	1,105	641	464
Saluda	76	41	35	50	24	26	26	17	9
Spartanburg	1,713	926	787	1,319	705	614	394	221	173
Sumter	627	313	314	302	137	165	325	176	149
Union	227	111	116	155	73	82	72	38	34
Williamsburg	238	133	105	84	46	38	154	87	67
York	704	374	330	513	274	239	191	100	91

Table 50.

DEATHS AND DEATH RATES[1] FROM SELECTED CAUSES BY RACE AND SEX: SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	SOUTH CAROLINA					RATES		
		White		Non-White				
	Total	Male	Female	Male	Female	Total	White	Non-White
All Causes	25,410	9,430	7,769	4,507	3,704	7.9	7.8	8.2
Infectious and Parasitic Dis. (001-139)	315	89	84	82	60	9.9	7.9	14.2
Enteritis and Other Intestinal Dis. (008-009)	9	4	2	2	1	0.3	0.3	0.3
Tuberculosis, All Forms (010-018)	44	8	4	19	13	1.4	0.5	3.2
Tetanus (037)	1	1	—	—	—	0.0	0.0	0
Measles (055)	—	—	—	—	—	0	0	0
Syphilis and its Sequelae (090-097)	4	1	1	1	1	0.1	0.1	0.2
Remainder of (001-139)	257	75	77	60	45	8.0	6.9	10.5
Malignant Neoplasms (140-208)	4,904	1,911	1,576	847	570	153.4	158.7	141.8
Of Lip, Oral Cavity and Pharynx (140-149)	97	33	33	25	6	3.0	3.0	3.1
Of Digestive Organs and Peritoneum (150-159)	1,172	421	365	219	167	36.7	35.8	38.6
Of Respiratory System (160-165)	1,460	828	275	286	71	45.7	50.2	35.7
Of Breast (174-175)	409	5	301	1	102	12.8	13.9	10.3
Of Genital Organs (179-187)	600	168	185	147	100	18.8	16.1	24.7
Of Urinary Organs (188-189)	186	93	54	23	16	5.8	6.7	3.9
Leukemia (204-208)	158	62	58	18	20	4.9	5.5	3.8
Of Other and Unspecified Sites (170-173, 190-199)	585	225	216	86	58	18.3	20.1	14.4
Of Lymphatic and Hematopoietic Tissues (200-203)	237	76	89	42	30	7.4	7.5	7.2
Benign and Unspecified Neoplasms (210-239)	39	13	15	6	5	1.2	1.3	1.1
Diabetes Mellitus (250)	498	122	163	69	144	15.6	13.0	21.3
Meningitis (320-322)	24	2	5	9	8	0.8	0.3	1.7
Diseases of Heart (390-398, 402, 404-429)	9,151	3,579	3,024	1,295	1,253	286.3	300.6	255.0
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	60	16	24	5	15	1.9	1.8	2.0
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	392	71	119	77	125	12.3	8.6	20.2
Ischemic Heart Disease (410-414)	5,978	2,604	2,082	671	621	187.0	213.3	129.3
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	468	144	154	64	106	14.6	13.6	17.0
All Other Forms of Heart Disease (415-423, 425-427, 429)	2,253	744	645	478	386	70.5	63.2	86.5
Hypertension (401, 403)	108	18	29	27	34	3.4	2.1	6.1
Cerebrovascular Disease (430-438)	2,384	586	875	431	492	74.6	66.5	92.4
Arteriosclerosis (440)	271	73	125	36	37	8.5	9.0	7.3
Other Diseases of the Circulatory System (441-459)	317	151	87	33	46	9.9	10.8	7.9
Acute Bronchitis and Bronchiolitis (446)	4	3	1	—	—	0.1	0.2	0
Pneumonia (480-486)	614	217	205	109	83	19.2	19.2	19.2
Influenza (487)	32	11	15	4	2	1.0	1.2	0.6
Chronic and Unqualified Bronchitis (490, 491)	42	25	10	4	3	1.3	1.6	0.7
Emphysema (492)	143	97	33	10	3	4.5	5.9	1.3
Asthma (493)	43	8	17	10	8	1.3	1.1	1.8
Ulcer of Stomach and Duodenum (531-533)	59	22	20	11	6	1.8	1.9	1.7
Hernia and Intestinal Obstruction (550-553, 560)	52	14	24	8	6	1.6	1.7	1.4
Chronic Liver Disease and Cirrhosis (571)	313	149	71	46	47	9.8	10.0	9.3
Other Disease of the Respiratory System (510-519)	168	62	48	31	27	5.3	5.0	5.8
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	264	62	66	57	79	8.3	5.8	13.6
Infections of Kidney (590)	32	5	16	6	5	1.0	1.0	1.1
Congenital Anomalies (740-759)	213	69	56	52	36	6.7	5.7	8.8
Certain Conditions Originating in the Perinatal Period (760-779)	451	113	74	147	117	14.1	8.5	26.4
Symptoms and Ill-Defined Conditions (780-799)	549	165	87	160	137	17.2	11.5	29.7
All Other Diseases (001-799)	2,005	758	602	353	292	62.7	61.9	64.5
Accidents (E800-E949)	1,692	743	327	464	158	52.9	48.7	62.2
Motor Vehicle Traffic (E810-E819)	831	425	177	185	44	26.0	27.4	22.9
Motor Vehicle Non-Traffic (E820-E825)	18	10	4	3	1	0.6	0.6	0.4
Railway (E800-E807)	16	7	1	8	—	0.5	0.4	0.8
Poisoning by Drugs & Medicaments (E850-E858)	40	19	11	4	6	1.3	1.4	1.0
Falls (E880-E888)	131	51	53	16	11	4.1	4.7	2.7
Fire and Flames (E890-E899)	192	45	22	78	47	6.0	3.0	12.5
Drowning (E910)	96	32	4	50	10	3.0	1.6	6.0
Firearms (E922)	41	21	7	12	1	1.3	1.3	1.3
Residual (E800-E949)	327	133	48	108	38	10.2	8.2	14.6
Suicide (E950-E959)	348	232	73	37	6	10.9	13.9	4.3
Firearms (E955)	259	178	47	29	5	8.1	10.2	3.4
Hanging, Strangulation and Suffocation (E953)	31	23	5	3	—	1.0	1.3	0.3
Poisoning (E950-E952)	45	27	16	2	—	1.4	2.0	0.2
Residual (E950-E959)	13	4	5	3	1	0.4	0.4	0.4
Homicide and Legal Intervention (E960-E978)	357	118	40	160	39	11.2	7.2	19.9
Assault by Firearms (E965)	239	81	24	109	25	7.5	4.8	13.4
Assault by Cutting and Piercing (E966)	65	20	5	36	4	2.0	1.1	4.0
Residual (E960-E978)	53	17	11	15	10	1.7	1.3	2.5
Other External Causes (E980-E999)	18	13	1	3	1	0.6	0.6	0.4

[1] Rate per 1,000 estimated population for all causes; rate per 100,000 estimated population for individual groups.

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	ABBEVILLE					AIKEN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	208	70	69	35	34	882	364	275	140	103
Infectious and Parasitic Dis. (001-139)	2	—	1	1	—	13	7	3	2	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	1	1	—	12	6	3	2	1
Malignant Neoplasms (140-208)	44	18	15	6	5	201	95	56	32	18
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	11	3	4	2	2	42	19	12	4	7
Of Respiratory System (160-165)	12	9	—	3	—	71	43	15	10	3
Of Breast (174-175)	5	—	3	—	2	9	—	8	—	1
Of Genital Organs (179-187)	5	1	3	—	1	25	6	7	8	4
Of Urinary Organs (188-189)	4	3	1	—	—	12	5	4	1	2
Leukemia (204-208)	—	—	—	—	—	8	3	4	1	—
Of Other and Unspecified Sites (170-173, 190-199)	3	—	3	—	—	24	13	6	4	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	1	1	—	8	5	—	3	—
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	—	—	—	—	—
Diabetes Mellitus (250)	1	—	—	1	—	14	3	6	2	3
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	56	21	23	7	5	334	129	106	48	51
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	5	2	2	1	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	1	—	1	1	18	6	8	2	2
Ischemic Heart Disease (410-414)	44	16	19	5	4	172	76	64	12	20
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	4	2	1	1	—	6	1	3	2	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	5	2	3	—	—	133	44	29	31	29
Hypertension (401, 403)	—	—	—	—	—	1	—	—	—	1
Cerebrovascular Disease (430-438)	15	3	4	3	5	79	26	34	8	11
Arteriosclerosis (440)	2	—	1	—	1	8	2	4	2	—
Other Diseases of the Circulatory System (441-459)	4	2	2	—	—	15	7	6	1	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	—	—	—	—	—	12	3	8	1	—
Influenza (487)	1	—	—	—	1	1	—	—	1	—
Chronic and Unqualified Bronchitis (490, 491)	2	1	—	1	—	1	1	—	—	—
Emphysema (492)	1	—	1	—	—	10	8	2	—	—
Asthma (493)	—	—	—	—	—	1	1	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	2	1	—	—	1	9	5	1	1	2
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	5	—	1	3	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	1	—	—	—	6	2	2	—	2
Infections of Kidney (590)	1	—	1	—	—	2	2	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	4	3	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	6	—	—	4	2	12	2	—	4	6
Symptoms and Ill-Defined Conditions (780-799)	34	9	9	9	7	1	—	1	—	—
All Other Diseases (001-799)	16	3	7	1	5	67	26	28	10	3
Accidents (E800-E949)	16	9	4	2	1	52	23	12	15	2
Motor Vehicle Traffic (E810-E819)	6	3	2	1	—	26	12	7	7	—
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	3	3	—	—	—
Falls (E880-E888)	2	2	—	—	—	3	1	2	—	—
Fire and Flames (E890-E899)	4	2	1	—	1	5	1	1	2	1
Drowning (E910)	1	1	—	—	—	3	1	—	2	—
Firearms (E922)	—	—	—	—	—	1	—	—	1	—
Residual (E800-E949)	2	—	1	1	—	10	5	2	2	1
Suicide (E950-E959)	2	2	—	—	—	19	14	4	1	—
Firearms (E955)	1	1	—	—	—	13	10	2	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	3	3	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	—	—	—	—	—	2	1	1	—	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	13	5	—	8	—
Assault by Firearms (E965)	—	—	—	—	—	7	1	—	6	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	—	1	—
Residual (E960-E978)	—	—	—	—	—	4	3	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	ALLENDALE					ANDERSON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	117	29	19	41	28	1,123	502	438	100	83
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	19	6	9	1	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	3	2	1	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	16	4	8	1	3
Malignant Neoplasms (140-208)	20	6	1	7	6	230	89	99	23	19
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	8	3	3	1	1
Of Digestive Organs and Peritoneum (150-159)	1	1	—	—	—	57	18	24	7	8
Of Respiratory System (160-165)	11	3	1	5	2	49	29	9	8	3
Of Breast (174-175)	—	—	—	—	—	27	—	23	—	4
Of Genital Organs (179-187)	5	2	—	1	2	33	15	14	3	1
Of Urinary Organs (188-189)	1	—	—	1	—	10	5	5	—	—
Leukemia (204-208)	—	—	—	—	—	14	7	6	1	—
Of Other and Unspecified Sites (170-173, 190-199)	1	—	—	—	1	18	8	9	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	14	4	6	2	2
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	—	—	—	—	—	14	7	6	—	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	43	9	10	13	11	350	169	154	14	13
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	—	1	—	1	3	1	2	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	—	1	—	2	7	—	5	2	—
Ischemic Heart Disease (410-414)	31	8	8	8	7	259	136	110	5	8
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	3	1	—	1	1	12	5	7	—	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	4	—	—	4	—	69	27	30	7	5
Hypertension (401, 403)	—	—	—	—	—	3	1	1	1	—
Cerebrovascular Disease (430-438)	11	2	3	1	5	94	26	44	9	15
Arteriosclerosis (440)	—	—	—	—	—	2	—	1	1	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	17	10	6	1	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	2	—	1	—	1	38	19	15	4	—
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	7	5	2	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	4	—	3	—	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	1	1	—	—
Chronic Liver Disease and Cirrhosis (571)	2	1	—	1	—	11	4	6	—	1
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	7	3	2	1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	1	—	2	2	9	—	7	—	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	2	1	—	1	—	8	4	3	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	5	3	—	2	—	21	8	5	3	5
Symptoms and Ill-Defined Conditions (780-799)	2	1	—	1	—	92	42	18	21	11
All Other Diseases (001-799)	9	4	2	2	1	88	49	29	4	6
Accidents (E800-E949)	10	—	1	7	2	74	37	20	13	4
Motor Vehicle Traffic (E810-E819)	2	—	—	2	—	34	24	6	4	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	4	2	1	—	1
Falls (E880-E888)	1	—	—	1	—	10	5	5	—	—
Fire and Flames (E890-E899)	4	—	1	2	1	9	1	3	4	1
Drowning (E910)	—	—	—	—	—	3	—	—	1	2
Firearms (E922)	1	—	—	1	—	2	1	1	—	—
Residual (E800-E949)	2	—	—	1	1	11	3	4	4	—
Suicide (E950-E959)	3	1	—	2	—	12	9	2	1	—
Firearms (E955)	2	—	—	2	—	9	7	1	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	18	11	4	3	—
Assault by Firearms (E965)	1	—	—	1	—	15	10	3	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	—	1	—
Residual (E960-E978)	—	—	—	—	—	1	—	1	—	—
Other External Causes (E980-E999)	1	—	—	1	—	—	—	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	BAMBERG					BARNWELL				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	159	41	38	42	38	178	52	45	44	37
Infectious and Parasitic Dis. (001-139)	1	—	—	—	1	4	1	1	—	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	1	—	1	—	—
Remainder of (001-139)	1	—	—	—	1	3	1	—	—	2
Malignant Neoplasms (140-208)	29	13	6	6	4	26	8	6	6	6
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	7	4	1	2	—	6	1	2	1	2
Of Respiratory System (160-165)	9	6	1	2	—	6	4	—	2	—
Of Breast (174-175)	2	—	1	—	1	4	—	1	—	3
Of Genital Organs (179-187)	4	—	2	1	1	4	1	2	—	1
Of Urinary Organs (188-189)	2	1	—	—	1	—	—	—	—	—
Leukemia (204-208)	1	—	—	1	—	—	—	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	3	2	1	—	—	5	2	1	2	0
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	1	—	—	1	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	3	—	1	—	2	3	—	3	—	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	61	15	15	19	12	60	16	22	12	10
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	—	1	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	—	—	1	4	4	2	1	1	—
Ischemic Heart Disease (410-414)	39	12	11	11	5	44	10	18	7	9
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	1	—	—	1	—	3	1	2	—	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	15	3	4	6	2	9	3	1	4	1
Hypertension (401, 403)	1	—	—	1	—	1	—	—	—	1
Cerebrovascular Disease (430-438)	16	5	6	2	3	16	5	3	5	3
Arteriosclerosis (440)	1	1	—	—	—	—	—	—	—	—
Other Diseases of the Circulatory System (441-459)	6	—	4	—	2	2	1	—	1	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	1	1	1	1	4	2	—	2	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	1	—	—	—	1	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	—	2	—	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	1	—	1	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	—	1	2	5	1	2	1	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	4	2	—	—	2	4	2	1	1	—
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	19	3	—	8	8
All Other Diseases (001-799)	11	—	2	6	3	10	4	2	1	3
Accidents (E800-E949)	14	4	3	3	4	11	6	—	3	2
Motor Vehicle Traffic (E810-E819)	6	1	2	2	1	3	3	—	—	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	—	—	1	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	4	1	1	—	2	2	—	—	2	—
Drowning (E910)	1	1	—	—	—	2	—	—	1	1
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	1	1	—	—	—	2	1	—	—	1
Suicide (E950-E959)	—	—	—	—	—	2	—	1	1	—
Firearms (E955)	—	—	—	—	—	2	—	1	1	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	—	1	6	1	2	2	1
Assault by Firearms (E965)	1	—	—	—	1	3	—	—	2	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	1	—	—
Residual (E960-E978)	—	—	—	—	—	1	—	1	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	BEAUFORT					BERKELEY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	443	154	114	86	89	487	187	124	108	68
Infectious and Parasitic Dis. (001-139)	9	3	2	2	2	5	—	1	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	1	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	1	—	—	1	—	—	—	—	—	—
Remainder of (001-139)	8	3	2	1	2	4	—	—	3	1
Malignant Neoplasms (140-208)	101	40	30	20	11	85	35	26	13	11
Of Lip, Oral Cavity and Pharynx (140-149)	3	1	—	1	1	3	1	2	—	—
Of Digestive Organs and Peritoneum (150-159)	28	10	8	8	2	12	5	3	3	1
Of Respiratory System (160-165)	22	10	8	3	1	31	16	10	5	—
Of Breast (174-175)	8	—	7	—	1	9	1	7	—	1
Of Genital Organs (179-187)	9	2	1	4	2	10	2	—	3	5
Of Urinary Organs (188-189)2	2	—	1	—	1	3	2	—	1	—
Leukemia (204-208)	4	2	1	—	1	4	1	2	—	1
Of Other and Unspecified Sites (170-173, 190-199)	17	11	2	2	2	11	7	2	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	8	4	2	2	—	2	—	—	—	2
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	12	3	2	2	5	7	—	3	2	2
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	134	53	31	23	27	181	70	50	36	25
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	3	—	1	—	2	1	—	—	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	2	1	—	—	1
Ischemic Heart Disease (410-414)	98	45	22	15	16	126	53	30	23	20
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	9	3	—	3	3	8	3	2	2	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	24	5	8	5	6	44	13	18	11	2
Hypertension (401, 403)	3	—	—	1	2	—	—	—	—	—
Cerebrovascular Disease (430-438)	42	8	17	5	12	30	8	10	5	7
Arteriosclerosis (440)	3	1	1	1	—	2	1	—	—	1
Other Diseases of the Circulatory System (441-459)	9	1	2	2	4	1	—	—	—	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	12	4	6	2	—	3	—	—	3	—
Influenza (487)	1	—	—	—	1	1	1	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	—	—	1	2	1	1	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	1	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	2	1	—	—	1	9	6	—	2	1
Other Disease of the Respiratory System (510-519)	6	1	2	2	1	4	1	1	2	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	—	2	1	2	4	2	—	1	1
Infections of Kidney (590)	2	—	—	—	2	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	1	—	—	8	3	2	2	1
Certain Conditions Originating in the Perinatal Period (760-779)	7	3	—	2	2	23	5	2	7	9
Symptoms and Ill-Defined Conditions (780-799)	1	1	—	—	—	9	2	3	2	2
All Other Diseases (001-799)	41	12	9	10	10	35	14	10	9	2
Accidents (E800-E949)	39	16	8	9	6	52	19	12	18	3
Motor Vehicle Traffic (E810-E819)	21	9	6	3	3	37	15	9	12	1
Motor Vehicle Non-Traffic (E820-E825)	3	1	1	—	1	1	—	—	1	—
Railway (E800-E807)	1	1	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	4	1	—	2	1	2	—	—	1	1
Drowning (E910)	3	1	1	1	—	3	—	—	3	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	7	3	—	3	1	8	3	3	1	1
Suicide (E950-E959)	5	2	1	2	—	16	13	1	2	—
Firearms (E955)	4	2	—	2	—	10	8	1	1	—
Hanging, Strangulation and Suffocation (E953)	1	—	1	—	—	2	1	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	4	4	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	2	—	1	—	7	5	2	—	—
Assault by Firearms (E965)	2	1	—	1	—	5	4	1	—	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	1	—	—
Residual (E960-E978)	1	1	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	2	1	—	1	—	—	—	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	CALHOUN					CHARLESTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	102	20	20	33	29	1,887	606	518	427	336
Infectious and Parasitic Dis. (001-139)	1	1	—	—	—	29	5	5	9	10
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	4	—	1	1	2
Tetanus (037)	—	—	—	—	—	1	1	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	24	4	4	8	8
Malignant Neoplasms (140-208)	14	1	5	3	5	402	129	122	93	58
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	—	1	8	1	2	4	1
Of Digestive Organs and Peritoneum (150-159)	4	—	2	1	1	121	35	24	36	26
Of Respiratory System (160-165)	3	1	—	1	1	128	57	30	33	8
Of Breast (174-175)	2	—	2	—	—	31	—	23	—	8
Of Genital Organs (179-187)	1	—	1	—	—	37	9	14	7	7
Of Urinary Organs (188-189)	—	—	—	—	—	20	6	7	4	3
Leukemia (204-208)	—	—	—	—	—	11	3	5	2	1
Of Other and Unspecified sites (170-173, 190-199)	3	—	—	1	2	31	12	12	4	3
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	15	6	5	3	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	—	1	1	—
Diabetes Mellitus (250)	2	—	—	—	2	30	14	7	2	7
Meningitis (320-322)	—	—	—	—	—	2	—	—	—	2
Diseases of Heart (390-398, 402, 404-429)	24	6	5	7	6	627	215	187	114	111
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	7	2	2	1	2
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	2	—	—	1	38	6	6	11	15
Ischemic Heart Disease (410-414)	15	3	5	5	2	407	161	134	59	53
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	1	—	—	—	1	48	7	16	13	12
All Other Forms of Heart Disease (415-423, 425-427, 429)	5	1	—	2	2	127	39	29	30	29
Hypertension (401, 403)	1	—	—	—	1	9	3	1	1	4
Cerebrovascular Disease (430-438)	15	2	1	7	5	153	36	52	32	33
Arteriosclerosis (440)	—	—	—	—	—	18	3	11	—	4
Other Diseases of the Circulatory System (441-459)	3	1	2	—	—	22	10	4	3	5
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	1	—	1	—	—
Pneumonia (480-486)	4	—	—	3	1	46	19	1	18	8
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	4	4	—	—	—
Asthma (493)	—	—	—	—	—	3	—	2	1	—
Ulcer of Stomach and Duodenum (531-533)	2	—	2	—	—	9	4	—	3	2
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	3	—	2	1	—
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	23	6	6	6	5
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	19	3	8	4	4
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	1	1	24	2	9	5	8
Infections of Kidney (590)	—	—	—	—	—	2	—	1	1	—
Congenital Anomalies (740-759)	1	—	—	—	1	21	7	1	6	7
Certain Conditions Originating in the Perinatal Period (760-779)	3	1	—	1	1	40	8	4	18	10
Symptoms and Ill-Defined Conditions (780-799)	2	—	1	1	—	21	4	2	5	10
All Other Diseases (001-799)	9	2	3	3	1	164	48	55	34	27
Accidents (E800-E949)	10	1	1	4	4	150	56	26	50	18
Motor Vehicle Traffic (E810-E819)	4	1	—	2	1	76	38	13	19	6
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	1	—	1	—
Railway (E800-E807)	—	—	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	4	1	2	—	1
Falls (E880-E888)	2	—	1	—	1	14	3	5	4	2
Fire and Flames (E890-E899)	1	—	—	—	1	13	2	1	8	2
Drowning (E910)	1	—	—	1	—	15	4	1	6	4
Firearms (E922)	1	—	—	—	1	3	3	—	—	—
Residual (E800-E949)	1	—	—	1	—	22	4	4	11	3
Suicide (E950-E959)	2	2	—	—	—	36	22	9	5	—
Firearms (E955)	2	2	—	—	—	24	16	4	4	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	—	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	9	6	2	1	—
Residual (E950-E959)	—	—	—	—	—	2	—	2	—	—
Homicide and Legal Intervention (E960-E978)	3	—	—	3	—	25	6	1	15	3
Assault by Firearms (E965)	3	—	—	3	—	15	4	—	9	2
Assault by Cutting and Piercing (E966)	—	—	—	—	—	5	2	—	2	1
Residual (E960-E978)	—	—	—	—	—	5	—	1	4	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	CHEROKEE					CHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	372	159	120	47	46	326	120	100	65	41
Infectious and Parasitic Dis. (001-139)	2	—	1	—	1	4	—	—	1	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	1	—	1	3	—	—	1	2
Malignant Neoplasms (140-208)	74	34	24	8	8	65	28	21	11	5
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	1	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	26	11	10	2	3	12	8	2	2	—
Of Respiratory System (160-165)	14	11	2	1	—	17	10	3	4	—
Of Breast (174-175)	5	—	3	—	2	8	1	4	—	3
Of Genital Organs (179-187)	5	1	2	1	1	8	1	4	2	1
Of Urinary Organs (188-189)	4	1	1	2	—	4	3	—	1	—
Leukemia (204-208)	7	4	2	—	1	3	1	2	—	—
Of Other and Unspecified Sites (170-173, 190-199)	11	5	3	2	1	9	3	5	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	1	—	—	—	3	1	—	1	1
Benign and Unspecified Neoplasms (210-239)	2	1	—	—	1	—	—	—	—	—
Diabetes Mellitus (250)	20	8	7	3	2	3	—	—	2	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	127	58	43	12	14	129	49	47	19	14
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	1	—	3	—	—	1	2
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	—	1	—	1	6	1	2	1	2
Ischemic Heart Disease (410-414)	90	47	25	7	11	73	23	35	11	4
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	6	2	2	2	—	4	3	1	—	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	28	9	15	2	2	43	22	9	6	6
Hypertension (401, 403)	1	—	—	—	1	3	—	2	—	1
Cerebrovascular Disease (430-438)	36	8	19	4	5	29	7	6	8	8
Arteriosclerosis (440)	6	1	4	1	—	12	3	6	2	1
Other Diseases of the Circulatory System (441-459)	2	1	1	—	—	4	2	—	—	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	1	3	2	—	5	3	2	—	—
Influenza (487)	—	—	—	—	—	3	—	3	—	—
Chronic and Unqualified Bronchitis (490, 491)	3	3	—	—	—	—	—	—	—	—
Emphysema (492)	2	2	—	—	—	7	5	1	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	—	1
Chronic Liver Disease and Cirrhosis (571)	2	1	1	—	—	6	4	1	1	—
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	4	1	—	1	2	1	—	1	—
Infections of Kidney (590)	—	—	—	—	—	1	—	—	—	1
Congenital Anomalies (740-759)	5	2	—	2	1	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	—	1	3	1	—	—	—	1
Symptoms and Ill-Defined Conditions (780-799)	9	6	1	2	—	3	—	—	2	1
All Other Diseases (001-799)	21	7	10	2	2	24	6	8	9	1
Accidents (E800-E949)	33	19	3	8	3	16	7	2	6	1
Motor Vehicle Traffic (E810-E819)	15	10	1	3	1	5	3	1	1	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	1	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	—	—	1	—	—	—	—	—
Falls (E880-E888)	4	1	2	1	—	2	1	1	—	—
Fire and Flames (E890-E899)	2	2	—	—	—	2	—	—	1	1
Drowning (E910)	2	—	—	1	1	3	1	—	2	—
Firearms (E922)	2	2	—	—	—	1	—	—	1	—
Residual (E800-E949)	6	3	—	3	—	3	2	—	1	—
Suicide (E950-E959)	2	1	1	—	—	4	2	1	1	—
Firearms (E955)	2	1	1	—	—	4	2	1	1	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	6	—	—	2	4	2	1	—	1	—
Assault by Firearms (E965)	3	—	—	2	1	2	1	—	1	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	3	—	—	—	3	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	CHESTERFIELD					CLARENDON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	346	155	90	60	41	264	65	50	84	65
Infectious and Parasitic Dis. (001-139)	2	—	2	—	—	3	—	—	2	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	2	—	—	2	—	—	1	1
Malignant Neoplasms (140-208)	59	26	16	12	5	44	14	11	11	8
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	10	4	3	2	1	10	1	3	1	5
Of Respiratory System (160-165)	19	11	3	4	1	17	9	2	6	—
Of Breast (174-175)	5	—	4	—	1	2	—	—	—	2
Of Genital Organs (179-187)	8	3	3	2	—	5	1	1	3	—
Of Urinary Organs (188-189)	1	—	—	1	—	2	1	1	—	—
Leukemia (204-208)	4	—	2	1	1	2	1	—	1	—
Of Other and Unspecified Sites (170-173, 190-199)	10	7	—	2	1	3	—	2	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	1	—	—	3	1	2	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	—	—	—	—	—	3	—	1	1	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	120	62	30	18	10	105	28	23	28	26
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	2	—	1	—	1
Ischemic Heart Disease (410-414)	85	46	23	12	4	69	24	14	15	16
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	5	—	1	2	2	13	2	3	2	6
All Other Forms of Heart Disease (415-423, 425-427, 429)	30	16	6	4	4	21	2	5	11	3
Hypertension (401, 403)	—	—	—	—	—	2	—	—	2	—
Cerebrovascular Disease (430-438)	33	15	11	4	3	37	6	4	11	16
Arteriosclerosis (440)	—	—	—	—	—	3	1	1	1	—
Other Diseases of the Circulatory System (441-459)	4	2	—	1	1	4	1	1	1	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	11	2	6	2	1	1	—	—	—	1
Influenza (487)	1	1	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	2	1	1	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	1	—	—	1	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	6	3	1	—	2	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	4	2	1	1	—	3	—	—	1	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	1	—	—	—	5	2	—	2	1
Infections of Kidney (590)	2	—	2	—	—	1	—	—	1	—
Congenital Anomalies (740-759)	5	1	2	2	—	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	7	3	1	2	1	3	—	—	3	—
Symptoms and Ill-Defined Conditions (780-799)	25	5	5	5	10	2	—	—	—	2
All Other Diseases (001-799)	23	8	7	3	5	19	5	6	4	4
Accidents (E800-E949)	26	14	4	7	1	20	5	2	11	2
Motor Vehicle Traffic (E810-E819)	18	9	3	6	—	11	5	2	4	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	—	—	—	1	1	—	—	1	—
Fire and Flames (E890-E899)	3	2	1	—	—	2	—	—	1	1
Drowning (E910)	1	—	—	1	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	1	—	—	1	—
Residual (E800-E949)	3	3	—	—	—	5	—	—	4	1
Suicide (E950-E959)	7	7	—	—	—	2	—	—	2	—
Firearms (E955)	7	7	—	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	2	—	—	2	—
Homicide and Legal Intervention (E960-E978)	8	2	2	2	2	3	1	—	2	—
Assault by Firearms (E965)	6	2	2	1	1	2	1	—	1	—
Assault by Cutting and Piercing (E966)	2	—	—	1	1	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	COLLETON					DARLINGTON				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	317	99	81	77	60	565	185	170	108	102
Infectious and Parasitic Dis. (001-139)	2	—	—	—	2	6	—	1	3	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	—	1	2	—	—	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	1	—	—	—	1	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	4	—	1	1	2
Malignant Neoplasms (140-208)	51	21	11	11	8	80	25	30	10	15
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	9	—	2	3	4	19	5	7	3	4
Of Respiratory System (160-165)	24	13	3	6	2	20	12	3	4	1
Of Breast (174-175)	3	—	2	—	1	10	—	6	—	4
Of Genital Organs (179-187)	2	—	—	1	1	14	3	5	1	5
Of Urinary Organs (188-189)	1	1	—	—	—	3	2	—	—	1
Leukemia (204-208)	4	2	1	1	—	3	1	1	1	—
Of Other and Unspecified Sites (170-173, 190-199)	3	2	1	—	—	8	2	6	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	4	2	2	—	—	2	—	1	1	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	—	1	—	—	—	—	—
Diabetes Mellitus (250)	10	2	2	3	3	15	2	6	2	5
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	90	28	31	16	15	239	87	78	32	42
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	—	1	—	2	18	2	5	5	6
Ischemic Heart Disease (410-414)	62	17	25	11	9	168	67	57	20	24
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	3	—	—	3	—	10	4	4	1	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	22	11	5	5	1	43	14	12	6	11
Hypertension (401, 403)	3	—	2	1	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	36	5	21	5	5	52	12	16	15	9
Arteriosclerosis (440)	3	—	—	2	1	3	2	—	—	1
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	5	1	—	2	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	8	3	1	2	2	16	5	8	1	2
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	5	2	3	—	—	4	3	1	—	—
Asthma (493)	1	—	—	—	1	3	1	1	—	1
Ulcer of Stomach and Duodenum (531-533)	2	—	1	—	1	2	—	1	1	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	—	1	1
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	4	1	1	—	2
Other Disease of the Respiratory System (510-519)	2	—	—	2	—	3	2	1	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	—	—	1	6	3	2	—	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	1	—	8	2	2	2	2
Certain Conditions Originating in the Perinatal Period (760-779)	2	—	—	—	2	13	1	1	6	5
Symptoms and Ill-Defined Conditions (780-799)	43	13	3	16	11	5	—	1	2	2
All Other Diseases (001-799)	17	6	1	5	5	54	23	14	11	6
Accidents (E800-E949)	28	14	4	9	1	33	11	4	14	4
Motor Vehicle Traffic (E810-E819)	16	11	1	4	—	13	7	2	3	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	—	1	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	3	—	1	2	—
Falls (E880-E888)	2	—	2	—	—	3	2	—	—	1
Fire and Flames (E890-E899)	4	2	1	—	1	4	1	—	2	1
Drowning (E910)	3	—	—	3	—	1	—	—	1	—
Firearms (E922)	1	—	—	1	—	1	1	—	—	—
Residual (E800-E949)	2	1	—	1	—	7	—	—	6	1
Suicide (E950-E959)	3	2	1	—	—	2	1	—	1	—
Firearms (E955)	1	1	—	—	—	2	1	—	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	1	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	5	—	—	4	1	9	3	1	5	—
Assault by Firearms (E965)	5	—	—	4	1	6	2	1	3	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	DILLON					DORCHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	276	78	85	63	50	374	133	114	74	53
Infectious and Parasitic Dis. (001-139)	6	—	2	2	2	4	1	1	2	—
Enteritis and Other Intestinal Dis. (008-009)	1	—	1	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	3	—	—	1	2	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	1	1	—	3	1	1	1	—
Malignant Neoplasms (140-208)	45	11	12	14	8	81	33	22	16	10
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	2	2	—	—	—
Of Digestive Organs and Peritoneum (150-159)	9	2	3	1	3	21	10	2	5	4
Of Respiratory System (160-165)	15	5	2	6	2	25	16	5	4	—
Of Breast (174-175)	1	—	1	—	—	5	—	4	—	1
Of Genital Organs (179-187)	6	2	2	2	—	7	2	2	1	2
Of Urinary Organs (188-189)	1	—	—	1	—	3	—	3	—	—
Leukemia (204-208)	2	—	1	1	—	6	2	3	1	—
Of Other and Unspecified Sites (170-173, 190-199)	7	2	2	1	2	8	1	2	3	2
Of Lymphatic and Hematopoietic Tissues (200-203)	4	—	1	2	1	4	—	1	2	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	2	—	—	—
Diabetes Mellitus (250)	5	—	2	2	1	7	1	4	2	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	72	23	30	9	10	117	40	42	21	14
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	—	1	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	—	1	—	—	5	1	1	—	3
Ischemic Heart Disease (410-414)	45	14	16	8	7	81	29	32	13	7
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	5	1	3	—	1	6	—	3	3	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	20	8	10	1	1	24	10	5	5	4
Hypertension (401, 403)	—	—	—	—	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	31	4	11	5	11	35	7	15	6	7
Arteriosclerosis (440)	3	1	2	—	—	1	—	1	—	—
Other Diseases of the Circulatory System (441-459)	2	—	2	—	—	4	2	2	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	10	3	4	1	2	6	1	1	1	3
Influenza (487)	1	—	1	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	3	1	1	—	1
Emphysema (492)	1	1	—	—	—	1	1	—	—	—
Asthma (493)	1	—	—	—	1	1	1	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	5	2	2	—	1	4	2	2	—	—
Other Disease of the Respiratory System (510-519)	2	1	—	1	—	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	1	—	1	1	6	3	1	1	1
Infections of Kidney (590)	1	—	—	1	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	—	1	2	—	8	4	1	2	1
Certain Conditions Originating in the Perinatal Period (760-779)	7	3	1	3	—	14	3	2	4	5
Symptoms and Ill-Defined Conditions (780-799)	41	13	6	14	8	2	1	—	—	1
All Other Diseases (001-799)	17	5	6	5	1	29	11	9	2	7
Accidents (E800-E949)	15	8	1	3	3	38	15	9	12	2
Motor Vehicle Traffic (E810-E819)	10	5	—	2	3	19	11	5	3	—
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	9	2	2	4	1
Drowning (E910)	2	1	—	1	—	2	1	—	1	—
Firearms (E922)	1	1	—	—	—	—	—	—	—	—
Residual (E800-E949)	1	—	1	—	—	8	1	2	4	1
Suicide (E950-E959)	2	2	—	—	—	3	2	1	—	—
Firearms (E955)	2	2	—	—	—	3	2	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	1	—	1	5	1	—	3	1
Assault by Firearms (E965)	1	—	1	—	—	2	1	—	1	—
Assault by Cutting and Piercing (E966)	1	—	—	—	1	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	2	—	—	1	1
Other External Causes (E980-E999)	—	—	—	—	—	2	1	—	1	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	EDGEFIELD					FAIRFIELD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	149	35	39	38	37	202	50	41	60	51
Infectious and Parasitic Dis. (001-139)	4	1	—	2	1	4	2	—	2	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	4	1	—	2	1	3	2	—	1	—
Malignant Neoplasms (140-208)	26	7	9	7	3	33	6	9	11	7
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	9	1	3	3	2	5	—	2	2	1
Of Respiratory System (160-165)	6	3	2	1	—	13	6	1	4	2
Of Breast (174-175)	5	1	4	—	—	5	—	3	—	2
Of Genital Organs (179-187)	3	2	—	—	1	2	—	1	—	1
Of Urinary Organs (188-189)	—	—	—	—	—	2	—	—	2	—
Leukemia (204-208)	—	—	—	—	—	2	—	1	1	—
Of Other and Unspecified Sites (170-173, 190-199)	2	—	—	2	—	3	—	—	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	1	—	—	—	—	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	2	—	—	—	2	4	1	—	1	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	60	13	16	11	20	86	21	19	22	24
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	—	2	—	—	2	1	1	—	—
Ischemic Heart Disease (410-414)	43	9	9	11	14	26	7	6	5	8
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	—	—	—	—	—	7	4	1	—	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	15	4	5	—	6	51	9	11	17	14
Hypertension (401, 403)	—	—	—	—	—	2	—	—	—	2
Cerebrovascular Disease (430-438)	13	3	5	3	2	18	3	3	6	6
Arteriosclerosis (440)	1	—	—	1	—	3	2	1	—	—
Other Diseases of the Circulatory System (441-459)	2	1	—	—	1	2	—	1	1	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	2	4	2	1	2	—	—	1	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	—	—	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	1	—	—	2	2	—	—	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	2	—	—	1	1
Infections of Kidney (590)	1	1	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	3	2	—	—	1	5	—	—	4	1
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	2	—	—	—	2
All Other Diseases (001-799)	13	3	3	4	3	14	6	3	2	3
Accidents (E800-E949)	11	1	1	6	3	13	3	3	5	2
Motor Vehicle Traffic (E810-E819)	4	—	1	3	—	9	2	3	3	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	4	—	—	2	2	2	—	—	1	1
Drowning (E910)	—	—	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	—	—	1	1	1	—	—	1	—
Suicide (E950-E959)	1	—	—	1	—	3	3	—	—	—
Firearms (E955)	—	—	—	—	—	1	1	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	1	—	—	1	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	4	1	1	2	—
Assault by Firearms (E965)	—	—	—	—	—	3	—	1	2	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	1	1	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	FLORENCE					GEORGETOWN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	960	306	255	212	187	380	137	62	99	82
Infectious and Parasitic Dis. (001-139)	16	1	5	6	4	5	3	—	2	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	5	—	—	3	2	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	11	1	5	3	2	4	3	—	1	—
Malignant Neoplasms (140-208)	151	48	40	46	17	81	26	20	21	14
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	1	1	—	1	—	—	1	—
Of Digestive Organs and Peritoneum (150-159)	27	5	10	11	1	26	7	7	7	5
Of Respiratory System (160-165)	56	25	12	16	3	22	13	4	5	—
Of Breast (174-175)	9	—	5	—	4	5	—	3	—	2
Of Genital Organs (179-187)	22	6	2	8	6	11	1	2	5	3
Of Urinary Organs (188-189)	2	2	—	—	—	2	—	1	—	1
Leukemia (204-208)	4	2	1	1	—	3	—	1	1	1
Of Other and Unspecified Sites (170-173, 190-199)	19	4	7	6	2	10	5	1	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	10	4	2	3	1	1	—	1	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	1	—
Diabetes Mellitus (250)	19	1	6	2	10	10	2	—	1	7
Meningitis (320-322)	2	—	1	1	—	2	—	—	2	—
Diseases of Heart (390-398, 402, 404-429)	426	144	121	77	84	113	43	20	25	25
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	—	1	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	17	3	4	5	5	10	—	1	2	7
Ischemic Heart Disease (410-414)	200	79	72	27	22	62	28	12	11	11
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	13	3	4	3	3	7	2	1	2	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	195	59	41	42	53	34	13	6	10	5
Hypertension (401, 403)	4	—	1	2	1	1	—	—	—	1
Cerebrovascular Disease (430-438)	99	17	34	18	30	50	16	10	15	9
Arteriosclerosis (440)	6	3	2	1	—	7	3	4	—	—
Other Diseases of the Circulatory System (441-459)	17	7	3	1	6	3	1	—	—	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	12	4	4	2	2	5	1	1	2	1
Influenza (487)	3	—	2	1	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	4	2	—	2	—	—	—	—	—	—
Emphysema (492)	1	—	1	—	—	3	3	—	—	—
Asthma (493)	1	—	—	1	—	1	—	—	1	—
Ulcer of Stomach and Duodenum (531-533)	2	1	1	—	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	4	1	2	—	1	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	12	7	2	1	2	4	2	—	1	1
Other Disease of the Respiratory System (510-519)	3	2	—	—	1	1	—	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	9	1	—	3	5	12	5	1	2	4
Infections of Kidney (590)	3	1	2	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	1	—	1	1	7	2	—	1	4
Certain Conditions Originating in the Perinatal Period (760-779)	17	4	1	8	4	13	2	1	3	7
Symptoms and Ill-Defined Conditions (780-799)	3	1	—	1	1	1	—	—	1	—
All Other Diseases (001-799)	59	22	15	10	12	23	11	—	8	4
Accidents (E800-E949)	61	26	7	24	4	27	14	3	8	2
Motor Vehicle Traffic (E810-E819)	27	12	3	11	1	10	8	2	—	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	1	—	—	1	—
Falls (E880-E888)	4	3	1	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	9	2	—	6	1	4	1	—	2	1
Drowning (E910)	1	—	1	—	—	5	2	—	2	1
Firearms (E922)	1	1	—	—	—	1	—	1	—	—
Residual (E800-E949)	18	7	2	7	2	6	3	—	3	—
Suicide (E950-E959)	9	6	3	—	—	2	1	—	1	—
Firearms (E955)	8	6	2	—	—	1	—	—	1	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	14	6	2	4	2	6	1	1	4	—
Assault by Firearms (E965)	11	5	2	2	2	5	1	1	3	—
Assault by Cutting and Piercing (E966)	2	—	—	2	—	—	—	—	—	—
Residual (E960-E978)	1	1	—	—	—	1	—	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	GREENVILLE					GREENWOOD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	2,271	995	861	222	193	533	194	184	83	72
Infectious and Parasitic Dis. (001-139)	35	9	16	7	3	4	1	—	2	1
Enteritis and Other Intestinal Dis. (008-009)	1	—	1	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	34	9	15	7	3	3	—	—	2	1
Malignant Neoplasms (140-208)	476	208	181	54	33	120	50	41	17	12
Of Lip, Oral Cavity and Pharynx (140-149)	8	—	4	3	1	4	1	2	1	—
Of Digestive Organs and Peritoneum (150-159)	112	54	37	12	9	28	10	11	5	2
Of Respiratory System (160-165)	142	94	29	12	7	41	21	11	8	1
Of Breast (174-175)	44	—	37	1	6	10	—	5	—	5
Of Genital Organs (179-187)	56	20	17	13	6	10	5	4	1	—
Of Urinary Organs (188-189)	20	8	8	3	1	1	1	—	—	—
Leukemia (204-208)	7	3	2	1	1	3	2	—	—	1
Of Other and Unspecified Sites (170-173, 190-199)	66	25	33	7	1	15	6	5	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	21	4	14	2	1	8	4	3	—	1
Benign and Unspecified Neoplasms (210-239)	4	3	1	—	—	2	—	1	—	1
Diabetes Mellitus (250)	37	8	16	4	9	12	1	5	2	4
Meningitis (320-322)	2	—	2	—	—	1	—	—	1	—
Diseases of Heart (390-398, 402, 404-429)	800	389	298	52	61	173	67	71	20	15
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	6	2	4	—	—	2	1	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	23	4	9	3	7	13	2	3	4	4
Ischemic Heart Disease (410-414)	574	310	200	31	33	120	50	53	11	6
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	45	21	18	1	5	9	3	3	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	152	52	67	17	16	29	11	11	4	3
Hypertension (401, 403)	5	3	2	—	—	4	1	1	—	2
Cerebrovascular Disease (430-438)	189	57	95	15	22	58	17	20	11	10
Arteriosclerosis (440)	32	10	17	3	2	10	1	6	1	2
Other Diseases of the Circulatory System (441-459)	19	9	5	2	3	7	6	1	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	79	35	31	6	7	11	3	5	2	1
Influenza (487)	2	1	1	—	—	2	1	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	6	3	3	—	—	—	—	—	—	—
Emphysema (492)	13	9	4	—	—	3	1	2	—	—
Asthma (493)	6	1	5	—	—	1	—	—	1	—
Ulcer of Stomach and Duodenum (531-533)	4	2	1	—	1	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	6	1	3	1	1	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	33	17	6	3	7	8	4	3	—	1
Other Disease of the Respiratory System (510-519)	16	3	9	1	3	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	23	7	11	2	3	2	—	—	2	—
Infections of Kidney (590)	1	—	1	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	24	10	9	3	2	9	1	6	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	40	13	13	8	6	10	3	1	2	4
Symptoms and Ill-Defined Conditions (780-799)	14	4	3	5	2	10	4	3	3	—
All Other Diseases (001-799)	208	92	75	22	19	39	17	11	4	7
Accidents (E800-E949)	121	62	38	17	4	28	11	2	7	8
Motor Vehicle Traffic (E810-E819)	56	29	20	5	2	15	6	1	4	4
Motor Vehicle Non-Traffic (E820-E825)	2	1	1	—	—	—	—	—	—	—
Railway (E800-E807)	3	2	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	4	3	1	—	—	1	—	—	1	—
Falls (E880-E888)	16	5	9	2	—	2	1	1	—	—
Fire and Flames (E890-E899)	8	5	—	3	—	5	—	—	2	3
Drowning (E910)	6	5	—	1	—	—	—	—	—	—
Firearms (E922)	2	2	—	—	—	—	—	—	—	—
Residual (E800-E949)	24	10	7	5	2	5	4	—	—	1
Suicide (E950-E959)	35	20	10	2	3	7	2	4	1	—
Firearms (E955)	27	16	6	2	3	5	1	3	1	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	6	3	3	—	—	2	1	1	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	41	19	5	15	2	9	1	—	5	3
Assault by Firearms (E965)	25	13	1	10	1	7	1	—	3	3
Assault by Cutting and Piercing (E966)	11	3	3	5	—	2	—	—	2	—
Residual (E960-E978)	5	3	1	—	1	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	HAMPTON					HORRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	185	48	41	53	43	842	387	286	105	64
Infectious and Parasitic Dis. (001-139)	5	—	1	1	3	9	4	2	2	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	1	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	1	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	5	—	1	1	3	6	2	2	1	1
Malignant Neoplasms (140-208)	32	8	7	7	10	144	62	58	16	8
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	—	1	4	2	2	—	—
Of Digestive Organs and Peritoneum (150-159)	7	3	1	2	1	35	14	9	8	4
Of Respiratory System (160-165)	9	2	3	3	1	37	24	9	3	1
Of Breast (174-175)	3	—	1	—	2	16	—	15	—	1
Of Genital Organs (179-187)	7	2	—	1	4	18	10	6	1	1
Of Urinary Organs (188-189)	1	—	—	—	1	4	3	—	1	—
Leukemia (204-208)	—	—	—	—	—	6	2	3	1	—
Of Other and Unspecified Sites (170-173, 190-199)	3	1	2	—	—	16	5	9	2	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	1	—	8	2	5	—	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	6	1	—	2	3	15	5	7	2	1
Meningitis (320-322)	—	—	—	—	—	1	—	—	1	—
Diseases of Heart (390-398, 402, 404-429)	61	21	16	17	7	333	165	113	32	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	3	1	1	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	—	—	3	1	4	1	2	—	1
Ischemic Heart Disease (410-414)	48	18	13	11	6	186	104	64	12	6
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	2	1	1	—	—	13	8	3	1	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	7	2	2	3	—	127	51	43	19	14
Hypertension (401, 403)	—	—	—	—	—	3	—	2	1	—
Cerebrovascular Disease (430-438)	14	3	2	3	6	83	29	35	8	11
Arteriosclerosis (440)	5	1	2	2	—	9	4	4	—	1
Other Diseases of the Circulatory System (441-459)	1	—	—	—	1	14	7	5	2	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	8	2	2	2	2	11	4	5	1	1
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	2	2	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	2	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	1	—	1
Chronic Liver Disease and Cirrhosis (571)	3	—	—	—	3	7	4	2	1	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	11	5	4	1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	—	2	3	1	1	—	1
Infections of Kidney (590)	—	—	—	—	—	2	—	—	2	—
Congenital Anomalies (740-759)	—	—	—	—	—	4	4	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	4	2	—	2	—	9	6	—	1	2
Symptoms and Ill-Defined Conditions (780-799)	4	1	—	1	2	17	2	3	7	5
All Other Diseases (001-799)	23	5	7	7	4	70	34	22	10	4
Accidents (E800-E949)	9	1	3	5	—	66	33	15	15	3
Motor Vehicle Traffic (E810-E819)	3	—	1	2	—	31	17	7	7	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	—	2	—	—
Falls (E880-E888)	1	—	1	—	—	4	3	1	—	—
Fire and Flames (E890-E899)	2	—	—	2	—	7	—	1	4	2
Drowning (E910)	—	—	—	—	—	2	—	—	2	—
Firearms (E922)	—	—	—	—	—	3	2	—	1	—
Residual (E800-E949)	3	1	1	1	—	16	10	4	1	1
Suicide (E950-E959)	4	2	1	1	—	11	7	4	—	—
Firearms (E955)	4	2	1	1	—	9	6	3	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	—	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	3	—	11	5	2	3	1
Assault by Firearms (E965)	4	1	—	3	—	7	2	2	3	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	3	3	—	—	—
Residual (E960-E978)	—	—	—	—	—	1	—	—	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELFCTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	JASPER					KERSHAW				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	145	31	39	43	32	365	122	104	72	67
Infectious and Parasitic Dis. (001-139)	1	1	—	—	—	5	2	1	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	5	2	1	1	1
Malignant Neoplasms (140-208)	23	4	8	7	4	57	16	19	8	14
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	6	1	1	3	1	15	2	4	4	5
Of Respiratory System (160-165)	5	2	1	1	1	18	9	4	1	4
Of Breast (174-175)	7	—	5	—	2	3	—	2	—	1
Of Genital Organs (179-187)	2	—	1	1	—	5	1	1	1	2
Of Urinary Organs (188-189)	—	—	—	—	—	3	1	1	—	1
Leukemia (204-208)	—	—	—	—	—	2	1	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	1	—	—	1	—	8	1	5	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	1	—	2	—	1	1	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	2	1	1	—	—	12	3	3	1	5
Meningitis (320-322)	1	1	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	52	6	18	14	14	114	53	30	22	9
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	1	1	1	2	1	1	—	—	—
Ischemic Heart Disease (410-414)	35	5	12	8	10	92	43	26	16	7
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	5	—	2	2	1	2	1	—	—	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	7	—	3	3	1	19	8	4	6	1
Hypertension (401, 403)	1	—	—	1	—	2	—	—	2	—
Cerebrovascular Disease (430-438)	18	3	4	6	5	45	11	15	8	11
Arteriosclerosis (440)	—	—	—	—	—	9	1	5	1	2
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	4	4	—	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	1	—	2	1	11	5	2	1	3
Influenza (487)	1	—	—	1	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	—	1	—
Emphysema (492)	1	—	—	—	1	4	3	1	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	4	3	—	—	1	4	1	1	—	2
Other Disease of the Respiratory System (510-519)	2	1	—	—	1	4	1	3	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	3	1	—	1	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	2	—	1	1	—	4	—	3	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	3	1	—	1	1
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	31	8	4	9	10
All Other Diseases (001-799)	6	1	1	2	2	21	3	7	5	6
Accidents (E800-E949)	17	5	5	6	1	19	5	7	7	—
Motor Vehicle Traffic (E810-E819)	5	2	2	1	—	14	3	6	5	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	7	2	—	4	1	1	—	—	1	—
Drowning (E910)	—	—	—	—	—	1	—	—	1	—
Firearms (E922)	2	—	1	1	—	2	1	1	—	—
Residual (E800-E949)	3	1	2	—	—	—	—	—	—	—
Suicide (E950-E959)	3	2	—	1	—	5	3	1	—	1
Firearms (E955)	3	2	—	1	—	3	2	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	—	1
Homicide and Legal Intervention (E960-E978)	1	—	1	—	—	5	1	1	3	—
Assault by Firearms (E965)	—	—	—	—	—	4	1	1	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	1	—	1	—	—	—	—	—	—	—
Other External Causes (E980-E999)	1	1	—	—	—	—	—	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	LANCASTER					LAURENS				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	423	186	144	47	46	552	235	178	76	63
Infectious and Parasitic Dis. (001-139)	9	3	3	2	1	5	1	2	1	1
Enteritis and Other Intestinal Dis. (008-009)	1	—	—	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	8	3	3	1	1	5	1	2	1	1
Malignant Neoplasms (140-208)	87	31	31	13	12	105	52	37	11	5
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	2	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	20	4	9	5	2	25	8	12	3	2
Of Respiratory System (160-165)	26	15	4	5	2	29	20	5	4	—
Of Breast (174-175)	10	—	7	—	3	10	—	10	—	—
Of Genital Organs (179-187)	11	6	1	1	3	15	5	5	4	1
Of Urinary Organs (188-189)	1	—	1	—	—	4	4	—	—	—
Leukemia (204-208)	3	2	1	—	—	4	2	—	—	2
Of Other and Unspecified Sites (170-173, 190-199)	10	3	4	1	2	10	10	—	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	4	1	2	1	—	7	3	4	—	—
Benign and Unspecified Neoplasms (210-239)	3	1	2	—	—	1	1	—	—	—
Diabetes Mellitus (250)	7	4	3	—	—	12	3	2	1	6
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	159	77	60	8	14	197	87	63	27	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	1	2	1	—	5	1	—	2	2
Ischemic Heart Disease (410-414)	106	57	38	3	8	138	61	47	17	13
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	3	—	2	—	1	10	5	3	—	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	46	19	18	4	5	44	20	13	8	3
Hypertension (401, 403)	5	1	3	—	1	3	1	—	2	—
Cerebrovascular Disease (430-438)	18	2	4	8	4	57	20	20	7	10
Arteriosclerosis (440)	2	—	2	—	—	5	1	2	1	1
Other Diseases of the Circulatory System (441-459)	5	3	1	1	—	9	5	3	1	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	16	5	4	3	4	14	4	8	1	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	2	1	—	—	1
Emphysema (492)	2	2	—	—	—	4	2	2	—	—
Asthma (493)	1	1	—	—	—	1	—	—	—	1
Ulcer of Stomach and Duodenum (531-533)	2	—	2	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	7	4	2	1	—	9	4	3	2	—
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	4	2	1	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	—	1	—	3	—	—	2	1
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	3	2	—	1	—	6	2	1	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	8	2	4	1	1	12	5	5	—	2
Symptoms and Ill-Defined Conditions (780-799)	5	—	—	2	3	4	3	—	1	—
All Other Diseases (001-799)	33	18	10	3	2	44	15	17	5	7
Accidents (E800-E949)	35	21	9	2	3	44	20	10	9	5
Motor Vehicle Traffic (E810-E819)	23	13	8	1	1	23	13	5	4	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	1	—	—	—	4	2	2	—	—
Fire and Flames (E890-E899)	3	1	—	1	1	3	—	—	2	1
Drowning (E910)	1	1	—	—	—	—	—	—	—	—
Firearms (E922)	1	—	1	—	—	—	—	—	—	—
Residual (E800-E949)	5	4	—	—	1	14	5	3	3	3
Suicide (E950-E959)	7	5	2	—	—	4	4	—	—	—
Firearms (E955)	6	4	2	—	—	2	2	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	1	—	—	—	2	2	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	2	1	1	—	4	1	1	2	—
Assault by Firearms (E965)	2	2	—	—	—	3	—	1	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	2	—	1	1	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	LEE					LEXINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	135	33	23	48	31	869	434	329	59	47
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	10	7	3	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	1	—	9	6	3	—	—
Malignant Neoplasms (140-208)	22	8	5	5	4	176	96	63	13	14
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	3	2	1	—	—
Of Digestive Organs and Peritoneum (150-159)	7	3	2	1	1	41	18	18	3	2
Of Respiratory System (160-165)	6	4	2	—	—	65	50	11	4	—
Of Breast (174-175)	—	—	—	—	—	13	—	13	—	—
Of Genital Organs (179-187)	8	1	1	4	2	18	6	8	3	1
Of Urinary Organs (188-189)	—	—	—	—	—	10	7	2	1	—
Leukemia (204-208)	—	—	—	—	—	3	—	2	—	1
Of Other and Unspecified Sites (170-173, 190-199)	—	—	—	—	—	17	9	6	2	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	—	1	6	4	2	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	4	—	2	—	2	18	6	9	—	3
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	52	14	9	19	10	352	168	149	18	17
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	—	1	2	1	18	4	11	2	1
Ischemic Heart Disease (410-414)	34	11	6	10	7	264	132	108	9	15
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	3	—	2	1	—	13	8	5	—	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	11	3	—	6	2	57	24	25	7	1
Hypertension (401, 403)	—	—	—	—	—	3	1	1	1	—
Cerebrovascular Disease (430-438)	10	—	1	4	5	58	20	21	6	11
Arteriosclerosis (440)	—	—	—	—	—	6	3	3	—	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	7	6	1	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	1	—	—	—	14	8	4	2	—
Influenza (487)	—	—	—	—	—	1	1	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	1	1	—	—	—
Emphysema (492)	1	1	—	—	—	8	7	1	—	—
Asthma (493)	—	—	—	—	—	2	—	2	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	4	3	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	1	1	—	—	3	1	2	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	—	—	2	10	7	3	—	—
Other Disease of the Respiratory System (510-519)	1	—	—	—	1	5	1	4	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	2	—	1	3	5	—	2	—	3
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	4	—	4	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	2	—	2	1	12	1	5	5	1
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	6	3	1	1	1
All Other Diseases (001-799)	7	1	1	4	1	66	35	22	4	5
Accidents (E800-E949)	11	2	2	7	—	64	38	15	9	2
Motor Vehicle Traffic (E810-E819)	4	1	1	2	—	34	23	9	1	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	1	1	—	—
Falls (E880-E888)	—	—	—	—	—	5	2	2	1	—
Fire and Flames (E890-E899)	1	—	—	1	—	8	4	1	2	1
Drowning (E910)	2	—	—	2	—	4	3	—	1	—
Firearms (E922)	2	—	1	1	—	2	1	1	—	—
Residual (E800-E949)	2	1	—	1	—	9	4	1	4	—
Suicide (E950-E959)	1	—	1	—	—	22	15	7	—	—
Firearms (E955)	1	—	1	—	—	16	12	4	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	3	3	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	3	—	3	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	3	—	10	5	5	—	—
Assault by Firearms (E965)	3	1	—	2	—	7	2	5	—	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	2	—	—	—
Residual (E960-E978)	1	—	—	1	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	McCORMICK					MARION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	66	22	8	24	12	325	91	65	91	78
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	5	1	—	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	4	1	—	2	1
Malignant Neoplasms (140-208)	12	8	2	1	1	60	15	13	17	15
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	3	2	—	1	—
Of Digestive Organs and Peritoneum (150-159)	—	—	—	—	—	16	4	1	7	4
Of Respiratory System (160-165)	6	5	—	1	—	11	6	2	3	—
Of Breast (174-175)	1	—	1	—	—	3	—	1	—	2
Of Genital Organs (179-187)	—	—	—	—	—	9	—	3	2	4
Of Urinary Organs (188-189)	—	—	—	—	—	3	1	1	1	—
Leukemia (204-208)	—	—	—	—	—	2	1	—	—	1
Of Other and Unspecified Sites (170-173, 190-199)	2	1	1	—	—	10	1	3	3	3
Of Lymphatic and Hematopoietic Tissues (200-203)	3	2	—	—	1	3	—	2	—	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	1	—	1	—	—	6	2	—	1	3
Meningitis (320-322)	1	—	—	—	1	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	16	4	2	7	3	99	34	20	22	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	1	—	—	—	1
Ischemic Heart Disease (410-414)	16	4	2	7	3	63	24	16	12	11
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	—	—	—	—	—	6	3	2	—	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	—	—	—	—	—	29	7	2	10	10
Hypertension (401, 403)	—	—	—	—	—	2	—	—	—	2
Cerebrovascular Disease (430-438)	10	—	1	5	4	40	4	10	10	16
Arteriosclerosis (440)	—	—	—	—	—	2	—	1	1	—
Other Diseases of the Circulatory System (441-459)	2	1	—	—	1	6	1	1	2	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	1	—	—	—	8	2	1	4	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	1	—	—	—	1	3	1	—	1	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	5	3	—	1	1
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	3	—	1	1	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	—	3	1	6	3	—	—	3
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	2	—	21	4	7	6	4
All Other Diseases (001-799)	8	2	2	4	—	24	6	6	10	2
Accidents (E800-E949)	5	3	—	2	—	19	7	3	8	1
Motor Vehicle Traffic (E810-E819)	4	2	—	2	—	11	4	2	5	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	1	—	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	2	—	—	1	1
Drowning (E910)	1	1	—	—	—	1	—	1	—	—
Firearms (E922)	—	—	—	—	—	1	—	—	1	—
Residual (E800-E949)	—	—	—	—	—	3	2	—	1	—
Suicide (E950-E959)	—	—	—	—	—	6	4	1	1	—
Firearms (E955)	—	—	—	—	—	4	3	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	2	1	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	1	—	—	—	7	2	—	3	2
Assault by Firearms (E965)	1	1	—	—	—	7	2	—	3	2
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	MARLBORO					NEWBERRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	321	95	80	80	66	370	143	104	63	60
Infectious and Parasitic Dis. (001-139)	3	1	1	1	—	2	2	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	1	1	—	—	2	2	—	—	—
Malignant Neoplasms (140-208)	52	18	16	11	7	82	39	24	11	8
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	13	2	4	4	3	28	13	9	2	4
Of Respiratory System (160-165)	16	10	2	4	—	22	12	2	7	1
Of Breast (174-175)	5	—	4	—	1	5	—	3	—	2
Of Genital Organs (179-187)	7	2	3	2	—	6	3	1	2	—
Of Urinary Organs (188-189)	2	1	—	—	1	2	2	—	—	—
Leukemia (204-208)	—	—	—	—	—	2	1	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	6	2	2	—	2	13	6	6	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	1	1	—	4	2	2	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	3	—	1	1	1	3	—	2	—	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	116	41	33	20	22	130	50	43	14	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	2	1	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	1	1	—	—	—	2	—	—	—	2
Ischemic Heart Disease (410-414)	100	34	29	17	20	80	30	24	11	15
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	—	—	—	—	—	13	6	4	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	15	6	4	3	2	33	13	14	2	4
Hypertension (401, 403)	3	—	1	1	1	—	—	—	—	—
Cerebrovascular Disease (430-438)	44	6	9	14	15	36	8	10	7	11
Arteriosclerosis (440)	1	—	1	—	—	6	2	2	1	1
Other Diseases of the Circulatory System (441-459)	5	3	—	1	1	7	5	1	—	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	1	1	2	—	4	1	2	—	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	1	—	—	1	—	1	—	—	1	—
Asthma (493)	1	—	1	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	4	1	—	2	1	3	2	1	—	—
Other Disease of the Respiratory System (510-519)	2	—	1	—	1	2	2	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	7	1	1	2	3	5	—	2	1	2
Infections of Kidney (590)	1	1	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	4	2	1	1	—	4	—	—	2	2
Certain Conditions Originating in the Perinatal Period (760-779)	10	1	2	4	3	5	1	—	3	1
Symptoms and Ill-Defined Conditions (780-799)	6	1	1	3	1	20	9	5	5	1
All Other Diseases (001-799)	28	7	6	9	6	33	14	8	6	5
Accidents (E800-E949)	20	8	4	5	3	24	7	4	10	3
Motor Vehicle Traffic (E810-E819)	9	5	1	2	1	7	3	3	1	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	2	—	1	—	1	3	1	1	—	1
Fire and Flames (E890-E899)	5	3	2	—	—	4	—	—	3	1
Drowning (E910)	1	—	—	1	—	3	1	—	2	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	3	—	—	2	1	6	2	—	3	1
Suicide (E950-E959)	3	3	—	—	—	—	—	—	—	—
Firearms (E955)	3	3	—	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	—	—	2	1	3	1	—	2	—
Assault by Firearms (E965)	—	—	—	—	—	2	1	—	1	—
Assault by Cutting and Piercing (E966)	2	—	—	2	—	—	—	—	—	—
Residual (E960-E978)	1	—	—	—	1	1	—	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	OCONEE					ORANGEBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	464	252	167	26	19	739	181	199	186	173
Infectious and Parasitic Dis. (001-139)	7	4	3	—	—	5	1	—	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	1	1	—	—	—	—	—	—	—	—
Remainder of (001-139)	6	3	3	—	—	3	1	—	2	—
Malignant Neoplasms (140-208)	90	54	29	4	3	118	37	30	26	25
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	2	—	—	2	—
Of Digestive Organs and Peritoneum (150-159)	21	14	5	1	1	33	11	7	9	6
Of Respiratory System (160-165)	26	21	3	2	—	31	16	5	7	3
Of Breast (174-175)	8	1	7	—	—	8	—	4	—	4
Of Genital Organs (179-187)	14	6	6	—	2	16	4	5	4	3
Of Urinary Organs (188-189)	2	2	—	—	—	5	1	3	—	1
Leukemia (204-208)	1	1	—	—	—	2	—	—	—	2
Of Other and Unspecified Sites (170-173, 190-199)	10	5	5	—	—	18	4	6	4	4
Of Lymphatic and Hematopoietic Tissues (200-203)	7	3	3	1	—	3	1	—	—	2
Benign and Unspecified Neoplasms (210-239)	1	1	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	7	3	2	1	1	20	2	6	4	8
Meningitis (320-322)	—	—	—	—	—	2	—	—	2	—
Diseases of Heart (390-398, 402, 404-429)	178	98	69	6	5	277	63	93	54	67
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	1	—	—	—	1	1	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	14	3	10	—	1	7	—	2	1	4
Ischemic Heart Disease (410-414)	103	60	38	4	1	179	47	80	23	29
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	8	3	3	—	2	15	2	1	3	9
All Other Forms of Heart Disease (415-423, 425-427, 429)	52	31	18	2	1	75	13	10	27	25
Hypertension (401, 403)	3	—	3	—	—	6	—	1	2	3
Cerebrovascular Disease (430-438)	47	16	23	3	5	85	17	25	20	23
Arteriosclerosis (440)	5	2	3	—	—	7	—	4	—	3
Other Diseases of the Circulatory System (441-459)	6	4	2	—	—	5	2	2	—	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	11	7	4	—	—	6	2	2	—	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	7	5	—	2	—	2	—	1	1	—
Asthma (493)	—	—	—	—	—	1	—	—	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	—	—	1	1
Hernia and Intestinal Obstruction (550-553, 560)	-	—	—	—	—	2	1	—	—	1
Chronic Liver Disease and Cirrhosis (571)	4	4	—	—	—	11	2	1	5	3
Other Disease of the Respiratory System (510-519)	3	2	1	—	—	4	—	1	3	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	2	1	—	7	—	1	5	1
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	3	2	1	—	—	4	1	1	2	—
Certain Conditions Originating in the Perinatal Period (760-779)	6	2	2	2	—	10	—	5	3	2
Symptoms and Ill-Defined Conditions (780-799)	1	—	1	—	—	30	11	2	7	10
All Other Diseases (001-799)	33	15	11	4	3	69	24	13	19	13
Accidents (E800-E949)	33	24	6	2	1	55	15	9	23	8
Motor Vehicle Traffic (E810-E819)	17	13	3	1	—	19	6	4	7	2
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	1	—	1	—	—
Railway (E800-E807)	—	—	—	—	—	2	—	—	2	—
Poisoning by Drugs & Medicaments (E850-E858)	4	2	1	—	1	—	—	—	—	—
Falls (E880-E888)	2	2	—	—	—	3	—	1	2	—
Fire and Flames (E890-E899)	—	—	—	—	—	9	1	2	3	3
Drowning (E910)	3	2	—	1	—	6	1	—	4	1
Firearms (E922)	—	—	—	—	—	3	3	—	—	—
Residual (E800-E949)	6	4	2	—	—	12	4	1	5	2
Suicide (E950-E959)	7	4	3	—	—	4	2	1	1	—
Firearms (E955)	6	4	2	—	—	3	2	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	1	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	1	—
Homicide and Legal Intervention (E960-E978)	7	3	2	1	1	5	—	—	4	1
Assault by Firearms (E965)	5	2	1	1	1	3	—	—	3	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	—	1
Residual (E960-E978)	2	1	1	—	—	1	—	—	1	—
Other External Causes (E980-E999)	1	1	—	—	—	1	1	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	PICKENS					RICHLAND				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	510	240	224	28	18	2,158	736	601	454	367
Infectious and Parasitic Dis. (001-139)	5	3	2	—	—	22	6	2	10	4
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	1	—	—	—
Tuberculosis, All Forms (010-018)	1	1	—	—	—	5	—	—	3	2
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	4	2	2	—	—	16	5	2	7	2
Malignant Neoplasms (140-208)	107	51	46	5	5	419	147	116	101	55
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	9	4	2	3	—
Of Digestive Organs and Peritoneum (150-159)	32	14	14	1	3	88	28	26	20	14
Of Respiratory System (160-165)	29	18	8	3	—	144	67	26	41	10
Of Breast (174-175)	7	—	5	—	2	29	—	19	—	10
Of Genital Organs (179-187)	18	8	10	—	—	53	9	14	21	9
Of Urinary Organs (188-189)	2	2	—	—	—	17	11	5	1	—
Leukemia (204-208)	6	2	4	—	—	13	6	1	2	4
Of Other and Unspecified Sites (170-173, 190-199)	9	5	4	—	—	44	18	12	8	6
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	1	1	—	22	4	11	5	2
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	8	1	2	3	2
Diabetes Mellitus (250)	9	2	6	—	1	55	13	8	11	23
Meningitis (320-322)	1	—	1	—	—	3	1	—	1	1
Diseases of Heart (390-398, 402, 404-429)	183	90	77	9	7	755	283	233	121	118
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	1	—	—	3	—	2	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6	2	3	—	1	49	8	10	12	19
Ischemic Heart Disease (410-414)	142	76	57	5	4	470	204	166	51	49
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	8	3	3	1	1	52	14	17	5	16
All Other Forms of Heart Disease (415-423, 425-427, 429)	26	9	13	3	1	181	57	38	53	33
Hypertension (401, 403)	1	—	—	—	1	12	3	3	3	3
Cerebrovascular Disease (430-438)	49	18	27	3	1	194	45	81	34	34
Arteriosclerosis (440)	6	2	4	—	—	22	7	7	3	5
Other Diseases of the Circulatory System (441-459)	7	4	2	1	—	19	10	5	4	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	1	6	1	1	85	24	31	14	16
Influenza (487)	2	—	2	—	—	3	2	1	—	
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	3	—	2	—	1
Emphysema (492)	2	—	2	—	—	18	11	5	2	—
Asthma (493)	—	—	—	—	—	7	1	4	1	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	3	2	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	5	2	1	2	—
Chronic Liver Disease and Cirrhosis (571)	5	—	5	—	—	43	16	12	10	5
Other Disease of the Respiratory System (510-519)	6	5	—	1	—	11	5	1	2	3
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	4	2	—	—	23	2	7	5	9
Infections of Kidney (590)	2	—	2	—	—	2	—	1	—	1
Congenital Anomalies (740-759)	7	3	4	—	—	18	5	2	5	6
Certain Conditions Originating in the Perinatal Period (760-779)	7	1	3	3	—	28	3	7	10	8
Symptoms and Ill-Defined Conditions (780-799)	2	2	—	—	—	17	4	1	6	6
All Other Diseases (001-799)	38	17	19	1	1	200	72	42	43	43
Accidents (E800-E949)	40	26	11	2	1	101	34	20	33	14
Motor Vehicle Traffic (E810-E819)	23	15	6	1	1	44	17	10	10	7
Motor Vehicle Non-Traffic (E820-E825)	1	—	1	—	—	2	2	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	5	2	3	—	—	12	3	5	4	—
Fire and Flames (E890-E899)	1	—	—	1	—	8	1	2	3	2
Drowning (E910)	2	2	—	—	—	2	1	—	1	—
Firearms (E922)	1	1	—	—	—	1	—	—	1	—
Residual (E800-E949)	7	6	1	—	—	32	10	3	14	5
Suicide (E950-E959)	10	9	1	—	—	35	25	4	6	—
Firearms (E955)	8	7	1	—	—	26	18	2	6	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	5	5	—	—	—
Poisoning (E950-E952)	2	2	—	—	—	4	2	2	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	1	—	2	—	44	10	1	24	9
Assault by Firearms (E965)	2	—	—	2	—	24	5	1	11	7
Assault by Cutting and Piercing (E966)	1	1	—	—	—	14	3	—	11	—
Residual (E960-E978)	—	—	—	—	—	6	2	—	2	2
Other External Causes (E980-E999)	—	—	—	—	—	3	2	1	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	SALUDA					SPARTANBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	147	50	48	26	23	1,744	729	620	223	172
Infectious and Parasitic Dis. (001-139)	2	—	—	1	1	22	7	12	3	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	2	2	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	1	—	1	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	19	5	11	3	—
Malignant Neoplasms (140-208)	27	9	10	6	2	341	147	130	35	29
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	7	2	5	—	—
Of Digestive Organs and Peritoneum (150-159)	3	1	2	—	—	81	39	30	5	7
Of Respiratory System (160-165)	3	2	—	1	—	85	51	16	15	3
Of Breast (174-175)	5	—	5	—	—	29	—	23	—	6
Of Genital Organs (179-187)	7	2	—	4	1	47	12	19	9	7
Of Urinary Organs (188-189)	1	1	—	—	—	15	8	7	—	—
Leukemia (204-208)	3	2	—	—	1	12	6	6	—	—
Of Other and Unspecified Sites (170-173, 190-199)	4	—	3	1	—	47	20	21	3	3
Of Lymphatic and Hematopoietic Tissues (200-203)	1	1	—	—	—	18	9	3	3	3
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	4	1	2	1	—
Diabetes Mellitus (250)	1	—	—	—	1	39	12	16	7	4
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	53	26	16	3	8	681	284	263	67	67
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	7	3	3	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	—	—	—	2	35	8	14	5	8
Ischemic Heart Disease (410-414)	39	20	14	3	2	466	221	177	38	30
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	2	2	—	—	—	50	13	24	5	8
All Other Forms of Heart Disease (415-423, 425-427, 429)	10	4	2	—	4	123	39	45	19	20
Hypertension (401, 403)	—	—	—	—	—	7	1	2	2	2
Cerebrovascular Disease (430-438)	23	5	10	6	2	148	42	60	28	18
Arteriosclerosis (440)	5	—	2	2	1	15	3	6	4	2
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	31	13	11	3	4
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	3	—	—	1	2	40	23	13	2	2
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	5	4	1	—	—
Emphysema (492)	—	—	—	—	—	14	11	1	1	1
Asthma (493)	—	—	—	—	—	5	1	2	2	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	6	2	2	2	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	4	2	2	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	1	1	—	15	10	3	1	1
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	15	8	3	3	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	21	7	5	4	5
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	1	—	—	—	10	3	3	4	—
Certain Conditions Originating in the Perinatal Period (760-779)	4	1	—	1	2	15	4	5	4	2
Symptoms and Ill-Defined Conditions (780-799)	1	—	1	—	—	11	4	1	2	4
All Other Diseases (001-799)	11	1	6	1	3	157	62	54	28	13
Accidents (E800-E949)	8	4	1	3	—	89	46	18	12	13
Motor Vehicle Traffic (E810-E819)	4	1	1	2	—	43	26	10	6	1
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	3	2	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	3	2	—	—	1
Falls (E880-E888)	1	1	—	—	—	8	2	3	—	3
Fire and Flames (E890-E899)	1	—	—	1	—	7	2	1	1	3
Drowning (E910)	—	—	—	—	—	1	1	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	—	—	—	—	—	24	11	4	4	5
Suicide (E950-E959)	2	1	—	1	—	22	15	3	2	2
Firearms (E955)	1	1	—	—	—	17	11	2	2	2
Hanging, Strangulation and Suffocation (E953)	1	—	—	1	—	2	1	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	2	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	21	14	1	6	—
Assault by Firearms (E965)	—	—	—	—	—	16	10	—	6	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	1	—	—	—
Residual (E960-E978)	—	—	—	—	—	4	3	1	—	—
Other External Causes (E980-E999)	—	—	—	—	—	2	1	—	—	1

Table 50-A.

DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981

(Residence Data)

CAUSE OF DEATH	SUMTER					UNION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	679	166	163	186	164	286	101	100	44	41
Infectious and Parasitic Dis. (001-139)	5	1	—	2	2	—	—	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	2	—	—	1	1	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	—	1	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	1	—	1	—	—	—	—	—	—
Malignant Neoplasms (140-208)	145	39	37	42	27	58	29	19	7	6
Of Lip, Oral Cavity and Pharynx (140-149)	3	1	—	2	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	23	6	8	6	3	12	6	5	1	—
Of Respiratory System (160-165)	43	22	4	12	5	19	14	2	3	—
Of Breast (174-175)	10	—	7	—	3	6	—	3	—	3
Of Genital Organs (179-187)	17	1	2	9	5	9	2	3	2	2
Of Urinary Organs (188-189)	5	2	1	—	2	1	1	—	—	—
Leukemia (204-208)	2	1	1	—	—	1	—	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	32	6	9	12	5	8	2	5	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	10	—	5	1	4	2	1	—	—	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	1	—	—
Diabetes Mellitus (250)	11	2	4	1	4	9	2	4	1	2
Meningitis (320-322)	1	—	—	—	1	1	—	1	—	—
Diseases of Heart (390-398, 402, 404-429)	266	60	68	69	69	121	41	50	19	11
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	—	1	2	—	1	1	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	8	1	2	2	3	12	4	4	1	3
Ischemic Heart Disease (410-414)	115	35	40	18	22	77	28	35	9	5
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	24	2	4	4	14	2	1	1	—	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	118	22	22	45	29	28	8	9	8	3
Hypertension (401, 403)	5	1	—	2	2	3	—	1	—	2
Cerebrovascular Disease (430-438)	71	12	21	22	16	34	6	11	3	14
Arteriosclerosis (440)	2	—	—	—	2	1	—	1	—	—
Other Diseases of the Circulatory System (441-459)	10	5	4	—	1	2	1	—	—	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	18	3	4	9	2	3	1	1	1	—
Influenza (487)	—	—	—	—	—	1	—	—	1	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	1	1	—	—	—
Emphysema (492)	5	3	2	—	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	2	1	—	1	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	6	4	1	1	—	8	5	1	2	—
Other Disease of the Respiratory System (510-519)	5	2	—	2	1	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	1	1	3	1	2	1	—	—	1
Infections of Kidney (590)	1	—	—	1	—	—	—	—	—	—
Congenital Anomalies (740-759)	7	2	2	2	1	3	—	3	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	15	1	2	6	6	4	1	—	2	1
Symptoms and Ill-Defined Conditions (780-799)	12	2	4	3	3	—	—	—	—	—
All Other Diseases (001-799)	36	9	9	4	14	16	7	5	1	3
Accidents (E800-E949)	36	10	3	13	10	13	6	2	5	—
Motor Vehicle Traffic (E810-E819)	16	6	—	7	3	7	4	—	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	1	—	—	—	—	—	—	—
Falls (E880-E888)	2	—	2	—	—	2	—	2	—	—
Fire and Flames (E890-E899)	7	1	—	1	5	1	1	—	—	—
Drowning (E910)	2	1	—	1	—	1	—	—	1	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	8	2	—	4	2	2	1	—	1	—
Suicide (E950-E959)	5	4	1	—	—	1	1	—	—	—
Firearms (E955)	4	4	—	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	1	—	1	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	8	3	—	3	2	2	—	—	2	—
Assault by Firearms (E965)	7	3	—	3	1	2	—	—	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	1	—	—	—	1	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 50-A.
DEATHS FROM SELECTED CAUSES BY RACE, SEX: EACH COUNTY OF SOUTH CAROLINA, 1981
(Residence Data)

CAUSE OF DEATH	WILLIAMSBURG					YORK				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	316	69	48	105	94	848	343	286	120	99
Infectious and Parasitic Dis. (001-139)	5	1	—	1	3	7	3	2	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	—	1	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	4	1	—	1	2	6	2	2	1	1
Malignant Neoplasms (140-208)	51	13	6	18	14	158	60	57	25	16
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	—	2	—	7	3	2	2	—
Of Digestive Organs and Peritoneum (150-159)	14	3	2	3	6	40	13	14	8	5
Of Respiratory System (160-165)	12	7	—	3	2	45	24	10	10	1
Of Breast (174-175)	2	—	1	—	1	15	1	9	—	5
Of Genital Organs (179-187)	7	—	—	6	1	14	3	7	3	1
Of Urinary Organs (188-189)	1	—	—	1	—	7	5	1	1	—
Leukemia (204-208)	2	—	1	—	1	2	1	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	8	3	1	2	2	19	6	9	—	4
Of Lymphatic and Hematopoietic Tissues (200-203)	3	—	1	1	1	9	4	4	1	—
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	1	—	1	—	—
Diabetes Mellitus (250)	5	1	—	2	2	20	7	9	—	4
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	118	26	25	33	34	311	133	102	39	37
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	2	1	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	13	1	1	5	6	10	2	3	2	3
Ischemic Heart Disease (410-414)	71	19	18	22	12	221	101	72	22	26
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	5	2	1	—	2	4	2	1	1	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	29	4	5	6	14	74	27	25	14	8
Hypertension (401, 403)	1	—	1	—	—	4	2	1	1	—
Cerebrovascular Disease (430-438)	28	3	4	10	11	85	18	37	13	17
Arteriosclerosis (440)	—	—	—	—	—	37	12	14	5	6
Other Diseases of the Circulatory System (441-459)	4	3	—	—	1	16	6	7	2	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	15	2	4	2	7	22	8	9	3	2
Influenza (487)	—	—	—	—	—	1	1	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	3	1	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	3	—	3	—	—
Chronic Liver Disease and Cirrhosis (571)	5	3	1	—	1	7	5	1	1	—
Other Disease of the Respiratory System (510-519)	2	1	—	—	1	4	2	2	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	1	—	1	2	8	2	3	2	1
Infections of Kidney (590)	—	—	—	—	—	4	—	3	—	1
Congenital Anomalies (740-759)	4	—	—	3	1	4	1	2	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	—	3	1	12	5	1	4	2
Symptoms and Ill-Defined Conditions (780-799)	10	—	—	3	7	3	2	—	1	—
All Other Diseases (001-799)	16	3	2	5	6	56	23	17	7	9
Accidents (E800-E949)	29	9	2	16	2	57	38	8	9	2
Motor Vehicle Traffic (E810-E819)	14	5	1	8	—	33	22	7	3	1
Motor Vehicle Non-Traffic (E820-E825)	1	—	—	1	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	1	1	—	—
Falls (E880-E888)	1	1	—	—	—	3	2	—	—	1
Fire and Flames (E890-E899)	5	1	1	1	2	4	3	—	1	—
Drowning (E910)	5	—	—	5	—	—	—	—	—	—
Firearms (E922)	1	—	—	1	—	2	1	—	1	—
Residual (E800-E949)	2	2	—	—	—	13	9	—	4	—
Suicide (E950-E959)	5	2	2	1	—	12	10	2	—	—
Firearms (E955)	4	1	2	1	—	9	8	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	1	1	—	—
Residual (E950-E959)	1	1	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	8	—	—	7	1	10	1	3	6	—
Assault by Firearms (E965)	5	—	—	4	1	5	1	—	4	—
Assault by Cutting and Piercing (E966)	3	—	—	3	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	4	—	3	1	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 51.
Deaths From Selected Causes, by Age, Race and Sex: South Carolina, 1981
(Residence Data)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
ALL CAUSES	Total	25,410	836	146	87	101	246	407	847	1,037	2,170	4,585	6,394	8,552	2
	MW	9,430	213	34	35	37	122	205	315	382	871	1,933	2,629	2,653	1
	FW	7,769	166	33	19	13	50	55	140	179	443	1,051	1,672	3,948	-
	M Nw	4,507	250	45	17	30	54	114	283	327	534	948	1,127	777	1
	F Nw	3,704	207	34	16	21	20	33	109	149	322	653	966	1,174	-
INFECTIOUS AND PARASITIC DISEASES (001-139)	Total	315	32	8	1	3	8	7	11	23	30	50	56	86	-
	MW	89	10	-	-	3	1	3	-	6	9	17	15	25	-
	FW	84	8	2	-	-	2	1	1	4	5	10	14	37	-
	M NW	82	9	4	-	-	2	3	6	11	9	14	11	13	-
	F NW	60	5	2	1	-	3	-	4	2	7	9	16	11	-
Enteritis & other intestinal diseases (008-009)	Total	9	5	-	-	-	-	-	-	2	1	-	-	1	-
	MW	4	2	-	-	-	-	-	-	1	-	-	-	1	-
	FW	2	1	-	-	-	-	-	-	-	1	-	-	-	-
	M Nw	2	1	-	-	-	-	-	-	1	-	-	-	-	-
	F Nw	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, all forms (010-018)	Total	44	-	-	1	-	-	-	1	2	5	12	12	11	-
	MW	8	-	-	-	-	-	-	-	-	-	4	2	2	-
	FW	4	-	-	-	-	-	-	-	-	-	-	1	3	-
	M Nw	19	-	-	-	-	-	-	1	1	3	4	5	5	-
	F Nw	13	-	-	1	-	-	-	-	1	2	4	4	1	-
Tetanus (037)	Total	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	MW	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (055)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae (090-097)	Total	4	-	-	-	-	-	-	-	-	-	1	2	1	-
	MW	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	M Nw	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Remainder of (001-139)	Total	257	27	8	-	3	8	7	10	19	24	37	41	73	-
	MW	75	8	-	-	3	1	3	-	5	9	12	12	22	-
	FW	77	7	2	-	-	2	1	1	4	4	10	12	34	-
	M Nw	60	8	4	-	-	2	3	5	9	6	10	5	8	-
	F Nw	45	4	2	-	-	3	-	4	1	5	5	12	9	-
MALIGNANT NEOPLASMS (140-208)	Total	4,904	2	6	13	7	10	23	81	167	539	1,319	1,536	1,201	-
	MW	1,911	1	1	9	4	5	12	18	47	179	524	663	448	-
	FW	1,576	1	3	2	1	-	3	34	58	164	391	443	476	-
	M NW	847	-	1	1	-	3	5	16	31	118	257	278	137	-
	F NW	570	-	1	1	2	2	3	13	31	78	147	152	140	-
Of lip, oral cavity and pharynx (140-149)	Total	97	-	-	-	-	-	1	1	3	16	31	26	19	-
	MW	33	-	-	-	-	-	1	1	-	4	10	10	7	-
	FW	33	-	-	-	-	-	-	-	1	1	12	10	9	-
	M Nw	25	-	-	-	-	-	-	-	2	10	7	4	2	-
	F Nw	6	-	-	-	-	-	-	-	-	1	2	2	1	-
Of digestive organs and peritonium (150-159)	Total	1,172	-	-	-	-	1	2	11	26	91	288	403	350	-
	MW	421	-	-	-	-	-	1	1	6	32	113	158	110	-
	FW	365	-	-	-	-	-	-	4	9	22	67	118	145	-
	M Nw	219	-	-	-	-	1	-	6	7	26	71	77	31	-
	F Nw	167	-	-	-	-	-	1	-	4	11	37	50	64	-
Of respiratory system (160-165)	Total	1,460	-	-	-	-	1	1	4	41	203	487	485	238	-
	MW	828	-	-	-	-	1	1	1	19	89	260	303	154	-
	FW	275	-	-	-	-	-	-	-	8	39	98	77	53	-
	M Nw	286	-	-	-	-	-	-	1	10	60	107	89	19	-
	F Nw	71	-	-	-	-	-	-	2	4	15	22	16	12	-
Of breast (174-175)	Total	409	-	-	-	-	-	-	17	34	64	117	101	76	-
	MW	5	-	-	-	-	-	-	-	-	-	3	1	1	-
	FW	301	-	-	-	-	-	-	13	21	43	84	82	58	-
	M Nw	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	F Nw	102	-	-	-	-	-	-	4	13	21	30	18	16	-
Of genital organs (179-187)	Total	600	-	-	-	-	-	1	14	18	44	136	181	206	-
	MW	168	-	-	-	-	-	-	3	1	3	24	59	78	-
	FW	185	-	-	-	-	-	-	5	11	21	47	45	56	-
	M Nw	147	-	-	-	-	-	1	-	1	4	33	55	53	-
	F Nw	100	-	-	-	-	-	-	6	5	16	32	22	19	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Of urinary organs (188-189)	Total	186	-	-	1	-	-	-	1	6	13	37	62	66	-
	MW	93	-	-	1	-	-	-	-	3	9	22	32	26	-
	FW	54	-	-	-	-	-	-	-	-	3	6	18	27	-
	M Nw	23	-	-	-	-	-	-	1	2	-	7	7	6	-
	F Nw	16	-	-	-	-	-	-	-	1	1	2	5	7	-
Leukemia (204-208)	Total	158	2	-	6	4	-	8	9	3	12	30	47	37	-
	MW	62	1	-	4	2	-	4	2	1	3	8	22	15	-
	FW	58	1	-	1	1	-	1	5	-	7	14	13	15	-
	M NW	18	-	-	1	-	-	2	2	1	-	4	4	4	-
	F NW	20	-	-	-	1	-	1	-	1	2	4	8	3	-
Of other and unspecified sites (170-173, 190-199)	Total	585	-	5	4	3	7	5	17	29	76	149	156	134	-
	MW	225	-	-	3	2	4	2	7	15	32	69	54	37	-
	FW	216	-	3	1	-	-	1	5	7	25	45	56	73	-
	M Nw	86	-	1	-	-	1	1	5	5	10	22	30	11	-
	F Nw	58	-	1	-	1	2	1	-	2	9	13	16	13	-
Of Lymphatic and Hematopoietic Tissue (200-203)	Total	237	-	1	2	-	1	5	7	7	20	44	75	75	-
	MW	76	-	1	1	-	-	3	3	2	7	15	24	20	-
	FW	89	-	-	-	-	-	1	2	1	3	18	24	40	-
	M Nw	42	-	-	-	-	1	1	1	3	8	6	12	10	-
	F Nw	30	-	-	1	-	-	-	1	1	2	5	15	5	-
BENIGN AND UNSPECIFIED NEOPLASMS (210-239)	Total	39	1	-	-	-	-	2	2	1	5	6	10	12	-
	MW	13	1	-	-	-	-	-	1	-	-	2	4	5	-
	FW	15	-	-	-	-	-	-	-	1	3	4	1	6	-
	M Nw	6	-	-	-	-	-	1	-	-	1	-	3	1	-
	F Nw	5	-	-	-	-	-	1	1	-	1	-	2	-	-
DIABETES MELLITUS (250)	Total	498	-	-	-	-	-	3	13	18	43	101	157	163	-
	MW	122	-	-	-	-	-	-	4	4	12	18	38	46	-
	FW	163	-	-	-	-	-	-	4	5	11	30	45	68	-
	M Nw	69	-	-	-	-	-	2	4	6	8	10	27	12	-
	F Nw	144	-	-	-	-	-	1	1	3	12	43	47	37	-
MENINGITIS (320-322)	Total	24	12	2	1	1	1	-	2	-	3	1	1	-	-
	MW	2	-	-	-	-	-	-	-	-	1	1	-	-	-
	FW	5	4	-	-	-	-	-	1	-	-	-	-	-	-
	M Nw	9	3	2	-	1	1	-	1	-	1	-	-	-	-
	F Nw	8	5	-	1	-	-	-	-	-	1	-	1	-	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
DISEASES OF HEART (390-398, 402, 404-429)	Total	9,151	10	6	1	3	8	16	67	246	679	1,701	2,580	3,831	1
	MW	3,579	5	3	-	1	5	4	22	116	329	799	1,151	1,144	-
	FW	3,024	1	3	1	-	2	-	6	26	96	317	683	1,889	-
	M Nw	1,295	3	-	-	1	1	9	26	72	156	352	383	291	1
	F Nw	1,253	1	-	-	1	-	5	13	32	98	233	363	507	-
1. Rheumatic fever and chr. rheumatic heart diseases (390-398)	Total	60	-	-	-	1	-	1	6	3	9	15	16	9	-
	MW	16	-	-	-	-	-	-	-	1	3	5	6	1	-
	FW	24	-	-	-	-	-	-	1	-	4	6	7	6	-
	M NW	5	-	-	-	-	-	1	2	1	-	1	-	-	-
	F NW	15	-	-	-	1	-	-	3	1	2	3	3	2	-
2. Hypertensive heart and hypertensive heart-renal (402-404)	Total	392	-	-	-	-	-	2	2	11	28	62	109	178	-
	MW	71	-	-	-	-	-	-	-	3	4	12	21	31	-
	FW	119	-	-	-	-	-	-	-	-	2	10	25	82	-
	M Nw	77	-	-	-	-	-	-	2	5	8	17	26	19	-
	F Nw	125	-	-	-	-	-	2	-	3	14	23	37	46	-
3. Ischemic heart disease (410-414)	Total	5,978	-	-	-	-	1	3	27	135	421	1,146	1,752	2,492	1
	MW	2,604	-	-	-	-	1	-	12	80	244	599	867	801	-
	FW	2,082	-	-	-	-	-	-	1	13	62	238	484	1,284	-
	M Nw	671	-	-	-	-	-	3	11	27	77	189	214	149	1
	F Nw	621	-	-	-	-	-	-	3	15	38	120	187	258	-
4. Chronic disease of endocardium and other insuff. (424, 428)	Total	468	-	-	-	1	-	1	1	7	30	64	114	250	-
	MW	144	-	-	-	1	-	-	1	2	9	25	45	61	-
	FW	154	-	-	-	-	-	-	-	2	5	7	23	117	-
	M Nw	64	-	-	-	-	-	1	-	2	5	14	20	22	-
	F Nw	106	-	-	-	-	-	-	-	1	11	18	26	50	-
5. All other forms of heart disease (415-423, 425-427, 429)	Total	2,253	10	6	1	1	7	11	31	90	191	414	589	902	-
	MW	744	5	3	-	-	4	4	9	30	69	158	212	250	-
	FW	645	1	3	1	-	2	-	4	11	23	56	144	400	-
	M Nw	478	3	-	-	1	1	4	11	37	66	131	123	101	-
	F Nw	386	1	-	-	-	-	3	7	12	33	69	110	151	-
HYPERTENSION (401, 403)	Total	108	-	-	-	-	-	-	2	4	9	16	33	44	-
	MW	18	-	-	-	-	-	-	-	-	-	3	7	8	-
	FW	29	-	-	-	-	-	-	-	-	1	1	8	19	-
	M Nw	27	-	-	-	-	-	-	2	2	4	7	8	4	-
	F Nw	34	-	-	-	-	-	-	-	2	4	5	10	13	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
CEREBROVASCULAR DISEASES (430-438)	Total	2,384	3	-	-	-	1	7	23	51	129	305	602	1,263	-
	MW	586	1	-	-	-	-	3	2	11	36	73	161	299	-
	FW	875	-	-	-	-	-	1	6	8	26	61	133	640	-
	M Nw	431	2	-	-	-	1	1	7	22	37	101	143	117	-
	F Nw	492	-	-	-	-	-	2	8	10	30	70	165	207	-
ARTERIOSCLEROSIS (440)	Total	271	-	-	-	-	-	-	1	4	6	16	48	196	-
	MW	73	-	-	-	-	-	-	-	-	2	6	18	47	-
	FW	125	-	-	-	-	-	-	-	2	2	4	6	111	-
	M NW	36	-	-	-	-	-	-	1	1	2	3	9	20	-
	F NW	37	-	-	-	-	-	-	-	1	-	3	15	18	-
OTHER DISEASES OF THE CIRCULATORY SYSTEM (441-459)	Total	317	2	-	-	-	1	-	3	9	19	73	105	105	-
	MW	151	-	-	-	-	-	-	-	1	10	42	52	46	-
	FW	87	-	-	-	-	-	-	2	2	4	13	29	37	-
	M Nw	33	-	-	-	-	1	-	1	4	4	9	8	6	-
	F Nw	46	2	-	-	-	-	-	-	2	1	9	16	16	-
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)	Total	4	-	-	-	-	-	-	-	-	-	-	2	2	-
	MW	3	-	-	-	-	-	-	-	-	-	-	2	1	-
	FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA (480-486)	Total	614	12	4	-	1	1	4	11	22	36	60	121	342	-
	MW	217	1	-	-	-	-	2	1	3	8	27	48	127	-
	FW	205	3	1	-	-	1	1	1	5	8	9	29	147	-
	M Nw	109	1	2	-	-	-	-	3	11	15	17	26	34	-
	F Nw	83	7	1	-	1	-	1	6	3	5	7	18	34	-
INFLUENZA (487)	Total	32	-	1	-	-	1	-	-	-	2	3	9	16	-
	MW	11	-	1	-	-	1	-	-	-	-	-	3	6	-
	FW	15	-	-	-	-	-	-	-	-	1	3	2	9	-
	M Nw	4	-	-	-	-	-	-	-	-	1	-	3	-	-
	F Nw	2	-	-	-	-	-	-	-	-	-	-	1	1	-
CHRONIC AND UNQUALIFIED BRONCHITIS (490-491)	Total	42	-	-	-	1	-	-	-	-	3	13	14	11	-
	MW	25	-	-	-	-	-	-	-	-	2	7	11	5	-
	FW	10	-	-	-	1	-	-	-	-	1	4	2	2	-
	M Nw	4	-	-	-	-	-	-	-	-	-	1	1	2	-
	F Nw	3	-	-	-	-	-	-	-	-	-	1	-	2	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
EMPHYSEMA (492)	Total	143	-	-	-	-	-	-	-	1	8	33	56	45	-
	MW	97	-	-	-	-	-	-	-	1	2	25	37	32	-
	FW	33	-	-	-	-	-	-	-	-	4	7	11	11	-
	M Nw	10	-	-	-	-	-	-	-	-	1	1	7	1	-
	F Nw	3	-	-	-	-	-	-	-	-	1	-	1	1	-
ASTHMA (493)	Total	43	-	1	-	-	-	3	1	3	11	9	7	8	-
	MW	8	-	-	-	-	-	-	-	1	4	1	1	1	-
	FW	17	-	-	-	-	-	-	-	1	2	5	4	5	-
	M NW	10	-	-	-	-	-	2	-	-	2	3	1	2	-
	F NW	8	-	1	-	-	-	1	1	1	3	-	1	-	-
ULCER OF STOMACH AND DUODENUM (531-533)	Total	59	1	1	-	-	-	-	2	1	5	14	14	21	-
	MW	22	-	-	-	-	-	-	-	-	3	6	5	8	-
	FW	20	-	-	-	-	-	-	-	-	-	3	8	9	-
	M Nw	11	1	1	-	-	-	-	1	-	2	2	1	3	-
	F Nw	6	-	-	-	-	-	-	1	1	-	3	-	1	-
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	Total	52	2	-	1	-	1	-	4	-	3	7	10	24	-
	MW	14	-	-	-	-	-	-	-	-	1	1	5	7	-
	FW	24	1	-	1	-	-	-	2	-	-	4	4	12	-
	M Nw	8	1	-	-	-	1	-	1	-	2	1	1	1	-
	F Nw	6	-	-	-	-	-	-	1	-	-	1	-	4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	Total	313	-	-	1	-	-	-	12	47	92	81	59	21	-
	MW	149	-	-	-	-	-	-	3	13	47	46	31	9	-
	FW	71	-	-	-	-	-	-	1	10	14	18	19	9	-
	M Nw	46	-	-	-	-	-	-	2	15	18	7	3	1	-
	F Nw	47	-	-	1	-	-	-	6	9	13	10	6	2	-
OTHER DISEASES OF THE RESPIRATORY SYSTEM (510-519)	Total	168	5	1	2	2	3	2	10	4	12	26	49	52	-
	MW	62	1	-	-	-	1	-	-	1	3	14	25	17	-
	FW	48	1	-	-	1	1	1	2	-	1	6	12	23	-
	M Nw	31	2	1	1	-	1	-	4	1	5	5	6	5	-
	F Nw	27	1	-	1	1	-	1	4	2	3	1	6	7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (580-589)	Total	264	4	1	1	1	1	2	1	6	21	35	85	106	-
	MW	62	2	-	1	-	-	1	-	3	7	9	17	22	-
	FW	66	2	-	-	-	-	-	1	1	5	3	13	41	-
	M Nw	57	-	1	-	-	-	1	-	2	5	8	23	17	-
	F Nw	79	-	-	-	1	1	-	-	-	4	15	32	26	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
INFECTIONS OF KIDNEY (590)	Total	32	-	-	-	-	-	-	-	1	1	3	5	22	-
	MW	5	-	-	-	-	-	-	-	-	1	-	1	3	-
	FW	16	-	-	-	-	-	-	-	-	-	1	1	14	-
	M Nw	6	-	-	-	-	-	-	-	-	-	2	2	2	-
	F Nw	5	-	-	-	-	-	-	-	1	-	-	1	3	-
CONGENITAL ANOMALIES (740-759)	Total	213	134	24	2	8	6	3	11	5	6	9	3	2	-
	MW	69	36	7	2	5	-	1	5	2	3	6	1	1	-
	FW	56	42	4	-	1	1	-	1	1	2	2	1	1	-
	M NW	52	35	6	-	-	4	2	2	1	1	-	1	-	-
	F NW	36	21	7	-	2	1	-	3	1	-	1	-	-	-
CERTAIN CONDITIONS ORIGINATED IN THE PERINATAL PERIOD (760-769)	Total	451	450	-	-	1	-	-	-	-	-	-	-	-	-
	MW	113	112	-	-	1	-	-	-	-	-	-	-	-	-
	FW	74	74	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	147	147	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	117	117	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS AND ILL-DEFINED CONDITIONS (780-799)	Total	549	103	3	-	2	-	5	9	17	60	90	135	124	1
	MW	165	27	-	-	-	-	2	1	5	25	34	41	29	1
	FW	87	15	-	-	-	-	2	2	-	6	12	19	31	-
	M Nw	160	28	1	-	2	-	1	3	10	23	23	48	21	-
	F Nw	137	33	2	-	-	-	-	3	2	6	21	27	43	-
ALL OTHER DISEASES (001-799)	Total	2,005	34	24	17	9	12	23	66	106	174	358	507	675	-
	MW	758	8	6	6	3	5	9	12	24	65	148	224	248	-
	FW	602	7	3	4	2	2	4	11	15	40	95	142	277	-
	M Nw	353	10	7	1	3	3	7	31	40	36	68	81	66	-
	F Nw	292	9	8	6	1	2	3	12	27	33	47	60	84	-
Accidents (E800-E949)	Total	1692	24	59	44	61	150	209	304	177	181	172	154	157	-
	MW	743	7	14	17	20	82	121	162	76	70	73	48	53	-
	FW	327	6	16	8	7	30	28	32	29	32	31	39	69	-
	M Nw	464	7	17	14	23	31	53	92	59	58	46	46	18	-
	F Nw	158	4	12	5	11	7	7	18	13	21	22	21	17	-
Motor Vehicle Traffic (E810-E819)	Total	831	4	17	20	26	108	154	185	101	84	69	43	20	-
	MW	425	1	1	7	14	62	92	103	49	37	33	16	10	-
	FW	177	2	7	5	4	27	24	27	23	18	19	14	7	-
	M Nw	185	1	6	5	4	14	32	50	23	23	14	11	2	-
	F Nw	44	-	3	3	4	5	6	5	6	6	3	2	1	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Motor Vehicle non-traffic (E820—E825)	Total	18	-	4	1	2	3	3	1	1	1	-	1	1	-
	MW	10	-	-	1	1	3	3	1	1	-	-	-	-	-
	FW	4	-	1	-	1	-	-	-	-	-	-	1	1	-
	M Nw	3	-	2	-	-	-	-	-	-	1	-	-	-	-
	F Nw	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Railway (E800-E807)	Total	16	-	-	-	-	1	3	3	2	3	3	-	1	-
	MW	7	-	-	-	-	1	1	1	-	2	1	-	1	-
	FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	M NW	8	-	-	-	-	-	2	2	2	1	1	-	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by drugs & medicaments (E850-E858)	Total	40	-	-	1	-	2	3	7	6	4	8	4	5	-
	MW	19	-	-	1	-	1	-	5	3	2	4	1	2	-
	FW	11	-	-	-	-	-	3	1	-	2	2	2	1	-
	M Nw	4	-	-	-	-	-	-	-	2	-	1	1	-	-
	F Nw	6	-	-	-	-	1	-	1	1	-	1	-	2	-
Falls (E880-E888)	Total	131	-	-	1	-	1	3	8	7	10	12	17	72	-
	MW	51	-	-	1	-	-	2	4	3	2	7	6	26	-
	FW	53	-	-	-	-	1	-	-	1	1	3	8	39	-
	M Nw	16	-	-	-	-	-	1	3	3	4	2	1	2	-
	F Nw	11	-	-	-	-	-	-	1	-	3	-	2	5	-
Fire & Flames (E890-E899)	Total	192	3	20	10	9	2	6	29	15	23	20	31	24	-
	MW	45	3	4	3	-	1	4	8	3	6	6	4	3	-
	FW	22	-	5	1	-	-	1	2	-	3	-	3	7	-
	M Nw	78	-	5	5	5	-	-	12	10	9	5	15	12	-
	F Nw	47	-	6	1	4	1	1	7	2	5	9	9	2	-
Drowning (E910)	Total	96	-	6	7	12	14	17	17	9	3	7	3	1	-
	MW	32	-	5	2	1	3	5	8	3	-	3	2	-	-
	FW	4	-	-	1	-	-	-	-	2	-	-	1	-	-
	M Nw	50	-	-	3	9	11	12	6	4	2	3	-	-	-
	F Nw	10	-	1	1	2	-	-	3	-	1	1	-	1	-
Firearms (E922)	Total	41	-	1	-	9	7	5	9	3	4	3	-	-	-
	MW	21	-	-	-	2	4	2	8	1	2	2	-	-	-
	FW	7	-	-	-	2	1	-	1	-	2	1	-	-	-
	M Nw	12	-	1	-	5	2	3	-	1	-	-	-	-	-
	F Nw	1	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Residual (E800-E949)	Total	327	17	11	4	3	12	15	45	33	49	50	55	33	-
	MW	133	3	4	2	2	7	12	24	13	19	17	19	11	-
	FW	48	4	3	1	-	1	-	1	3	6	5	10	14	-
	M Nw	108	6	3	1	-	4	3	19	14	18	20	18	2	-
	F Nw	38	4	1	-	1	-	-	1	3	6	8	8	6	-
Suicide (E950-E959)	Total	348	-	-	-	-	27	48	88	52	45	53	21	14	-
	MW	232	-	-	-	-	20	28	52	39	31	35	15	12	-
	FW	73	-	-	-	-	6	9	21	7	12	14	2	2	-
	M NW	37	-	-	-	-	-	10	13	5	2	4	3	-	-
	F NW	6	-	-	-	-	1	1	2	1	-	-	1	-	-
Firearms (E955)	Total	259	-	-	-	-	23	36	60	34	33	44	17	12	-
	MW	178	-	-	-	-	17	20	35	25	25	32	13	11	-
	FW	47	-	-	-	-	5	6	15	4	6	9	1	1	-
	M Nw	29	-	-	-	-	-	9	8	4	2	3	3	-	-
	F Nw	5	-	-	-	-	1	1	2	1	-	-	-	-	-
Hanging, Strangulation & Suffocation (E953)	Total	31	-	-	-	-	2	8	10	8	-	2	1	-	-
	MW	23	-	-	-	-	2	7	5	8	-	-	1	-	-
	FW	5	-	-	-	-	-	-	3	-	-	2	-	-	-
	M Nw	3	-	-	-	-	-	1	2	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning (E950-E952)	Total	45	-	-	-	-	1	4	15	7	11	5	-	2	-
	MW	27	-	-	-	-	1	1	11	5	6	2	-	1	-
	FW	16	-	-	-	-	-	3	2	2	5	3	-	1	-
	M Nw	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual (E950-E959)	Total	13	-	-	-	-	1	-	3	3	1	2	3	-	-
	MW	4	-	-	-	-	-	-	1	1	-	1	1	-	-
	FW	5	-	-	-	-	1	-	1	1	1	-	1	-	-
	M Nw	3	-	-	-	-	-	-	1	1	-	1	-	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Homicide (E960-E978)	Total	357	5	4	3	1	14	47	119	70	46	26	14	8	-
	MW	118	1	1	-	-	1	19	29	27	19	12	5	4	-
	FW	40	1	1	3	-	5	5	11	4	3	3	2	2	-
	M Nw	160	1	2	-	-	5	16	67	34	23	7	3	2	-
	F Nw	39	2	-	-	1	3	7	12	5	1	4	4	-	-

Table 51 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
Assault by Firearms (E965)	Total	239	1	1	3	-	11	31	79	47	34	19	10	3	-
	MW	81	-	1	-	-	1	10	18	19	15	10	5	2	-
	FW	24	-	-	3	-	3	4	7	3	2	1	-	1	-
	M Nw	109	-	-	-	-	5	13	46	21	16	5	3	-	-
	F Nw	25	1	-	-	-	2	4	8	4	1	3	2	-	-
Assault by cutting and piercing (E966)	Total	65	1	-	-	1	-	10	29	16	5	1	1	1	-
	MW	20	1	-	-	-	-	7	8	3	-	-	-	1	-
	FW	5	-	-	-	-	-	1	2	1	-	-	1	-	-
	M NW	36	-	-	-	-	-	1	17	12	5	1	-	-	-
	F NW	4	-	-	-	1	-	1	2	-	-	-	-	-	-
Residual (E960-E978)	Total	53	3	3	-	-	3	6	11	7	7	6	3	4	-
	MW	17	-	-	-	-	-	2	3	5	4	2	-	1	-
	FW	11	1	1	-	-	2	-	2	-	1	2	1	1	-
	M Nw	15	1	2	-	-	-	2	4	1	2	1	-	2	-
	F Nw	10	1	-	-	-	1	2	2	1	-	1	2	-	-
Other External Causes (E980-E999)	Total	18	-	1	-	-	1	1	4	2	2	5	1	1	-
	MW	13	-	1	-	-	1	-	3	2	2	4	-	-	-
	FW	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	M Nw	3	-	-	-	-	-	1	-	-	-	-	1	1	-
	F Nw	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	Total														
	MW														
	FW														
	M Nw														
	F Nw														
	Total														
	MW														
	FW														
	M Nw														
	F Nw														
	Total														
	MW														
	FW														
	M Nw														
	F Nw														

Table 52.
Deaths by Burial Disposition: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence *	Total				
	Total	Burial	Cremation	Removal	Other
SOUTH CAROLINA	24,602	23,393	571	380	258
Abbeville	153	150	1	2	-
Aiken	537	505	23	8	1
Allendale	92	88	1	3	-
Anderson	1,073	1,039	27	1	6
Bamberg	144	143	-	-	1
Barnwell	125	125	-	-	-
Beaufort	389	320	55	11	3
Berkeley	195	171	8	13	3
Calhoun	39	38	-	1	-
Charleston	2,833	2,518	96	132	87
Cherokee	291	282	9	-	-
Chester	247	244	1	2	-
Chesterfield	203	202	-	1	-
Clarendon	201	199	2	-	-
Colleton	303	294	5	4	-
Darlington	489	484	2	2	1
Dillon	215	212	1	-	2
Dorchester	155	140	6	7	2
Edgefield	117	114	1	1	1
Fairfield	122	122	-	-	-
Florence	1,158	1,112	16	14	16
Georgetown	324	306	8	8	2
Greenville	2,505	2,420	61	3	21
Greenwood	699	680	12	6	1
Hampton	139	138	-	1	-
Horry	835	769	55	2	9
Jasper	96	83	2	11	-
Kershaw	290	284	3	2	1
Lancaster	371	365	3	1	2
Laurens	374	367	5	-	2
Lee	80	80	-	-	-
Lexington	658	613	20	18	7
McCormick	30	30	-	-	-
Marion	357	353	2	-	2
Marlboro	272	269	1	2	-
Newberry	261	259	-	-	2
Oconee	402	391	8	3	-
Orangeburg	739	726	4	8	1
Pickens	390	376	12	1	1
Richland	3,114	2,879	70	95	70
Saluda	76	75	1	-	-
Spartanburg	1,713	1,664	27	16	6
Sumter	627	614	5	-	8
Union	227	227	-	-	-
Williamsburg	238	237	-	1	-
York	704	686	18	-	-

* by county where death occurred

Table 52-A.
Deaths by Burial Disposition by Race: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence *	White					Nonwhite				
	Total	Burial	Cre-mation	Re-moval	Other	Total	Burial	Cre-mation	Re-moval	Other
SOUTH CAROLINA	16,613	15,585	555	344	129	7,989	7,808	16	36	129
Abbeville	98	96	-	2	-	55	54	1	-	-
Aiken	364	337	19	7	1	173	168	4	1	-
Allendale	37	34	1	2	-	55	54	-	1	-
Anderson	901	871	25	1	4	172	168	2	-	2
Bamberg	73	72	-	-	1	71	71	-	-	-
Barnwell	62	62	-	-	-	63	63	-	-	-
Beaufort	243	178	55	8	2	146	142	-	3	1
Berkeley	120	97	7	13	3	75	74	1	-	-
Calhoun	11	10	-	1	-	28	28	-	-	-
Charleston	1,739	1,487	93	121	38	1,094	1,031	3	11	49
Cherokee	219	210	9	-	-	72	72	-	-	-
Chester	164	161	1	2	-	83	83	-	-	-
Chesterfield	134	134	-	-	-	69	68	-	1	-
Clarendon	83	81	2	-	-	118	118	-	-	-
Colleton	171	164	5	2	-	132	130	-	2	-
Darlington	299	296	2	1	-	190	188	-	1	1
Dillon	131	129	1	-	1	84	83	-	-	1
Dorchester	101	86	6	7	2	54	54	-	-	-
Edgefield	55	53	1	1	-	62	61	-	-	1
Fairfield	56	56	-	-	-	66	66	-	-	-
Florence	681	649	16	12	4	477	463	-	2	12
Georgetown	173	156	8	8	1	151	150	-	-	1
Greenville	2,045	1,971	58	2	14	460	449	3	1	7
Greenwood	500	482	12	5	1	199	198	-	1	-
Hampton	59	58	-	1	-	80	80	-	-	-
Horry	669	603	55	2	9	166	166	-	-	-
Jasper	46	33	2	11	-	50	50	-	-	-
Kershaw	184	178	3	2	1	106	106	-	-	-
Lancaster	283	277	3	1	2	88	88	-	-	-
Laurens	274	267	5	-	2	100	100	-	-	-
Lee	29	29	-	-	-	51	51	-	-	-
Lexington	567	522	20	18	7	91	91	-	-	-
McCormick	14	14	-	-	-	16	16	-	-	-
Marion	187	183	2	-	2	170	170	-	-	-
Marlboro	144	141	1	2	-	128	128	-	-	-
Newberry	173	171	-	-	2	88	88	-	-	-
Oconee	359	348	8	3	-	43	43	-	-	-
Orangeburg	381	370	4	6	1	358	356	-	2	-
Pickens	352	338	12	1	1	38	38	-	-	-
Richland	2,009	1,828	69	85	27	1,105	1,051	1	10	43
Saluda	50	49	1	-	-	26	26	-	-	-
Spartanburg	1,319	1,274	26	16	3	394	390	1	-	3
Sumter	302	297	5	-	-	325	317	-	-	8
Union	155	155	-	-	-	72	72	-	-	-
Williamsburg	84	83	-	1	-	154	154	-	-	-
York	513	495	18	-	-	191	191	-	-	-

* by county where death occurred

Table 53.
Major Causes of Accidental Death: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Cause of Accidental Death							
	Total	Transport	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E858	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,692	910	61	131	192	41	96	261
Abbeville	16	7	-	2	4	-	1	2
Aiken	52	30	3	3	5	1	3	7
Allendale	10	2	-	1	4	1	-	2
Anderson	74	38	5	10	9	2	3	7
Bamberg	14	8	1	-	4	-	1	-
Barnwell	11	3	-	1	2	1	2	2
Beaufort	39	27	-	-	4	-	3	5
Berkeley	52	40	-	1	2	-	3	6
Calhoun	10	4	1	2	1	1	1	-
Charleston	150	82	6	14	13	3	15	17
Cherokee	33	16	1	4	2	2	2	6
Chester	16	5	-	2	2	1	3	3
Chesterfield	26	18	-	1	3	-	1	3
Clarendon	20	11	-	1	2	1	-	5
Colleton	28	16	-	2	4	1	3	2
Darlington	33	16	4	3	4	1	1	4
Dillon	15	11	-	-	-	1	2	1
Dorchester	38	19	1	-	9	-	2	7
Edgefield	11	5	1	-	4	-	-	1
Fairfield	13	9	-	1	2	-	-	1
Florence	61	27	3	4	9	1	1	16
Georgetown	27	12	2	-	4	1	5	3
Greenville	121	63	5	16	8	2	6	21
Greenwood	28	15	1	2	5	-	-	5
Hampton	9	3	1	1	2	-	-	2
Horry	66	39	2	4	7	3	2	9
Jasper	17	5	-	-	7	2	-	3
Kershaw	19	14	-	1	1	2	1	-
Lancaster	35	23	1	1	3	1	1	5
Laurens	44	23	1	4	3	-	-	13
Lee	11	4	-	-	1	2	2	2
Lexington	64	37	3	5	8	2	4	5
McCormick	5	4	-	-	-	-	1	-
Marion	19	13	-	1	2	1	1	1
Marlboro	20	9	2	2	5	-	1	1
Newberry	24	8	-	3	4	-	3	6
Oconee	33	18	4	2	-	-	3	6
Orangeburg	55	24	-	3	9	3	6	10
Pickens	40	24	-	5	1	1	2	7
Richland	101	50	2	12	8	1	2	26
Saluda	8	5	1	1	1	-	-	-
Spartanburg	89	47	4	8	7	-	1	22
Sumter	36	17	1	2	7	-	2	7
Union	13	7	-	2	1	-	1	2
Williamsburg	29	16	-	1	5	1	5	1
York	57	36	5	3	4	2	-	7

Table 54.
Major Causes of Accidental Death: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Cause of Accidental Death							
	Total	Transport	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E858	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,692	934	59	129	181	40	103	246
Abbeville	12	5	-	1	4	-	-	2
Aiken	28	13	3	1	4	1	2	4
Allendale	10	3	-	1	3	-	-	3
Anderson	66	32	3	10	7	1	6	7
Bamberg	14	7	1	-	4	-	1	1
Barnwell	7	2	-	-	2	1	1	1
Beaufort	37	24	-	-	4	-	6	3
Berkeley	26	17	-	-	2	-	6	1
Calhoun	7	4	1	-	1	-	1	-
Charleston	213	117	7	21	18	3	14	33
Cherokee	29	13	1	4	2	1	3	5
Chester	14	6	-	-	2	2	2	2
Chesterfield	16	12	-	1	2	-	1	-
Clarendon	18	12	-	1	3	-	-	2
Colleton	33	23	-	-	3	3	3	1
Darlington	36	20	4	2	4	1	1	4
Dillon	17	13	-	-	-	1	2	1
Dorchester	33	23	1	-	8	-	1	-
Edgefield	13	6	1	-	4	-	1	1
Fairfield	16	11	-	-	3	-	-	2
Florence	66	32	2	7	8	1	-	16
Georgetown	28	16	2	-	4	1	4	1
Greenville	138	83	6	20	7	2	1	19
Greenwood	40	21	1	4	4	-	1	9
Hampton	11	5	-	1	2	1	-	2
Horry	68	39	1	2	7	3	4	12
Jasper	16	6	1	-	4	1	1	3
Kershaw	21	14	-	1	1	2	2	1
Lancaster	36	24	1	2	3	1	1	4
Laurens	37	21	1	2	4	-	-	9
Lee	7	2	-	-	1	1	1	2
Lexington	48	27	2	2	8	3	2	4
McCormick	8	4	-	1	-	-	3	-
Marion	24	17	-	-	2	1	2	2
Marlboro	19	9	2	2	4	-	1	1
Newberry	17	6	-	-	3	-	3	5
Oconee	35	20	4	1	-	-	5	5
Orangeburg	55	27	-	4	8	1	5	10
Pickens	36	23	-	3	1	1	2	6
Richland	128	63	4	21	7	2	4	27
Saluda	8	5	1	1	1	-	-	-
Spartanburg	81	37	4	9	7	-	2	22
Sumter	36	17	1	1	7	2	1	7
Union	11	5	-	1	1	2	1	1
Williamsburg	25	15	-	-	3	-	5	2
York	48	33	4	2	4	1	1	3

Table 55.
Deaths From Suicides by Method: South Carolina, 1981 (Occurrence Data)

County of Occurrence	Total (E950-E959)	Firearms (E955)	Hanging Strangulation & Suffocation (E953)	Poisoning (E950-E952)	Residual (E950-E959)
SOUTH CAROLINA	343	255	31	43	14
Abbeville	2	1	1	-	-
Aiken	15	9	3	1	2
Allendale	1	1	-	-	-
Anderson	12	9	1	2	-
Bamberg	1	1	-	-	-
Barnwell	3	2	1	-	-
Beaufort	5	4	1	-	-
Berkeley	10	6	1	3	-
Calhoun	-	-	-	-	-
Charleston	43	30	2	9	2
Cherokee	1	1	-	-	-
Chester	4	4	-	-	-
Chesterfield	6	6	-	-	-
Clarendon	2	-	-	-	2
Colleton	1	1	-	-	-
Darlington	2	2	-	-	-
Dillon	2	2	-	-	-
Dorchester	2	2	-	-	-
Edgefield	-	-	-	-	-
Fairfield	4	2	1	-	1
Florence	11	10	-	-	1
Georgetown	2	1	1	-	-
Greenville	41	32	2	5	2
Greenwood	9	6	1	2	-
Hampton	3	3	-	-	-
Horry	11	9	1	1	-
Jasper	3	3	-	-	-
Kershaw	4	2	1	-	1
Lancaster	7	6	-	1	-
Laurens	1	-	-	1	-
Lee	-	-	-	-	-
Lexington	17	12	2	3	-
McCormick	-	-	-	-	-
Marion	5	3	2	-	-
Marlboro	3	3	-	-	-
Newberry	-	-	-	-	-
Oconee	4	3	-	1	-
Orangeburg	5	4	-	-	1
Pickens	9	6	-	3	-
Richland	45	34	6	5	-
Saluda	1	1	-	-	-
Spartanburg	23	17	2	3	1
Sumter	6	5	1	-	-
Union	1	-	-	1	-
Williamsburg	5	4	-	-	1
York	11	8	1	2	-

Table 56.
Deaths From Homicides by Types: South Carolina, 1981
(Occurrence Data)

County of Occurrence	Total (E960-E978)	Assault by Firearms (E965)	Assault by Cutting and Piercing (E966)	Residual (E960-E978)
SOUTH CAROLINA	357	244	62	51
Abbeville	-	-	-	-
Aiken	9	5	2	2
Allendale	2	1	-	1
Anderson	19	16	3	-
Bamberg	1	1	-	-
Barnwell	6	3	2	1
Beaufort	4	3	-	1
Berkeley	3	3	-	-
Calhoun	3	3	-	-
Charleston	37	23	8	6
Cherokee	7	4	-	3
Chester	1	1	-	-
Chesterfield	9	7	2	-
Clarendon	2	1	1	-
Colleton	4	4	-	-
Darlington	6	5	-	1
Dillon	2	1	1	-
Dorchester	2	-	-	2
Edgefield	2	-	1	1
Fairfield	4	3	1	-
Florence	14	11	2	1
Georgetown	4	3	-	1
Greenville	43	28	11	4
Greenwood	9	7	2	-
Hampton	3	3	-	-
Horry	13	9	3	1
Jasper	1	-	-	1
Kershaw	4	3	1	-
Lancaster	4	2	-	2
Laurens	3	2	-	1
Lee	4	3	-	1
Lexington	7	5	1	1
McCormick	1	1	-	-
Marion	7	7	-	-
Marlboro	3	-	2	1
Newberry	1	1	-	-
Oconee	6	5	-	1
Orangeburg	4	2	1	1
Pickens	2	2	-	-
Richland	53	31	14	8
Saluda	-	-	-	-
Spartanburg	19	14	1	4
Sumter	9	8	-	1
Union	2	2	-	-
Williamsburg	8	6	2	-
York	10	5	1	4

Table 57.
Infant Deaths and Infant Mortality Rate by Race: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	836	16.2	379	12.4	457	21.6
Abbeville	8	22.5	-	0	8	52.6
Aiken	25	13.7	13	10.6	12	19.7
Allendale	6	26.5	3	57.7	3	17.2
Anderson	37	19.2	26	17.8	11	23.3
Bamberg	5	17.4	3	29.7	2	10.7
Barnwell	8	22.5	4	23.1	4	21.9
Beaufort	13	9.3	7	8.4	6	10.5
Berkeley	39	19.3	16	11.9	23	34.1
Calhoun	6	31.9	2	38.5	4	29.4
Charleston	65	12.8	24	8.6	41	17.9
Cherokee	12	20.6	4	10.0	8	43.7
Chester	5	8.9	1	3.9	4	13.1
Chesterfield	13	21.2	6	16.6	7	27.7
Clarendon	8	17.1	1	7.8	7	20.6
Colleton	2	3.7	-	0	2	6.4
Darlington	20	20.9	4	8.7	16	32.2
Dillon	13	22.5	7	28.7	6	18.0
Dorchester	23	21.0	10	13.0	13	39.9
Edgefield	5	15.8	2	14.4	3	16.9
Fairfield	6	19.0	-	0	6	27.1
Florence	26	13.7	9	9.3	17	18.4
Georgetown	24	31.3	6	18.5	18	40.7
Greenville	71	16.2	47	13.9	24	23.7
Greenwood	20	24.0	12	24.8	8	22.8
Hampton	8	21.4	3	28.8	5	18.6
Horry	30	17.1	18	14.5	12	23.2
Jasper	4	13.0	2	16.8	2	10.6
Kershaw	6	9.6	3	8.2	3	11.5
Lancaster	16	20.1	8	15.4	8	28.9
Laurens	18	23.5	15	29.7	3	11.5
Lee	8	23.7	2	24.4	6	23.4
Lexington	22	10.6	14	8.2	8	22.5
McCormick	7	49.0	1	32.3	6	53.6
Marion	16	25.6	6	29.1	10	23.9
Marlboro	19	34.2	7	33.3	12	34.7
Newberry	9	18.1	1	3.6	8	36.7
Oconee	7	10.2	5	8.4	2	23.5
Orangeburg	19	12.2	8	16.0	11	10.4
Pickens	14	13.7	11	11.8	3	34.9
Richland	56	13.3	17	8.7	39	17.4
Saluda	6	23.3	1	7.9	5	38.2
Spartanburg	33	10.8	20	9.0	13	15.4
Sumter	31	17.7	11	13.1	20	21.8
Union	7	15.8	4	16.4	3	15.0
Williamsburg	19	28.2	1	6.3	18	34.9
York	21	12.8	14	12.4	7	13.7

Rate per 1,000 live births

Table 58.
Neonatal Death and Neonatal Mortality Rates by Race: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	562	10.9	247	8.1	315	14.9
Abbeville	6	16.9	-	0	6	39.5
Aiken	14	7.7	4	3.3	10	16.4
Allendale	5	22.1	3	57.7	2	11.5
Anderson	24	12.4	15	10.3	9	19.1
Bamberg	5	17.4	3	29.7	2	10.7
Barnwell	5	14.0	3	17.3	2	10.9
Beaufort	6	4.3	2	2.4	4	7.0
Berkeley	30	14.9	11	8.2	19	28.1
Calhoun	3	16.0	-	0	3	22.1
Charleston	51	10.0	16	5.7	35	15.2
Cherokee	9	15.4	2	5.0	7	38.3
Chester	1	1.8	-	0	1	3.3
Chesterfield	11	17.9	6	16.6	5	19.8
Clarendon	3	6.4	-	0	3	8.8
Colleton	2	3.7	-	0	2	6.4
Darlington	13	13.6	2	4.4	11	22.1
Dillon	10	17.3	5	20.5	5	15.0
Dorchester	17	15.5	7	9.1	10	30.7
Edgefield	3	9.5	2	14.4	1	5.6
Fairfield	6	19.0	-	0	6	27.1
Florence	19	10.0	5	5.1	14	15.1
Georgetown	15	19.6	4	12.3	11	24.9
Greenville	50	11.4	35	10.4	15	14.8
Greenwood	17	20.4	9	18.6	8	22.8
Hampton	4	10.7	2	19.2	2	7.4
Horry	11	6.3	8	6.5	3	5.8
Jasper	2	6.5	1	8.4	1	5.3
Kershaw	6	9.6	3	8.2	3	11.5
Lancaster	10	12.6	8	15.4	2	7.2
Laurens	13	17.0	11	21.8	2	7.7
Lee	6	17.8	2	24.4	4	15.6
Lexington	14	6.8	8	4.7	6	16.9
McCormick	6	42.0	1	32.3	5	44.6
Marion	7	11.2	3	14.6	4	9.5
Marlboro	11	19.8	5	23.8	6	17.3
Newberry	6	12.1	1	3.6	5	22.9
Oconee	5	7.3	3	5.0	2	23.5
Orangeburg	14	9.0	6	12.0	8	7.5
Pickens	10	9.8	8	8.6	2	23.3
Richland	40	9.5	13	6.6	27	12.0
Saluda	4	15.5	1	7.9	3	22.9
Spartanburg	21	6.9	12	5.4	9	10.7
Sumter	17	9.7	5	6.0	12	13.1
Union	5	11.3	2	8.2	3	15.0
Williamburg	10	14.8	1	6.3	9	17.4
York	15	9.1	9	8.0	6	11.7

Rate per 1,000 live births

Table 59.
Postneonatal Deaths and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	274	5.3	132	4.3	142	6.7
Abbeville	2	5.6	-	0	2	13.2
Aiken	11	6.0	9	7.4	2	3.3
Allendale	1	4.4	-	0	1	5.7
Anderson	13	6.7	11	7.5	2	4.2
Bamberg	-	0	-	0	-	0
Barnwell	3	8.4	1	5.8	2	10.9
Beaufort	7	5.0	5	6.0	2	3.5
Berkeley	9	4.5	5	3.7	4	5.9
Calhoun	3	16.0	2	38.5	1	7.4
Charleston	14	2.8	8	2.9	6	2.6
Cherokee	3	5.1	2	5.0	1	5.5
Chester	4	7.1	1	3.9	3	9.8
Chesterfield	2	3.3	-	0	2	7.9
Clarendon	5	10.7	1	7.8	4	11.8
Colleton	-	0	-	0	-	0
Darlington	7	7.3	2	4.4	5	10.1
Dillon	3	5.2	2	8.2	1	3.0
Dorchester	6	5.5	3	3.9	3	9.2
Edgefield	2	6.3	-	0	2	11.3
Fairfield	-	0	-	0	-	0
Florence	7	3.7	4	4.1	3	3.2
Georgetown	9	11.7	2	6.2	7	15.8
Greenville	21	4.8	12	3.5	9	8.9
Greenwood	3	3.6	3	6.2	-	0
Hampton	4	10.7	1	9.6	3	11.2
Horry	19	10.8	10	8.1	9	17.4
Jasper	2	6.5	1	8.4	1	5.3
Kershaw	-	0	-	0	-	0
Lancaster	6	7.5	-	0	6	21.7
Laurens	5	6.5	4	7.9	1	3.8
Lee	2	5.9	-	0	2	7.8
Lexington	8	3.9	6	3.5	2	5.6
McCormick	1	7.0	-	0	1	8.9
Marion	9	14.4	3	14.6	6	14.3
Marlboro	8	14.4	2	9.5	6	17.3
Newberry	3	6.0	-	0	3	13.7
Oconee	2	2.9	2	3.3	-	0
Orangeburg	5	3.2	2	4.0	3	2.8
Pickens	4	3.9	3	3.2	1	11.6
Richland	16	3.8	4	2.0	12	5.3
Saluda	2	7.8	-	0	2	15.3
Spartanburg	12	3.9	8	3.6	4	4.7
Sumter	14	8.0	6	7.2	8	8.7
Union	2	4.5	2	8.2	-	0
Williamsburg	9	13.4	-	0	9	17.4
York	6	3.7	5	4.4	1	2.0

Rate per 1,000 live births

Table 60.
Fetal Deaths and Fetal Death Mortality Rates by Race: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	669	12.9	280	9.2	389	18.3
Abbeville	7	19.7	4	19.7	3	28.0
Aiken	29	15.8	12	9.8	17	27.9
Allendale	6	26.5	-	0	6	34.5
Anderson	16	8.3	11	7.5	5	10.6
Bamberg	5	17.4	-	0	5	26.7
Barnwell	10	28.1	5	28.9	5	27.3
Beaufort	10	7.1	6	7.2	4	7.0
Berkeley	15	7.4	7	5.2	8	11.9
Calhoun	4	21.3	2	38.5	2	14.7
Charleston	82	16.1	33	11.8	49	21.3
Cherokee	10	17.2	6	15.0	4	21.9
Chester	8	14.2	2	7.7	6	19.7
Chesterfield	10	16.3	5	13.9	5	19.8
Clarendon	10	21.4	2	15.5	8	23.6
Colleton	10	18.5	2	8.7	8	25.7
Darlington	14	14.7	6	13.1	8	16.1
Dillon	11	19.1	2	8.2	9	27.0
Dorchester	13	11.9	3	3.9	10	30.7
Edgefield	3	9.5	1	7.2	2	11.3
Fairfield	5	15.8	1	10.5	4	18.1
Florence	26	13.7	8	8.2	18	19.4
Georgetown	11	14.4	1	3.1	10	22.6
Greenville	40	9.1	29	8.6	11	10.9
Greenwood	8	9.6	2	4.1	6	17.1
Hampton	6	16.1	-	0	6	22.3
Horry	15	8.5	11	8.9	4	7.7
Jasper	6	19.5	-	0	6	31.7
Kershaw	10	16.0	7	19.2	3	11.5
Lancaster	9	11.3	2	3.9	7	25.3
Laurens	10	13.1	2	4.0	8	30.8
Lee	6	17.8	2	24.4	4	15.6
Lexington	30	14.5	16	9.4	14	39.3
McCormick	4	28.0	1	32.3	3	26.8
Marion	8	12.8	1	4.9	7	16.7
Marlboro	10	18.0	2	9.5	8	23.1
Newberry	9	18.1	4	14.3	5	22.9
Oconee	11	16.1	6	10.0	5	58.8
Orangeburg	20	12.8	5	10.0	15	14.2
Pickens	12	11.8	11	11.8	1	11.6
Richland	51	12.1	20	10.2	31	13.9
Saluda	1	3.9	1	7.9	-	0
Spartanburg	34	11.1	21	9.5	13	15.4
Sumter	18	10.3	6	7.2	12	13.1
Union	5	11.3	3	12.3	2	10.0
Williamsburg	14	20.8	1	6.3	13	25.2
York	17	10.4	8	7.1	9	17.6

Rate per 1,000 live births

Table 61.
Perinatal Deaths and Perinatal Mortality Rates by Race: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	1,231	23.5	527	17.1	704	32.6
Abbeville	13	35.9	4	19.3	9	58.1
Aiken	43	23.1	16	13.0	27	43.2
Allendale	11	47.4	3	57.7	8	44.4
Anderson	40	20.5	26	17.7	14	29.4
Bamberg	10	34.1	3	29.7	7	36.5
Barnwell	15	41.0	8	44.9	7	37.2
Beaufort	16	11.4	8	10.0	8	13.9
Berkeley	45	22.1	18	13.3	27	39.5
Calhoun	7	36.5	2	37.0	5	36.2
Charleston	133	25.7	49	17.3	84	35.8
Cherokee	19	32.0	8	19.7	11	58.8
Chester	9	15.7	2	7.7	7	22.5
Chesterfield	21	33.7	11	30.1	10	38.8
Clarendon	13	27.2	2	15.3	11	31.7
Colleton	12	21.7	2	8.6	10	31.3
Darlington	27	27.9	8	17.2	19	37.6
Dillon	21	35.7	7	28.5	14	40.9
Dorchester	30	27.0	10	12.9	20	59.5
Edgefield	6	18.8	3	21.4	3	16.8
Fairfield	11	34.3	1	10.4	10	44.4
Florence	45	23.4	13	13.3	32	33.9
Georgetown	26	33.5	5	15.4	21	46.5
Greenville	90	20.3	64	18.8	26	25.4
Greenwood	25	29.7	11	22.7	14	39.2
Hampton	10	26.4	2	19.2	8	29.1
Horry	26	14.7	19	15.2	7	13.4
Jasper	8	25.5	1	8.4	7	35.9
Kershaw	16	25.2	10	27.0	6	22.8
Lancaster	19	23.6	10	19.2	9	31.7
Laurens	23	29.7	13	25.6	10	37.3
Lee	12	34.9	4	47.6	8	30.8
Lexington	44	21.0	24	13.9	20	54.1
McCormick	10	68.0	2	62.5	8	69.6
Marion	15	23.7	4	19.3	11	25.8
Marlboro	21	37.1	7	33.0	14	39.5
Newberry	15	29.6	5	17.7	10	44.8
Oconee	16	23.1	9	14.9	7	77.8
Orangeburg	34	21.5	11	21.7	23	21.4
Pickens	22	21.3	19	20.1	3	34.5
Richland	91	21.4	33	16.7	58	25.5
Saluda	5	19.3	2	15.6	3	22.9
Spartanburg	55	17.8	33	14.7	22	25.7
Sumter	35	19.7	11	13.0	24	25.9
Union	10	22.3	5	20.2	5	24.8
Williamsburg	24	34.9	2	12.6	22	41.6
York	32	19.3	17	15.0	15	28.8

Rate per 1,000 deliveries (live births + fetal deaths)

Table 62.
Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1981
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	3	0.6	-	0	3	1.4
Charleston	1	2.0	-	0	1	4.4
Florence	1	5.3	-	0	1	10.8
Spartanburg	1	3.3	-	0	1	11.8

Rate per 10,000 live births

Table 63.
Maternal Deaths and Maternal Mortality Rate by Race: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	3	0.6	-	0	3	1.4
Charleston	1	1.2	-	0	1	2.9
Florence	1	4.1	-	0	1	9.0
Spartanburg	1	3.1	-	0	1	11.4

Rate per 10,000 live births

MARRIAGES, DIVORCES, AND ANNULMENTS

SUMMARY OF MARRIAGES, DIVORCES, AND ANNULMENTS

MARRIAGES

In 1981, there were 54,415 marriages recorded in South Carolina at a rate of 17.0 per 1,000 population. This is a decrease of 1.7 percent from the rate recorded in 1980.

As shown in Figure 10, the trend in residential status of persons obtaining marriage licenses in South Carolina over the past twenty years shows an interesting reversal in 1972. From 1962 through 1971, the majority of persons obtaining marriage licenses in South Carolina were not residents of this state. However, in 1972, 50.3 percent were South Carolina residents, and 49.7 percent were non-residents of South Carolina. The decrease in non-residents obtaining licenses continued in 1980, when the percentage of marriages where neither the bride nor the groom was a resident of South Carolina fell to 39.6. However, the percentage in 1981 rose slightly to 41.7.

Figure 10.
Percentage of Non-Residents Obtaining
Marriage Licenses in South Carolina, 1962-1981



Table 66 shows that there were 30,133 marriages or 58.6 percent of total marriages in which both the bride and the groom were residents of South Carolina. In 41.7 percent of the marriages, neither the bride nor groom were residents of this state. Over twice as many marriages occurred between resident brides and non-resident grooms as compared to resident grooms and non-resident brides.

Again in 1981, the greatest number of marriages occurred between brides within the 20-24 year age group and grooms within the 20-24 year age group. There were 19,514 persons under the age of twenty who married in South Carolina in 1981. Therefore, teenagers represent 17.9 percent of all persons married in this state in 1981. This percentage is lower than that for 1980, when 19.3 percent of all persons marrying were teenagers.

There were 952 marriages between persons of different races in South Carolina in 1981. Table 64 shows a cross-classification of race of bride by race of groom for South Carolina, 1981.

Table 64.
Marriages by Race of Bride by Race of Groom
South Carolina, 1981

Race of Bride	Race of Groom							
	White	Black	Indian	Chinese	Japanese	Other	Not Stated	Total
White	41,474	307	140	3	6	48	1	41,979
Black	105	11,687	9	-	1	4	1	11,807
Indian	92	18	245	-	-	3	-	358
Chinese	10	-	-	6	-	1	-	17
Japanese	9	1	-	-	1	-	-	11
Other	154	28	2	2	-	51	-	237
Not Stated	3	3	-	-	-	1	4	11
Total	41,847	12,044	396	11	8	108	6	54,420

"Other" includes Hawaiian, Filipino, other Asian and Pacific Islander and other nonwhite.

DIVORCES AND ANNULMENTS

In 1981, South Carolina recorded 13,974 divorces and annulments. The rate of divorces and annulments was 4.4 per 1,000 estimated population. This is the same rate as recorded in 1980.

The divorce rate for the white population has been consistently higher than the nonwhite divorce rate since 1962, the year divorces were first required to be registered with the Office of Vital Records and Public Health Statistics. In 1981, the white rate was 5.2 and the nonwhite rate was 2.5.

There were 15,796 children involved in divorces and annulments in 1981, or an average of 1.1 children per divorce decree. The most frequently cited grounds for divorce were one year separation, which accounted for 67.5 percent of all grounds for divorce, followed by adultery, cruelty, and drunkenness. Table 71 shows divorces by legal grounds for decree, for South Carolina and each county, 1981.

Out of the total 27,948 persons in 1981 who were granted divorces, 34.4 percent were between the ages of 20 and 29.

Table 65.
Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1981

County License Issued	Total	Residence of Bride				Residence of Groom			
		S.C. Resident		Non-Resident		S.C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	54,415	32,094	59.0	22,321	41.0	31,028	57.0	23,387	43.0
Abbeville	247	194	78.5	53	21.5	182	73.7	65	26.3
Aiken	3,077	1,201	39.0	1,876	61.0	1,145	37.2	1,932	62.8
Allendale	288	109	37.8	179	62.2	109	37.8	179	62.2
Anderson	1,381	1,239	89.7	142	10.3	1,203	87.1	178	12.9
Bamberg	163	152	93.3	11	6.7	147	90.2	16	9.8
Barnwell	194	181	93.3	13	6.7	179	92.3	15	7.7
Beaufort	939	713	75.9	226	24.1	647	68.9	292	31.1
Berkeley	817	794	97.2	23	2.8	768	94.0	49	6.0
Calhoun	98	94	95.9	4	4.1	92	93.9	6	6.1
Charleston	4,186	3,816	91.2	370	8.8	3,716	88.8	470	11.2
Cherokee	2,269	419	18.5	1,850	81.5	406	17.9	1,863	82.1
Chester	312	270	86.5	42	13.5	263	84.3	49	15.7
Chesterfield	1,258	350	27.8	908	72.2	330	26.2	928	73.8
Clarendon	228	211	92.5	17	7.5	206	90.4	22	9.6
Colleton	286	263	92.0	23	8.0	259	90.6	27	9.4
Darlington	593	554	93.4	39	6.6	546	92.1	47	7.9
Dillon	7,036	434	6.2	6,602	93.8	419	6.0	6,617	94.0
Dorchester	307	294	95.8	13	4.2	284	92.5	23	7.5
Edgefield	166	130	78.3	36	21.7	120	72.3	46	27.7
Fairfield	115	100	87.0	15	13.0	101	87.8	14	12.2
Florence	1,204	1,093	90.8	111	9.2	1,042	86.5	162	13.5
Georgetown	436	390	89.4	46	10.6	372	85.3	64	14.7
Greenville	3,940	3,328	84.5	612	15.5	3,225	81.9	715	18.1
Greenwood	706	680	96.3	26	3.7	666	94.3	40	5.7
Hampton	178	165	92.7	13	7.3	161	90.4	17	9.6
Horry	1,912	1,178	61.6	734	38.4	1,144	59.8	768	40.2
Jasper	1,446	225	15.6	1,221	84.4	214	14.8	1,232	85.2
Kershaw	393	372	94.7	21	5.3	362	92.1	31	7.9
Lancaster	949	575	60.6	374	39.4	568	59.9	381	40.1
Laurens	505	485	96.0	20	4.0	472	93.5	33	6.5
Lee	145	140	96.6	5	3.4	131	90.3	14	9.7
Lexington	1,134	1,101	97.1	33	2.9	1,072	94.5	62	5.5
McCormick	117	57	48.7	60	51.3	58	49.6	59	50.4
Marion	284	248	87.3	36	12.7	238	83.8	46	16.2
Marlboro	1,166	266	22.8	900	77.2	250	21.4	916	78.6
Newberry	263	248	94.3	15	5.7	246	93.5	17	6.5
Oconee	1,633	535	32.8	1,098	67.2	512	31.4	1,121	68.6
Orangeburg	698	666	95.4	32	4.6	637	91.3	61	8.7
Pickens	829	712	85.9	117	14.1	686	82.8	143	17.2
Richland	3,638	3,426	94.2	212	5.8	3,287	90.4	351	9.6
Saluda	134	129	96.3	5	3.7	126	94.0	8	6.0
Spartanburg	2,344	2,073	88.4	271	11.6	2,019	86.1	325	13.9
Sumter	993	934	94.1	59	5.9	897	90.3	96	9.7
Union	274	259	94.5	15	5.5	256	93.4	18	6.6
Williamsburg	274	248	90.5	26	9.5	246	89.8	28	10.2
York	4,860	1,043	21.5	3,817	78.5	1,019	21.0	3,841	79.0

Table 66.
Marriages by Residential Status, by County of Marriage
South Carolina, 1981
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Resident Bride and Groom	Resident Groom Only	Resident Bride Only	Neither Res. Bride nor Groom
SOUTH CAROLINA	54,415	30,133	895	1,961	21,426
Abbeville	256	185	7	20	44
Aiken	3,061	1,031	114	177	1,739
Allendale	290	105	7	6	172
Anderson	1,459	1,255	20	60	124
Bamberg	167	147	4	7	9
Barnwell	201	180	3	7	11
Beaufort	950	627	26	96	201
Berkeley	820	753	4	39	24
Calhoun	111	102	-	4	5
Charleston	3,845	3,276	102	190	277
Cherokee	2,266	382	26	34	1,824
Chester	331	276	4	10	41
Chesterfield	1,273	327	15	36	895
Clarendon	241	212	1	12	16
Colleton	301	270	6	10	15
Darlington	611	548	4	20	39
Dillon	7,038	410	28	44	6,556
Dorchester	597	552	7	24	14
Edgefield	150	105	7	13	25
Fairfield	155	132	6	8	9
Florence	1,215	1,050	9	56	100
Georgetown	478	402	9	23	44
Greenville	3,801	3,037	43	142	579
Greenwood	668	617	6	20	25
Hampton	196	175	3	8	10
Horry	1,925	1,094	44	75	712
Jasper	1,421	187	12	23	1,199
Kershaw	422	378	7	16	21
Lancaster	914	514	21	32	347
Laurens	528	491	6	15	16
Lee	178	163	1	11	3
Lexington	1,377	1,287	13	42	35
McCormick	121	60	3	1	57
Marion	292	237	7	17	31
Marlboro	1,158	226	19	35	878
Newberry	286	260	8	11	7
Oconee	1,618	487	19	38	1,074
Orangeburg	712	647	4	34	27
Pickens	878	722	11	36	109
Richland	3,214	2,797	79	206	132
Saluda	145	133	-	6	6
Spartanburg	2,382	2,005	52	103	222
Sumter	969	854	21	57	37
Union	274	254	2	9	9
Williamsburg	302	268	7	10	17
York	4,809	907	98	118	3,686
Out-of-State	9	6	-	-	3

Table 67. Marriages by Race, by Residential Status by Age Groups of Brides: South Carolina, 1981

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	32,094	100.0	24,500	100.0	7,594	100.0
Under 15	123	0.4	112	0.5	11	0.1
15 - 19	8,079	25.2	6,590	26.9	1,489	19.6
20 - 24	10,979	34.2	8,000	32.7	2,979	39.2
25 - 29	5,530	17.2	3,961	16.2	1,569	20.7
30 - 34	2,962	9.2	2,274	9.3	688	9.1
35 - 39	1,645	5.1	1,328	5.4	317	4.2
40 - 44	981	3.1	788	3.2	193	2.5
45 - 49	617	1.9	508	2.1	109	1.4
50 - 54	396	1.2	311	1.3	85	1.1
55 - 59	293	0.9	234	1.0	59	0.8
60 - 64	236	0.7	191	0.8	45	0.6
65 - 69	152	0.5	119	0.5	33	0.4
70 - 74	68	0.2	60	0.2	8	0.1
75 and Over	32	0.1	23	0.1	9	0.1
Unknown	1	0.0	1	0.0	-	0
Non-Residents						
All Ages	22,321	100.0	17,359	100.0	4,962	100.0
Under 15	215	1.0	211	1.2	4	0.1
15 - 19	5,145	23.1	4,289	24.7	856	17.3
20 - 24	5,906	26.5	4,294	24.7	1,612	32.5
25 - 29	3,926	17.6	2,868	16.5	1,058	21.3
30 - 34	2,559	11.5	1,952	11.2	607	12.2
35 - 39	1,585	7.1	1,288	7.4	297	6.0
40 - 44	1,060	4.7	884	5.1	176	3.5
45 - 49	695	3.1	575	3.3	120	2.4
50 - 54	482	2.2	387	2.2	95	1.9
55 - 59	297	1.3	228	1.3	69	1.4
60 - 64	232	1.0	198	1.1	34	0.7
65 - 69	137	0.6	111	0.6	26	0.5
70 - 74	61	0.3	53	0.3	8	0.2
75 and Over	21	0.1	21	0.1	-	0

Table 67.
Marriages by Race, by Residential Status, by Age Groups of Grooms: South Carolina, 1981

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	31,028	100.0	23,685	100.0	7,343	100.0
Under 15	-	0	-	0	-	0
15 - 19	3,380	10.9	2,902	12.3	478	6.5
20 - 24	11,122	35.8	8,223	34.7	2,899	39.5
25 - 39	6,936	22.4	4,930	20.8	2,006	27.3
30 - 34	3,714	12.0	2,888	12.2	826	11.2
35 - 39	2,071	6.7	1,690	7.1	381	5.2
40 - 44	1,214	3.9	982	4.1	232	3.2
45 - 49	841	2.7	711	3.0	130	1.8
50 - 54	521	1.7	418	1.8	103	1.4
55 - 59	418	1.3	335	1.4	83	1.1
60 - 64	317	1.0	233	1.0	8	1.1
65 - 69	245	0.8	183	0.8	62	0.8
70 - 74	144	0.5	104	0.4	4	0.5
75 and Over	104	0.3	85	0.4	19	0.3
Unknown	1	0.0	1	0.0	-	0
Non-Residents						
All Ages	23,387	100.0	18,061	100.0	5,326	100.0
Under 15	-	0	-	0	-	0
15 - 19	2,572	11.0	2,271	12.6	301	5.7
20 - 24	6,763	28.9	4,847	26.8	1,916	36.0
25 - 29	4,641	19.8	3,422	18.9	1,219	22.9
30 - 34	3,073	13.1	2,371	13.1	702	13.2
35 - 39	1,955	8.4	1,580	8.7	375	7.0
40 - 44	1,333	5.7	1,111	6.2	222	4.2
45 - 49	964	4.1	775	4.3	189	3.5
50 - 54	744	3.2	604	3.3	140	2.6
55 - 59	517	2.2	426	2.4	91	1.7
60 - 64	382	1.6	289	1.6	93	1.7
65 - 69	222	0.9	176	1.0	46	0.9
70 - 74	135	0.6	116	0.6	19	0.4
75 and Over	86	0.4	73	0.4	13	0.2

Table 69.
Marriages by Age of Bride, by Age of Groom
South Carolina, 1981

Age of Groom	Age of Bride															
	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & Over	Not Stated
Total	54,415	338	13,224	16,885	9,456	5,521	3,230	2,041	1,312	878	590	468	289	129	53	1
Under 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 19	5,952	210	4,527	1,018	143	34	18	1	-	-	1	-	-	-	-	-
20 - 24	17,885	107	6,766	8,563	1,849	444	128	14	11	1	-	1	-	-	-	1
25 - 29	11,577	11	1,415	4,974	3,623	1,158	306	68	18	2	2	-	-	-	-	-
30 - 34	6,787	6	350	1,572	2,298	1,688	621	184	51	13	1	3	-	-	-	-
35 - 39	4,026	4	106	492	924	1,133	839	358	131	27	5	6	1	-	-	-
40 - 44	2,547	-	35	169	358	576	636	492	175	83	16	7	-	-	-	-
45 - 49	1,805	-	13	64	163	271	362	420	324	130	40	15	2	1	-	-
50 - 54	1,265	-	7	19	65	118	176	281	261	203	94	32	7	1	1	-
55 - 59	935	-	1	9	18	54	84	129	184	199	156	71	22	8	-	-
60 - 64	699	-	2	3	11	26	40	62	102	129	144	131	41	4	4	-
65 - 69	467	-	2	2	1	11	10	16	39	52	82	125	95	25	7	-
70 - 74	279	-	-	-	3	6	6	12	12	28	28	52	77	47	8	-
75 and Over	190	-	-	-	-	1	4	4	4	11	21	25	44	43	33	-
Not Stated	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 70.

Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1981

County of Decree	Divorces and Annulments			Children		
	Total	White	Nonwhite	Total	White	Nonwhite
SOUTH CAROLINA	13, 974	11,503	2,471	15,796	12,031	3,765
Abbeville	88	65	23	85	59	26
Aiken	408	343	65	477	309	168
Allendale	20	11	9	26	18	8
Anderson	756	672	84	706	594	112
Bamberg	44	20	24	35	11	24
Barnwell	65	49	16	155	43	112
Beaufort	275	212	63	241	161	80
Berkeley	391	347	44	487	418	69
Calhoun	29	17	12	31	21	10
Charleston	1,342	1,100	242	1,557	1,169	388
Cherokee	227	202	25	239	201	38
Chester	112	87	25	116	80	36
Chesterfield	97	75	22	107	74	33
Clarendon	45	32	13	230	120	110
Colleton	115	80	35	112	72	40
Darlington	194	140	54	303	227	76
Dillon	100	75	25	96	70	26
Dorchester	218	190	28	192	159	33
Edgefield	42	29	13	31	20	11
Fairfield	62	29	33	72	23	49
Florence	467	374	93	426	312	114
Georgetown	118	89	29	116	76	40
Greenville	1,900	1,685	215	1,890	1,627	263
Greenwood	284	232	52	262	200	62
Hampton	48	32	16	44	26	18
Horry	437	393	44	327	275	52
Jasper	29	22	7	32	27	5
Kershaw	180	144	36	174	135	39
Lancaster	213	177	36	614	564	50
Laurens	268	194	74	362	266	96
Lee	25	17	8	20	11	9
Lexington	817	763	54	822	739	83
McCormick	15	6	9	14	7	7
Marion	122	77	45	113	66	47
Marlboro	117	92	25	121	92	29
Newberry	118	90	28	240	87	153
Oconee	274	264	10	364	258	106
Orangeburg	309	189	120	357	198	159
Pickens	291	279	12	250	242	8
Richland	1,077	777	300	1,399	1,053	346
Saluda	43	37	6	46	36	10
Spartanburg	1,276	1,115	161	1,410	1,113	297
Sumter	443	292	151	451	244	207
Union	129	109	20	231	193	38
Williamsburg	45	18	27	33	8	25
York	299	261	38	380	327	53

by race of husband

Table 71.
Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1981

County of Decree	Plaintiff		Legal Grounds for Divorce*							Annulment	Unknown
	Husband	Wife	Desertion	Cruelty	Drunkeness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds		
SOUTH CAROLINA	4,663	9,308	97	1,453	858	15	1,629	9,436	214	270	2
Abbeville	30	58	-	8	5	-	13	55	1	6	-
Aiken	152	256	1	38	16	-	36	303	9	5	-
Allendale	13	7	1	1	-	-	1	17	-	-	-
Anderson	193	563	5	158	69	3	99	383	25	13	1
Bamberg	11	33	1	4	3	-	4	31	-	1	-
Barnwell	25	40	-	7	1	-	10	46	-	1	-
Beaufort	104	171	3	23	14	-	34	196	2	3	-
Berkeley	134	257	5	40	13	-	57	262	8	6	-
Calhoun	17	12	-	1	1	-	4	22	-	1	-
Charleston	539	803	15	72	46	-	138	1,039	13	19	-
Cherokee	78	149	1	23	14	-	29	157	3	-	-
Chester	41	71	3	20	6	-	11	68	-	4	-
Chesterfield	31	66	-	10	10	-	10	62	4	1	-
Clarendon	19	26	-	2	1	-	4	36	2	-	-
Colleton	42	73	1	14	7	-	8	81	3	1	-
Darlington	62	132	4	23	11	-	22	129	-	5	-
Dillon	22	78	-	5	6	-	8	73	4	4	-
Dorchester	82	136	1	20	8	-	26	156	4	3	-
Edgefield	17	25	-	3	1	-	2	35	1	-	-
Fairfield	20	42	-	10	2	-	3	47	-	-	-
Florence	175	292	4	34	24	-	63	333	2	7	-
Georgetown	41	77	1	9	10	-	8	86	4	-	-
Greenville	603	1,296	14	266	128	5	254	1,167	26	40	-
Greenwood	98	186	3	27	22	1	39	182	3	7	-
Hampton	15	33	1	5	1	-	3	36	1	1	-
Horry	148	289	3	42	31	-	48	287	15	11	-
Jasper	13	16	-	2	2	-	2	23	-	-	-
Kershaw	63	117	-	15	6	-	19	135	3	2	-
Lancaster	64	149	-	21	18	-	26	144	4	-	-
Laurens	78	190	-	32	39	-	37	152	5	3	-
Lee	8	17	-	2	2	-	3	16	1	1	-
Lexington	239	576	4	76	46	2	114	550	5	20	-
McCormick	5	10	-	1	2	-	1	11	-	-	-
Marion	41	81	-	7	3	1	12	95	2	2	-
Marlboro	40	77	-	9	4	-	10	89	-	5	-
Newberry	29	89	2	21	7	-	11	75	2	-	-
Oconee	90	184	-	26	23	1	37	177	4	6	-
Orangeburg	95	214	2	31	16	-	26	229	3	2	-
Pickens	93	198	2	31	35	1	49	165	-	8	-
Richland	371	706	11	96	34	-	96	800	7	32	1
Saluda	15	28	-	6	4	-	9	23	1	-	-
Spartanburg	402	874	5	123	103	-	130	864	24	27	-
Sumter	146	297	1	37	25	-	62	291	13	14	-
Union	38	91	2	26	13	-	10	71	6	1	-
Williamsburg	18	27	-	1	1	-	4	39	-	-	-
York	103	196	1	25	25	1	37	198	4	8	-

* Frequencies may not agree due to multiple grounds and incomplete reporting.

Table 72.
Divorces by Age Groups, by Race*: South Carolina, 1981

YEARS OF AGE	TOTAL	WHITE	NONWHITE
* by age and race of husband			
All Ages	13,974	11,503	2,471
Under 15	11	8	3
15 - 19	105	99	6
20 - 24	1,902	1,703	199
25 - 29	3,297	2,676	621
30 - 34	3,029	2,410	619
35 - 39	2,073	1,685	388
40 - 44	1,268	1,076	192
45 - 49	841	716	125
50 - 54	543	460	83
55 - 59	323	258	65
60 - 64	190	145	45
65 - 69	106	69	37
70 - 74	56	42	14
75+	46	34	12
Not Stated	184	122	62
* by age and race of wife			
All Ages	13,974	11,489	2,485
Under 15	17	13	4
15 - 19	484	460	24
20 - 24	2,847	2,477	370
25 - 29	3,462	2,749	713
30 - 34	2,738	2,177	561
35 - 39	1,707	1,415	292
40 - 44	1,020	857	163
45 - 49	633	523	110
50 - 54	371	305	66
55 - 59	230	182	48
60 - 64	123	93	30
65 - 69	61	46	15
70 - 74	26	19	7
75+	14	12	2
Not Stated	241	161	80

Table 73.
Divorces by Duration of Marriage, by Plaintiff by Legal Grounds for Decree South Carolina, 1981

Duration of Marriage	Plaintiff		Legal Grounds for Decree*								
	Husband	Wife	Desertion	Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annul- ment	Unk
Total	4,663	9,308	97	1,453	858	15	1,629	9,436	214	267	2
Under 1 Year	43	109	-	27	14	-	15	14	3	79	-
1-4 Years	1,332	2,891	19	679	330	6	474	2,483	85	148	-
1 Year	176	509	1	174	87	5	110	200	15	93	-
2 Years	363	789	3	220	97	1	110	672	22	27	-
3 Years	416	806	6	155	78	-	128	812	30	14	-
4 Years	377	787	9	130	68	-	126	799	18	14	-
5-9 Years	1,376	2,829	26	393	199	4	456	3,052	53	21	1
5 Years	316	669	8	96	50	-	97	713	13	8	-
6 Years	297	612	4	96	46	1	95	650	13	4	-
7 Years	272	539	4	77	36	-	93	588	10	2	1
8 Years	233	505	2	62	38	2	83	538	11	2	-
9 Years	258	504	8	62	29	1	88	563	6	5	-
10-14 Years	796	1,663	24	187	117	4	327	1,761	30	10	-
15-19 Years	413	858	12	99	77	-	160	895	21	6	1
20-24 Years	296	461	9	43	59	-	105	530	10	1	-
25-29 Years	155	259	3	11	33	1	55	307	4	-	-
30 & Over	242	224	4	13	24	-	35	380	8	1	-
Unknown	10	14	-	1	5	-	2	14	-	1	-

*Frequencies may not agree due to multiple grounds and incomplete reporting.

MORBIDITY

Table 74.
Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	German Measles (Rubella)	Tetanus	Tuberculosis	Tularemia	Typhoid Fever	Rocky Mt. Spotted Fever	Amebiasis	Influenza	Giardiasis	Salmonella	Shigella	Helminths
1980	58	3	520	-	3	141	89	2336	406	477	87	550
1981	8	3	541	3	2	102	282	1615	481	545	51	388
Abbeville						1		23		3		
Aiken	3		12	1		1		1		10	2	
Allendale			3									
Anderson			8			6		398	12	18	3	1
Bamberg			2					7	1			
Barnwell			1					1				
Beaufort			6				16	10	21	8		2
Berkeley			14					1		3		
Calhoun			7							1		
Charleston	1	1	44		1	2	8	205	59	84	19	14
Cherokee			5			11				1		
Chester			5	1		9		8		10	1	
Chesterfield			15					11	3	7		
Clarendon			5					1		2		
Colleton		1	8					26		4		
Darlington			13					1	6	39		1
Dillon			13					4		8		
Dorchester	2		7			1			3	1	1	
Edgefield			6					8		2		
Fairfield			6			1		1				
Florence			53			1		15	1	23	4	1
Georgetown			5					2	2	3		
Greenville	1		26	1	1	16		11	3	17	2	
Greenwood			6			4		2		8		
Hampton			3									
Horry			2				1	23	4	34	1	1
Jasper			3					5				
Kershaw			11			1			1	20		
Lancaster			29							1	1	
Laurens			4			1		77		4		
Lee			6							3		
Lexington			12					40	1	48		
McCormick												
Marion		1	24					1		4		
Marlboro			11			2				8		
Newberry			3					2		1		
Oconee	1					1	1	127		6	2	
Orangeburg			23					123		14	1	
Pickens			8			7		4		2		
Richland			63			1	65	131	1	69	1	
Saluda			5					15				
Spartanburg			20			22		185	7	16	3	
Sumter			19					2		26		
Union			1					28		1		
Williamsburg			16					3		11		
York			8			13		54		4		
Unknown County						1	191	59	356	21	10	368

Table 74 - Continued

County of Occurrence	Aseptic Meningitis	Brucellosis	Chickenpox	Primary Encephalitis	Encephalitis Post-Infectious	Infectious Hepatitis	Serum Hepatitis	Unspecified Hepatitis	Measles (Rubeola)	Meningococcal Infections	Mumps	Pertussis	Malaria	Rabies
1980	60	1	577	10	-	147	492	80	159	58	24	18	12	62
1981	35	-	545	4	-	114	446	55	2	92	18	11	2	50
Abbeville	2						2	1						
Aiken	4		18			1	3			6				
Allendale							1							
Anderson	1		100	2		1	13	8		6	1			
Bamberg						4		1		1	1			
Barnwell							4							
Beaufort	1		1				3	2		1				1
Berkeley	1		5			8	12	1				1		4
Calhoun							2							8
Charleston	4		243			20	114	8		8	2	6		
Cherokee	1							1						1
Chester														
Chesterfield						2	2			1	1			
Clarendon							1			1				
Colleton			5				2			1				5
Darlington			15			1	1				2			1
Dillon							3			1		1		
Dorchester	1						5			1				3
Edgefield										1				
Fairfield			3				1							
Florence	1					2	8			3				1
Georgetown							4							
Greenville	12		5			34	50	3	2	12	2		1	
Greenwood			4			1	5							
Hampton										3				1
Horry			67	1		2	10	1		9		2		
Jasper			1			1		1				1		1
Kershaw						1	5							
Lancaster			1	1		1	2			1				
Laurens							30	1		2	1			
Lee			1			1		1						
Lexington			35			1	19	1		1	3			1
McCormick														
Marion							2							
Marlboro														
Newberry						1	1			2				
Oconee	1		4			1	1			3	1			
Orangeburg			18			1	7	1		2				4
Pickens	2					7	13	1		2				4
Richland						3	80	11		2			1	6
Saluda			2				1							
Spartanburg			7			13	20	4		7	2			6
Sumter	1		2			3	3	1		2				2
Union														
Williamsburg							5	1		1				
York			4			4	4	6			1			1
Unknown County	3		4				7			12	1			

Table 75.
Reported Cases of Venereal Disease
South Carolina and Each County, 1981
(Occurrence Data)

County of Occurrence	Gonorrhea[1]	Syphilis[1]		Other V. D.	Total V. D.
		Infectious	Other[2]		
SOUTH CAROLINA 1980	23,525	406	549	4	24,484
1981	23,899	587	678	6	25,170
Abbeville	51	1	-	-	52
Aiken	229	13	13	-	255
Allendale	132	-	1	-	133
Anderson	900	2	11	-	913
Bamberg	186	11	8	-	205
Barnwell	181	3	2	-	186
Beaufort	234	1	12	-	247
Berkeley	168	5	4	-	177
Calhoun	42	-	1	-	43
Charleston	3,245	200	136	4	3,585
Cherokee	43	1	5	-	49
Chester	121	2	-	-	123
Chesterfield	146	1	4	-	151
Clarendon	256	1	4	-	261
Colleton	166	3	5	1	175
Darlington	292	4	5	-	301
Dillon	290	2	9	-	301
Dorchester	292	13	12	-	317
Edgefield	91	5	3	-	99
Fairfield	133	1	2	-	136
Florence	768	25	40	-	833
Georgetown	245	6	8	-	259
Greenville	3,270	59	69	-	3,398
Greenwood	352	18	23	-	393
Hampton	60	1	2	-	63
Horry	548	11	7	-	566
Jasper	82	3	4	-	89
Kershaw	385	3	2	-	390
Lancaster	241	5	11	-	257
Laurens	257	1	2	-	260
Lee	168	-	1	-	169
Lexington	285	11	16	-	312
McCormick	94	8	4	-	106
Marion	118	3	8	-	129
Marlboro	166	1	10	-	177
Newberry	279	-	2	-	281
Oconee	87	5	17	-	109
Orangeburg	1,093	38	22	1	1,154
Pickens	158	18	13	-	189
Richland	5,320	45	87	-	5,452
Saluda	47	4	9	-	60
Spartanburg	407	14	33	-	454
Sumter	1,160	28	20	-	1,208
Union	59	-	5	-	64
Williamsburg	186	4	4	-	194
York	860	3	6	-	869
Not Stated & Institutions	6	4	16	-	26

[1] Excluding Military: Gonorrhea, Military 1,805, Syphilis, Military 31

[2] Includes early latent, under 1 year, congenital, and all other Syphilis

APPENDIX



TYPE
OR PRINT
IN
PERMANENT
INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF LIVE BIRTH

139-

BIRTH NUMBER

CHILD

CHILD—NAME 1.	FIRST	MIDDLE	LAST	SEX 2.	DATE OF BIRTH (Mo., Day, Yr.) 3a.	HOUR 3b. M

HOSPITAL—NAME *(If not in hospital, give street and number)* 4a.	CITY, TOWN OR LOCATION OF BIRTH 4b.	COUNTY OF BIRTH 4c.

CERTIFIER

I certify that the stated information concerning this child is true to the best of my knowledge and belief. 5a. (Signature) ▶	DATE SIGNED (Mo., Day, Yr.) 5b.	NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER *(Type or print)* 5c.
CERTIFIER—NAME AND TITLE *(Type or print)* 5d.	MAILING ADDRESS *(Street or R.F.D. No., City or Town, State, Zip)* 5e.	
REGISTRAR 6a. (Signature) ▶	DATE RECEIVED BY REGISTRAR (Month, Day, Year) 6b.	

MOTHER

MOTHER—MAIDEN NAME 7a.	FIRST	MIDDLE	LAST	AGE (At time of this birth) 7b.	STATE OF BIRTH (If not in U.S.A., name country) 7c.

RESIDENCE—STATE 8a.	COUNTY 8b.	CITY, TOWN OR LOCATION 8c.	STREET AND NUMBER OF RESIDENCE 8d.	INSIDE CITY LIMITS (Specify yes or no) 8e.

MOTHER'S MAILING ADDRESS—*If same as above, enter Zip Code only*
9.

FATHER

FATHER—NAME 10a.	FIRST	MIDDLE	LAST	AGE (At time of this birth) 10b.	STATE OF BIRTH (If not in U.S.A., name country) 10c.

I certify that the personal information provided on this certificate is correct [illegible] best of my knowledge and belief. (Signature of Parent or other informant) 11a. ▶	RELATION TO CHILD 11b.

DHEC-609 Rev. 1978

INFORMATION FOR [illegible] AND HEALTH USE ONLY

RACE—MOTHER (e.g., White, Black, American Indian, etc.) (Specify) 12.	RACE—FATHER (e.g., White, Black, American Indian, etc.) (Specify) 13.	BIRTH WEIGHT 14.	THIS BIRTH—Single, twin, triplet, etc. (Specify) 15a.	IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify) 15b.	IS MOTHER MARRIED? (Specify yes or no) 16.

PREGNANCY HISTORY
(Complete each section)

LIVE BIRTHS (Do not include this Child)		OTHER TERMINATIONS (Spontaneous and Induced)	
17a. Now living	17b. Now dead	17d. Before 20 wks.	17e. After 20 wks.
Number____	Number____	Number____	Number____
None ☐	None ☐	None ☐	None ☐
DATE OF LAST LIVE BIRTH (Month, Year) 17c.		DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year) 17f.	

EDUCATION—MOTHER (Specify only highest grade completed)		EDUCATION—FATHER (Specify only highest grade completed)	
Elementary or Secondary (0-12) 18a.	College (1-4 or 5+)	Elementary or Secondary (0-12) 19a.	College (1-4 or 5+)
Usual Occupation 18b.	Business or Industry 18c.	Usual Occupation 19b.	Business or Industry 19c.
DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 20.	MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify) 21a.	PRENATAL VISITS Total number (If none, so state) 21b.	APGAR SCORE 1 min. 22a. 5 min. 22b.

COMPLICATIONS OF PREGNANCY *(Describe or write "none")*
23.

CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")*
24.

COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")* 25.	CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD *(Describe or write "none")* 26.

MOTHER'S BLOOD TESTED FOR SYPHILIS? (SPECIFY YES OR NO) MONTH DAY YEAR 27a. DATE	LABORATORY 27b.	WHAT PROPHYLACTIC USED IN EYES? *(Specify)* 28. TIME USED M.

DEATH UNDER ONE YEAR OF AGE
Enter State File Number of death certificate for this child

MULTIPLE BIRTHS
Enter State File Number for mate(s)

LIVE BIRTH(S)

FETAL DEATH(S)

SAMPLE

BEST AVAILABLE COPY

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF DEATH

STATE BIRTH NUMBER
STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

DECEDENT

IF DEATH OCCURRED IN INSTITUTION SEE HANDBOOK REGARDING COMPLETION OF RESIDENCE ITEMS.

1. DECEDENT—NAME FIRST MIDDLE LAST
2. SEX
3. DATE OF DEATH (Mo., Day, Yr.)
4. RACE—(e.g., White, Black, American Indian, etc.) (Specify)
5a. AGE—Last Birthday (Yrs.)
5b. UNDER 1 YEAR MOS. DAYS
5c. UNDER 1 DAY HOURS MINS.
6. DATE OF BIRTH (Mo., Day, Yr.)
7a. COUNTY OF DEATH
7b. CITY, TOWN OR LOCATION OF DEATH
7c. HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number)
7d. IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)
8. STATE OF BIRTH (If not in U.S.A., name country)
9. CITIZEN OF WHAT COUNTRY
10. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)
11. SURVIVING SPOUSE (If wife, give maiden name)
12. WAS DECEDENT EVER IN U.S. ARMED FORCES? (Specify Yes or No)
13. SOCIAL SECURITY NUMBER
14a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)
14b. KIND OF BUSINESS OR INDUSTRY
15a. RESIDENCE—STATE
15b. COUNTY
15c. CITY, TOWN OR LOCATION
15d. STREET AND NUMBER
15e. INSIDE CITY LIMITS (Specify Yes or No)

PARENTS

16. FATHER—NAME FIRST MIDDLE LAST
17. MOTHER—MAIDEN NAME FIRST MIDDLE LAST
18a. INFORMANT—NAME (Type or Print)
18b. MAILING ADDRESS STREE[illegible] R.F.D. NO. CITY OR TOWN STATE Zip

DISPOSITION

19a. BURIAL, CREMATION, REMOVAL, Other (Specify)
19b. CEMETERY OR CREMATORY—NAME
19c. LOCATION CITY OR TOWN STATE
20a. FUNERAL DIRECTOR OR PERSON ACTING AS SUCH (Signature) ▶
20b. LIC. NO.
20c. EMBALMER'S SIGNATURE
20d. LIC. NO.
20e. NAME OF FACILITY
20f. LIC. NO.
[illegible] ADDRESS OF FACILITY

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only

21a. To the best of my knowledge, death occurred at the ti[illegible] date [illegible] place and due to the cause(s) stated.
(Signature and Title) ▶
21b. DATE SIGNED (Mo., Day, Yr.)
21c. HOUR OF DEATH M
21d. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CE[illegible] or Print)

To be Completed by MEDICAL EXAMINER or CORONER Only

22a. On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated.
(Signature and Title) ▶
22b. DATE SIGNED (Mo., Day, Yr.)
22c. HOUR OF DEATH M
22d. PRONOUNCED DEAD (Mo., Day, Yr.) ON
22e. PRONOUNCED DEAD (Hour) AT M
23a. NAME AND ADDRESS OF CERTIFIER (PHYS[illegible]AN, MEDICAL EXA[illegible]ER OR CORONER) (Type or Print)
23b. LIC. NO.
24a. REGISTRAR (Signature) ▶
24b. DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

25. PART I IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).]
(a) Interval between onset and death
DUE TO, OR AS A CONSEQUENCE OF:
(b) Interval between onset and death
DUE TO, OR AS A CONSEQUENCE OF:
(c) Interval between onset and death

PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)
26. AUTOPSY (Specify Yes or No)
27. WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER (Specify Yes or No)
28a. ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify)
28b. DATE OF INJURY (Mo., Day, Yr.)
28c. HOUR OF INJURY M
28d. DESCRIBE HOW INJURY OCCURRED
28e. INJURY AT WORK (Specify Yes or No)
28f. PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)
28g. LOCATION STREET OR R.F.D. NO. CITY OR TOWN STATE

HEC-670
ev. 1978

SAMPLE

BEST AVAILABLE COPY

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

HOSPITAL—NAME *(If not in hospital, give street and number)* 1a.	CITY, TOWN OR LOCATION OF DELIVERY 1b.		COUNTY OF DELIVERY 1c.
DATE OF DELIVERY *(Month, Day, Year)* 2a.	HOUR OF DELIVERY 2b. M	SEX OF FETUS 3.	WEIGHT OF FETUS 4.

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST 5a.		AGE (At time of this delivery) 5b.		RESIDENCE—STATE 6a.	COUNTY 6b.
CITY, TOWN OR LOCATION 6c.	STREET AND NUMBER 6d.		INSIDE CITY LIMITS (Specify Yes or No) 6e.	PREGNANCY HISTORY (Complete each section)	
RACE— (e.g., White, Black, American Indian, etc.) (Specify) 7.	EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) | College (1-4 or 5+) 8.	DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 9.	IS MOTHER MARRIED? (Specify yes or no)	LIVE BIRTHS 11a. Now living Number___ None ☐ 11b. Now dead Number___ None ☐	OTHER TERMINATIONS (Spontaneous and Induced) 11d. Before 20 wks. Number___ None ☐ 11e. After 20 wks. Number___ (Do not include this fetus) None ☐
MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify) 12a.	PRENATAL VISITS—Total number (If none, so state) 12b.	THIS BIRTH—Single, twin, triplet, etc. (Specify) 13a.	IF NOT SINGLE BIRTH Born first, second, third, etc. (Specify) 13b.	DATE OF LAST LIVE BIRTH (Month, Year) 11c.	DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year) 11f.

FATHER

FATHER—NAME FIRST MIDDLE LAST 14a.	AGE (At time of this delivery) 14b.	RACE— White, Black, American Indian, etc.) 14c.	EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) | College (1-4 or 5+) 14d.

CAUSE OF FETAL DEATH

15 PART I — Fetal or maternal condition directly causing fetal death
IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE (a), (b), AND (c).] — Specify Fetal or Maternal
(a)

Fetal and/or maternal conditions, if any giving rise to the immediate cause (a), stating the underlying cause last
DUE TO, OR AS A CONSEQUENCE OF: — Specify Fetal or Maternal
(b)
DUE TO, OR AS A CONSEQUENCE OF: — Specify Fetal or Maternal
(c)

PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to fetal death but not related to cause given in (a)	FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify) 16.	PHYSICIAN'S ESTIMATE OF GESTATION 17. Weeks	AUTOPSY (Specify yes or no) 18.

MULTIPLE BIRTHS Enter State File Number for mate(s)
LIVE BIRTH(S)
FETAL DEATH(S)

COMPLICATIONS OF PREGNANCY *(Describe or write "none")* 19.	COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")* 20.
CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")* 21.	CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS *(Describe or write "none")* 22.
NAME OF PHYSICIAN OR ATTENDANT *(Type or print)* 23.	NAME OF PERSON COMPLETING REPORT *(Type or print)* TITLE 24.
DATE REPORT COMPLETED 25.	DATE RECEIVED BY HEALTH DEPARTMENT 26.

DHEC-665
Rev. 1978

SAMPLE

BEST AVAILABLE COPY

58954



LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

SAMPLE

LICENSE NUMBER

COUNTY

GROOM—NAME (FIRST) (MIDDLE) (LAST) (1)				BIRTHDATE (MONTH, DAY, YEAR) (2a)	AGE (2b)
BIRTHPLACE (State or foreign country) (3)	RACE (4)	RESIDENCE (Street and Number) (5a)			
CITY, TOWN OR LOCATION (5b)	COUNTY (5c)		STATE (5d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)	
BRIDE—NAME (FIRST) (MIDDLE) (LAST) (7)				BIRTHDATE (MONTH, DAY, YEAR) (8a)	AGE (8b)
BIRTHPLACE (State or foreign country) (9)	RACE (10)	RESIDENCE (Street and Number) (11a)			
CITY, TOWN OR LOCATION (11b)	COUNTY (11c)		STATE (11d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)	
MAIDEN NAME OF BRIDE (If Different From Above) (13)					

Application for a license was filed with this co______ M. on the ______ day of ______________, 19___. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named, and for the so doing this shall be sufficient warrant. Given under my hand and seal at __________ M. this the ________ day of ______________, A.D. 19________.

Signature of Issuing Officer

Title of Issuing Officer

GROOM—Signature (14)	BRIDE—Signature (15)
I certify that the above named persons were married on (MONTH) (DAY) (YEAR) (16)	Place of Marriage COUNTY (17) SOUTH CAROLINA
OFFICIANT—Signature (18a)	OFFICIANT—Title (18b)
OFFICIANT—Mailing Address (18c)	

DHEC 681 (REV. 8/82)

BEST AVAILABLE COPY



SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

SCDHEC—682—Rev. 4-1979 15M

ADDRESS

ATTORNEY FOR PLAINTIFF

HUSBAND—NAME (first) (middle) (last) 1	DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4	NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE—MAIDEN NAME (first) (middle) (last) 7	DATE OF BIRTH 8	STATE OF BIRTH 9
RESIDENCE (state) (county) (city) 10	NUMBER OF THIS MARRIAGE 11	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE (state) (county) 13	DATE OF MARRIAGE (month) (day) (year)	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16 DECREE GRANTED TO (specify) 17	WAS DIVORCE CONTESTED (specify yes or no) 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20	TYPE OF DECREE absolute divorce or annulment (specify) 21	
MAIDEN NAME RESUMED BY DECREE 22a Yes ☐ No ☐	SUPPLEMENTAL ORDER (if any) (month-day-year) 22b	
COUNTY 23	DOCKET NUMBER 24	
I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year 25		

SAMPLE

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-3-230 CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court: When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decree is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Office of Vital Records and Public Health Statistics, Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce of Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED, RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

BEST AVAILABLE COPY

COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to		Estimated comparability ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Shigellosis and amebiasis	004-006	004-006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0256	1.0588	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0288	0.9946
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0070	0.0004	1.0078	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431,432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218

BEST AVAILABLE COPY

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)	(3)	(4)	Upper (5)	Lower (6)
Acute bronchitis and bronchiolitis	466	466	0.8888	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0638	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	[2]	[3]	[3]	[3]	[3]
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574-575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580-581	0.2422	0.0185	0.2783	0.2081
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0228	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0238	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0308	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

BEST AVAILABLE COPY

COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to		Estimated compara bility ratio[1] (3)	Standard Error of The Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICD-8 Revision (2)			Upper (5)	Lower (6)
All causes			1.0000			
Certain gastrointestinal diseases	008-009,535,555-558	004,008-009,535, 581,563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480-487	470-474,480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0082	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769					
Other conditions originating in the perinatal period	760-764,766,770-779	Remainder of 760-778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0					
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5335

---

[1] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.

BEST AVAILABLE COPY

SOUTH CAROLINA COUNTIES AND HEALTH DISTRICTS


OCONEE
PICKENS
GREENVILLE
APPALACHIA II
ANDERSON
APPALACHIA I
ABBEVILLE
LAURENS
SPARTANBURG
CHEROKEE
UNION
APPALACHIA III
YORK
CATAWBA
CHESTER
LANCASTER
CHESTERFIELD
MARLBORO
PEE DEE II
DARLINGTON
DILLON
MARION
FLORENCE
PEE DEE I
HORRY
WACCAMAW
UPPER SAVANNAH
GREENWOOD
McCORMICK
EDGEFIELD
NEWBERRY
WEST MIDLANDS
SALUDA
LEXINGTON
FAIRFIELD
EAST MIDLANDS
RICHLAND
KERSHAW
LEE
WATEREE
SUMTER
CLARENDON
WILLIAMSBURG
GEORGETOWN
AIKEN
LOWER SAVANNAH I
BARNWELL
ALLENDALE
CALHOUN
ORANGEBURG
LOWER SAVANNAH II
BAMBERG
BERKELEY
DORCHESTER
TRIDENT
CHARLESTON
COLLETON
HAMPTON
LOW COUNTRY
JASPER
BEAUFORT

SH75-1

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 1982

VOLUME I
ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

JUNE 1984

COMMISSIONER AND STATE REGISTRAR

Robert S. Jackson, M.D.

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS

Murray B. Hudson, M.P.H.,
Director

James E. Ferguson
Statistics and Research Administrator

PREFACE

The majority of this report contains vital statistics data for South Carolina events that occurred in 1982. Vital Statistics certificates filed with the Office of Vital Records and Public Health Statistics of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, fetal deaths, marriages, divorces and annulments. Each year, approximately 140,000 vital records are added to the nearly 6 million such documents stored in the Office of Vital Records and Public Health Statistics.

The purpose of this report is to provide basic reference data for a variety of users. These statistics provide a useful and quantitative data base for consumers in the public and private sectors in support of a variety of uses and activities -- population dynamics, health economics, planning, program development and evaluation, research and surveillance.

Data are presented for South Carolina, its 46 counties, and places of 2,500 or more population. The report is divided into six major sections. The first section is a 20-year summary of selected vital statistics. The second section is devoted to population data. The next three sections contain the core of the publication by presenting data on the major vital events. The last section is devoted to morbidity statistics. This section contains tables showing the number of reported cases of selected communicable diseases by county.

Population estimates for the intercensal years were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board under the Federal-State Cooperative Program on population estimating for local areas. The Bureau of Disease Control of the South Carolina Department of Health and Environmental Control furnished the morbidity data. A table showing reported cases of venereal disease by type by county is included in the Morbidity Section. These data were furnished by the Division of Venereal Disease Control.

The format of this report has changed from year to year as efforts are made to provide and present the data in the most useful and concise manner. Suggestions and comments concerning this report will be welcomed. More detailed statistical data pertaining to vital events may be obtained by submitting a request to:

Office of Vital Records and Public Health Statistics
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

TABLE OF CONTENTS

Page

Completeness of Registration i

Allocation of Events by Residence and Occurrence ii

Definitions of Terms iii

Interpretation of Data iv

Vital Statistics Rates and Ratios vi

Equivalents in Pounds and Ounces of the Gram Weight Intervals and Symbols used in Tables vii

SUMMARY OF VITAL EVENTS

Table 1. Population, Live Births, Deaths, Marriages and Divorces, with Rates per 1,000 Population, by Race: South Carolina, 1963-1982 (Residence Data) 1

Table 2. Out-of-Wedlock Births, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days, and Maternal Deaths, with Rates, By Race: South Carolina, 1963-1982 (Residence Data) 2

Table 3. Mortality From Selected Causes of Death by Race with Rates per 100,000 Population: South Carolina, 1963-1982 (Residence Data) 3

POPULATION

Summary of Population 5

Table 4. Population, Live Births, Deaths and Natural Increase: South Carolina, 1963-1982 (Residence Data) 6

Figure 1. Population Growth Due to Natural Increase: South Carolina 1963-1982 (Residence Data) 6

Figure 2. Population Distribution of South Carolina, 1982 7

Table 5. Estimates of Population by Race: South Carolina and Each County, 1982 8

BIRTHS

Page

Summary of Births 9

Figure 3. Live Birth Rate Distribution of South Carolina, 1982 9

Figure 4. Live Birth Rates by Race: South Carolina, 1950-1982 (Residence Data) 10

Table 6. Live Births by Race: South Carolina, 1950-1982 (Residence Data) 10

Table 7. Live Birth Rates by Attendant by Place of Delivery: South Carolina, 1982 (Residence Data) 11

Table 8. Percentages of Births Occurring in Hospitals by Race: South Carolina, 1973-1982 (Residence Data) 11

Table 9. Percentage Distribution of Out-of-Wedlock Live Births by Age of Mother: South Carolina, 1978-1982 (Residence Data) 12

Table 10. Percentage Distribution of Live Births by Age of Mother: South Carolina, 1978-1982 (Residence Data) 12

Table 11. Live Births by Birth Weight by Race with Percentage of Births in Weight Group: South Carolina, 1982 (Residence Data) 13

Table 12. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1982 (Residence Data) 13

Figure 5. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1982 (Residence Data) 14

Figure 6. Percentage Distribution of Live Births by Birth Weight and Race: South Carolina, 1982 (Residence Data) 14

Table 13. Fertility Rates by Race: South Carolina, 1950, 1960 1970-1982 15

Table 14. Population of Females Age 15-44 Years by Race: South Carolina, 1950, 1960, 1970-1982 15

Table 15. Sex Ratio of Males per 100 Females: South Carolina, 1978-1982 (Residence Data) 16

Table 16. Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982 (Residence Data) 17

BIRTHS

Page

Table 17. Live Births and Birth Rate by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982 (Occurrence Data) 21

Table 18. Live Births by Race and Sex: South Carolina and Each County, 1982 (Residence Data) 25

Table 19. Live Births by Race and Sex: South Carolina and Each County, 1982 (Occurrence Data) 26

Table 20. Total Births by Number of Prenatal Care Visits: South Carolina and Each County, 1982 (Residence Data) 27

Table 21. Live Births by Month Prenatal Care Began: South Carolina, and Each County, 1982 (Residence Data) 28

Table 21-A Live Births by Month Prenatal Care Began by Race: South Carolina and Each County, 1982 (Residence Data) 29

Table 22. Live Births by Attendant: South Carolina and Each County, 1982 (Residence Data) 31

Table 22-A Live Births by Attendant by Race: South Carolina and Each County, 1982 (Residence Data) 32

Table 23. Live Births by Attendant: South Carolina and Each County, 1982, (Occurrence Data) 34

Table 23-A Live Births by Attendant by Race: South Carolina and Each County, 1982 (Occurrence Data) 35

Table 24. Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1982 (Residence Data) 37

Table 25. Live Births by Age of Mother: South Carolina and Each County, 1982 (Residence Data) 38

Table 26. Live Births to Mothers Less Than 20 Years Old: South Carolina and Each County, 1982 (Residence Data) 39

Table 27. Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1982 (Residence Data) 40

Table 28. Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1982 (Residence Data) 41

BIRTHS

Page

Table 29. Low Weight Live Births by Age of Mother: South Carolina and Each County, 1982 (Residence Data) 42

Table 30. Live Births by Birth Weight and Race: South Carolina and Each County, 1982 (Residence Data) 43

Table 31. Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock: South Carolina and Each County, 1982 (Residence Data) 48

Table 32. Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County, 1982 (Residence Data) 49

Table 33. Live Births with Reported Congenital Malformations: South Carolina and Each County, 1982 (Residence Data) 50

Table 34. Live Births with Reported Congenital Malformations by Type of Malformation: South Carolina, 1980-1982 (Residence Data) 51

DEATHS

Summary of Death 52

Figure 7. Death Rate Map Distribution of South Carolina, 1982 52

Figure 8. Death Rate Graph by Race: South Carolina, 1950-1982 (Residence Data) 53

Table 35. Death Rates by Race: South Carolina, 1950-1982 (Residence Data) 53

Table 36. Percentage Distribution of Deaths by Race, by Age: South Carolina, 1963 and 1982 (Residence Data) 54

Table 37. Leading Causes of Infant Death, by Age at Death: South Carolina, 1982 (Residence Data) 55

Table 38. Maternal Deaths by Cause, Race and Age: South Carolina, 1982 (Residence Data) 56

Table 39. Violent Deaths With Rates by Type: South Carolina, 1978-1982 (Residence Data) 57

Table 40. Types of Accidental Deaths by Sex: South Carolina, 1982 (Residence Data) 57

Table 41. Methods of Suicidal Deaths by Sex: South Carolina, 1982 (Residence Data) 58

Table 42. Methods of Homicidal Deaths by Sex: South Carolina, 1982 (Residence Data) 58

DEATHS

Page

Table 43. Distribution of Malignant Neoplasms by Site: South Carolina, 1982 (Residence Data) 59

Table 44. Deaths From Major Cardiovascular Diseases: South Carolina, 1982 (Residence Data) 60

Table 45. Mortality From Ten Leading Causes of Death by Race: South Carolina, 1982 (Residence Data) 61

Figure 9. Percentage Distribution - Ten Leading Causes of Death and Deaths From All Causes, by Sex: South Carolina, 1982 (Residence Data) 61

Table 46. Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1982 (Residence Data) 62

Table 47. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982 (Residence Data) 63

Table 48. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982 (Occurrence Data) 67

Table 49. Deaths by Race and Sex: South Carolina and Each County, 1982 (Residence Data) 71

Table 50. Deaths by Race and Sex: South Carolina and Each County, 1982 (Occurrence Data) 72

Table 51. Deaths and Death Rates From Selected Causes, by Race and Sex: South Carolina, 1982 (Residence Data) 73

Table 51-A Deaths From Selected Causes, by Race and Sex: Each County, 1982 (Residence Data) 74

Table 52. Deaths From Selected Causes, by Age, Sex, and Race: South Carolina, 1982 (Residence Data) 97

Table 53. Deaths by Burial Disposition: South Carolina and Each County, 1982 (Occurrence Data) 107

Table 54 Deaths by Burial Disposition by Race: South Carolina and Each County, 1982 (Occurrence Data) 108

Table 55. Major Causes of Accidental Death: South Carolina and Each County, 1982 (Residence Data) 109

DEATHS

Page

Table 56. Major Causes of Accidental Death: South Carolina and Each County, 1982 (Occurrence Data) 110

Table 57. Deaths From Suicides by Method: South Carolina, 1982 (Occurrence Data) 111

Table 58. Deaths From Homicides by Types: South Carolina, 1982 (Occurrence Data) 112

Table 59. Infant Deaths and Infant Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982 113

Table 60. Infant Deaths and Infant Mortality Rates by Race: South Carolina and Each County, 1982 (Residence Data) 117

Table 61. Neonatal Deaths and Neonatal Mortality Rates by Race: South Carolina and Each County, 1982 (Residence Data) 118

Table 62. Postneonatal Deaths and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1982 (Residence Data) 119

Table 63. Fetal Deaths and Fetal Mortality Rates by Race: South Carolina and Each County, 1982 (Residence Data) 120

Table 64. Perinatal Deaths and Perinatal Mortality Rates by Race: South Carolina and Each County, 1982 (Residence Data) 121

Table 65. Maternal Deaths and Maternal Mortality Rates by Race: South Carolina and Each County, 1982 (Residence Data) 122

Table 66. Maternal Deaths and Maternal Mortality Rates by Race: South Carolina and Each County, 1982 (Occurrence Data) 122

MARRIAGES, DIVORCES, AND ANNULMENTS

Summary of Marriages, Divorces and Annulments 123

Figure 10. Percentage of Non-Residents Obtaining Marriage Licenses in South Carolina, 1963-1982 123

Table 67. Marriages by Race of Bride and Race of Groom: South Carolina, 1982 (Occurrence Data) 124

Table 68. Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1982.. 125

Table 69. Marriages by Residential Status, by County of Marriage: South Carolina, 1982 (Occurrence Data) 126

MARRIAGES, DIVORCES, AND ANNULMENTS

Page

Table 70. Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1982 127

Table 71. Marriages by Race, By Residential Status, by Age Groups of Grooms: South Carolina, 1982 128

Table 72. Marriages by Age of Bride by Age of Groom: South Carolina, 1982 129

Table 73. Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1982 130

Table 74. Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1982 131

Table 75. Divorces by Age Groups, by Race: South Carolina, 1982 132

Table 76. Divorces and Annulments by Duration of Marriage, by Race: South Carolina, 1982 133

MORBIDITY

Table 77. Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1982 134

Table 78. Reported Cases of Venereal Disease: South Carolina and Each County, 1982 136

APPENDIX

Sample Certificates 137

Comparability Ratios 142

COMPLETENESS OF REGISTRATION

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928. Birth registration, tested for completeness in 1950, was found to be 90 percent complete. Death registration is believed to be even more complete than birth registration since legal requirements must be met.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July, 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July, 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more be registered it is believed that registration is notably incomplete. Fetal death registration will continue to improve in regard to completeness of registration as an increasing amount of attention is directed to the relationship of fetal deaths and early infant deaths.

Delayed registration results in undernumeration of vital events for a specific time period. Frequency counts in this report are based on 1982 events processed in the state office before April 1, 1983. As this publication goes to press, 6 birth, 4 death, and 0 fetal death records for 1982 were processed after the closing date and were not added to the statistical file.

Below are the results of an examination of the 1981 residual events which accrued after April 1, 1982 and were not added to the 1981 statistical file.

Event	Total		Filed April 1, 1982 Thru Dec. 31, 1982		Filed Jan. 1, 1983 Thru Present	
	Number	Percent	Number	Percent	Number	Percent
Birth	31	0.1	21	0.0	10	0.0
Death	9	0.0	6	0.0	3	0.0
Fetal Death	1	0.0	1	0.0	-	0

Based on the above examination, so few registrations of the prior year's events reached this office after the April 1st date that the validity of the tabulations in this report is little affected by this closing date.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

The user of vital event data must be aware of the methods used in compiling the data if he/she is to make valid interpretations. With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 1982

	BIRTHS			DEATHS		
	Total	White	Nonwhite	Total	White	Nonwhite
Occurring in S.C.	49,286	28,932	20,354	24,266	16,262	8,004
Residents of S.C.	48,792	28,556	20,236	23,610	15,707	7,903
Non-Residents	494	376	118	656	555	101
Occurring to S.C. Residents	51,554	30,652	20,902	25,066	16,823	8,243
In South Carolina	48,792	28,556	20,236	23,610	15,707	7,903
Out-of-State	2,762	2,096	666	1,456	1,116	340

Note: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950).

LOW BIRTH WEIGHT: Low birth weight is one for which the birth weight is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

OUT-OF-WEDLOCK: A birth which occurs to a woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a)).

INFANT DEATH: Death of a live born infant under one year of age.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

PERINATAL DEATH: Neonatal deaths plus fetal deaths.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to complications of Pregnancy, Childbirth, and the Puerperium (Ninth Revision ICD 630-676).

UNDERLYING CAUSE OF DEATH: The disease or injury which initiated the train of morbid events, leading directly to death. (International Classification of Disease).

NATURAL INCREASE: The increase in the population due to excess of births over deaths for a particular period.

INTERPRETATION OF DATA

SMALL NUMBER FREQUENCIES: There are variations in all statistics which are the results of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these rates. For this reason, rates for counties with small populations or other small bases should be used cautiously.

MEDICAL CERTIFICATION OF DEATH: Since the medical certification of death can be made only by a person authorized by law, usually a physician or coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out. In addition, mortality statistics represent the underlying cause of death as indicated by the attending physician or coroner. It is recognized that death may not result from a single morbid condition. However, this report does not include multiple cause tabulations.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revision in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision from 1958-1968; the Eighth 1969-1978; and the Ninth Revision went into effect in 1979.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause is defined as the "disease or injury which initiated the train of morbid events, leading directly to death". (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949 with the Sixth Revision resulted in the basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding.

In order to make valid comparisons of mortality by cause of events classified by different revisions of the ICD, comparability ratios are needed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios were derived by taking the number of deaths classified to a given cause by the Ninth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision. On a national level, provisional comparability ratios for the United States based on the Eighth and Ninth Revisions have been developed for a limited number of causes in the Monthly Vital Statistics Report, Vol. 28, Number 11 published by the National Center for Health Statistics.

RACE: Information on race of the mother and father is required on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths utilize the race of mother. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "nonwhite".

On live births, the races of father and of mother were coded independently and the race of child was generated for the tables in this report by comparing the two parents' codes and following a set of rules:

(1) When the race of both mother and father are white, the child's race will be white;
(2) When both the mother's and father's races are unknown, the race of the child will be nonwhite;
(3) When the race of one of the parents is white and the other parent's race is unknown, the race of the child will be white;
(4) For all combinations other than the above, the race of the child will be nonwhite.

Below is a cross-classification of race of father by race of mother for resident live births for South Carolina, 1982.

Race of Father	Race of Mother							
	White	Black	Indian	Chinese	Japanese	Other	Not Stated	Total
White	28,709	38	27	7	10	139	-	28,930
Black	108	10,886	2	-	1	29	-	11,026
Indian	30	6	14	-	-	3	-	53
Chinese	1	-	-	11	-	1	-	13
Japanese	1	-	-	-	5	1	-	7
Other	33	5	-	-	-	160	-	198
Not Stated	1,943	9,367	10	-	-	7	-	11,327
Total	30,825	20,302	53	18	16	340	-	51,554

"Other" includes Hawaiian, Filipino, Other Pacific Islander, and Other nonwhite. The not-stated race includes out-of-wedlock births where the father's race is not shown and also actual unknown race.

VITAL STATISTICS RATES AND RATIOS

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	$= \frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	x 100,000
Death Rate (crude)	$= \frac{\text{Annual number of deaths}}{\text{Population of area}}$	x 1,000
Divorce Rate (crude)	$= \frac{\text{Annual number of divorces}}{\text{Population of area}}$	x 1,000
Fetal Mortality Rate	$= \frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births}}$	x 1,000
General Fertility Rate	$= \frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	x 1,000
Out-of-Wedlock Birth Rate	$= \frac{\text{Annual number of out-of-wedlock births}}{\text{Annual number of live births}}$	x 1,000
Infant Mortality Rate	$= \frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	x 1,000
Live Birth Rate (crude)	$= \frac{\text{Annual number of live births}}{\text{Population of area}}$	x 1,000
Marriage Rate (crude)	$= \frac{\text{Annual number of marriages}}{\text{Population of area}}$	x 1,000
Maternal Mortality Rate	$= \frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	x 10,000
Neonatal Mortality Rate	$= \frac{\text{Annual number of neonatal deaths}}{\text{Annual number of live births}}$	x 1,000
Postneonatal Mortality Rate	$= \frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	x 1,000
Perinatal Mortality Rate	$= \frac{\text{Annual number of fetal deaths plus Annual number of neonatal deaths}}{\text{Annual number of live births plus Annual number of fetal deaths}}$	x 1,000
Low Weight Birth Rate	$= \frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	x 1,000

Equivalents in Pounds and Ounces of the Gram Weight Intervals

500 grams or less = 1 lb. 1 oz. or less
501-1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. - or more

Symbols Used in Tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

SUMMARY OF VITAL EVENTS

Table 1

Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population by Race, South Carolina, 1963-1982

(Residence Data)

Year	Race	Population[1]	Resident Births		Resident Deaths		Marriages[2]		Annulments And Divorces[3]	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate
1963	Total	2,461,000	58,231	23.7	21,675	8.8	42,469	17.3	2,462[4]	1.0
	White	1,628,200	34,256	21.0	12,714	7.8	32,114	19.7	2,114	1.3
	Nonwhite	833,900	23,975	28.8	8,961	10.7	10,355	12.4	360	0.4
1964	Total	2,487,600	56,906	22.9	21,309	8.6	44,204	17.8	2,477	1.0
	White	1,653,100	33,184	20.1	12,789	7.7	33,390	20.2	2,165	1.3
	Nonwhite	834,700	23,722	28.4	8,520	10.2	10,814	13.0	312	0.4
1965	Total	2,512,200	52,853	21.0	21,668	8.6	46,336	18.4	3,068	1.2
	White	1,676,900	30,635	18.3	13,101	7.8	35,360	21.1	2,628	1.6
	Nonwhite	835,500	22,218	26.6	8,567	10.3	10,976	13.1	440	0.5
1966	Total	2,536,800	50,653	20.0	22,081	8.7	49,812	19.6	3,124	1.2
	White	1,702,500	30,118	17.7	13,427	7.9	38,021	22.3	2,695	1.6
	Nonwhite	834,800	20,535	24.6	8,654	10.4	11,791	14.1	429	0.5
1967	Total	2,660,000	49,822	18.7	21,762	8.2	52,148	19.6	3,584[5]	1.3
	White	1,841,424	29,996	16.3	13,611	7.4	39,522	21.5	3,071	1.7
	Nonwhite	818,576	19,826	24.2	8,151	10.0	12,626	15.4	491	0.6
1968	Total	2,669,000	49,158	18.4	23,411	8.8	54,943	20.6	4,518	1.7
	White	1,836,000	30,416	16.6	14,778	8.0	42,091	22.9	3,873	2.1
	Nonwhite	833,000	18,742	22.5	8,633	10.4	12,852	15.4	645	0.8
1969	Total	2,698,000	50,401	18.7	22,820	8.5	57,981	21.5	5,435	2.0
	White	1,856,600	31,626	17.0	14,612	7.9	44,310	23.9	4,567	2.5
	Nonwhite	841,400	18,775	22.3	8,208	9.8	13,671	16.2	868	1.0
1970	Total	2,590,516	52,283	20.2	22,762	8.8	57,887	22.3	5,829	2.3
	White	1,794,430	32,703	18.2	14,752	8.2	44,730	24.9	4,972	2.8
	Nonwhite	796,086	19,580	24.6	8,010	10.1	13,157	16.5	857	1.1
1971	Total	2,626,800	52,984	20.2	23,140	8.8	58,034	22.1	6,657	2.5
	White	1,833,500	32,912	18.0	15,035	8.2	44,485	24.3	5,613	3.1
	Nonwhite	793,300	20,072	25.3	8,105	10.2	13,549	17.1	1,044	1.3
1972	Total	2,665,000	49,951	18.7	23,920	9.0	59,983	22.5	7,646	2.9
	White	1,873,800	30,857	16.5	15,475	8.3	45,039	24.0	6,489	3.5
	Nonwhite	791,200	19,094	24.1	8,445	10.7	14,944	18.9	1,157	1.5
1973	Total	2,726,000	48,922	17.9	24,871	9.1	56,876	20.9	8,266	3.0
	White	1,930,000	29,881	15.5	16,188	8.4	42,198	21.9	6,973	3.6
	Nonwhite	796,000	10,041	23.9	8,683	10.9	14,678	18.4	1,293	1.6
1974	Total	2,784,000	48,432	17.4	24,169	8.7	53,009	19.0	8,816	3.2
	White		29,469	15.0	15,941	8.1	39,731	20.3	7,431	3.8
	Nonwhite		18,963	23.0	8,228	10.0	13,278	16.1	1,385	1.7
1975	Total	2,818,000	46,665	16.6	23,343	8.3	50,249	17.8	9,671	3.4
	White	1,942,000	28,016	14.4	15,464	8.0	38,372	19.8	8,243	4.2
	Nonwhite	876,000	18,649	21.3	7,879	9.0	11,877	13.6	1,428	1.6
1976	Total	2,848,000	47,651	16.7	23,639	8.3	50,698	17.8	10,641	3.7
	White	1,962,000	28,529	14.5	15,652	8.0	38,482	19.6	8,954	4.6
	Nonwhite	886,000	19,122	21.6	7,987	9.0	12,216	13.8	1,687	1.9
1977	Total	2,876,000	49,848	17.3	24,254	8.4	51,306	17.8	10,717	3.7
	White	1,966,700	29,646	15.1	16,088	8.2	38,924	19.8	8,969	4.6
	Nonwhite	909,100	20,202	22.2	8,166	9.0	12,382	13.6	1,748	1.9
1978	Total	2,917,200	49,558	17.0	24,055	8.2	52,960	18.1	11,900	4.1
	White	2,014,100	29,048	14.4	15,993	7.9	40,224	20.0	9,903	4.9
	Nonwhite	903,100	20,510	22.7	8,062	8.9	12,736	14.1	1,998	2.2
1979	Total	2,931,900	50,586	17.3	24,343	8.3	53,505	18.2	13,747	4.7
	White	2,022,600	29,839	14.8	16,207	8.0	40,790	20.2	11,283	5.6
	Nonwhite	909,300	20,747	22.8	8,136	8.9	12,715	14.0	2,464	2.7
1980	Total	3,121,820	51,908	16.6	25,138	8.1	53,915	17.3	13,595	4.4
	White	1,147,224	30,559	14.2	16,781	7.8	40,955	19.1	11,155	5.2
	Nonwhite	974,596	21,349	21.9	8,357	8.6	12,960	13.3	2,440	2.5
1981	Total	3,196,247	51,745	16.2	25,410	7.9	54,415	17.0	13,974	4.4
	White	2,196,957	30,542	13.9	17,199	7.8	41,746	19.0	11,503	5.2
	Nonwhite	999,290	21,203	21.2	8,210	8.2	12,669	12.7	2,471	2.5
1982	Total	3,256,259	51,554	15.8	25,066	7.7	53,496	16.4	13,600	4.2
	White	2,236,690	30,652	13.7	16,823	7.5	40,655	18.2	11,233	5.0
	Nonwhite	1,019,569	20,902	20.5	8,243	8.1	12,841	12.6	2,367	2.3

[1] 1970 and 1980 are actual census counts; estimated population for intercensal years. Estimates by race for 1974 have not been published. See S.C. Vital and Morbidity Statistics, 1974, page 5.

[2] Figures represent all reported marriages where license was issued in South Carolina.

[3] Figures represent all reported divorces and annulments granted in South Carolina by race of husband. Source of 1963 data is Vital Statistics of the United States; race breakdown is not available and rates were computed using South Carolina population estimates. (Occurrence Data)

[4] Includes 1 race not stated.

[5] Includes 22 races not stated.

Table 2
Out-of-Wedlock, Low Weight Births, Fetal Deaths, Death Under One Year and Under 28 Days[1], and Maternal Deaths, with Rates [2], by Race: South Carolina, 1963-1982
(Residence Data)

Year	Race	Out-of-Wedlock Live Births		Low Weight Live Births		Fetal Deaths		Infant Deaths				Maternal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1963	Total	7,734	132.8	5,565	95.6	1,157	19.9	1,907	32.7	1,110	19.1	49	8.4
	White	864	25.2	2,572	75.1	394	11.5	757	22.2	572	16.7	9	2.6
	Nonwhite	6,870	286.5	2,993	124.8	763	31.8	1,150	48.0	538	22.4	40	16.7
1964	Total	7,504	131.9	5,366	94.3	1,162	20.4	1,775	31.2	1,035	18.2	39	6.9
	White	815	24.6	2,384	71.8	425	12.8	772	23.3	566	17.1	8	2.4
	Nonwhite	6,689	282.0	2,982	125.7	737	31.1	1,003	42.3	469	19.8	31	13.1
1965	Total	7,433	140.6	5,132	97.1	1,039	19.7	1,638	31.0	994	18.8	38	7.2
	White	924	30.2	2,214	72.3	411	13.4	679	22.2	528	17.2	11	3.6
	Nonwhite	6,509	293.0	2,918	131.3	628	28.3	959	43.2	466	20.9	27	12.2
1966	Total	7,417	146.4	4,933	97.4	937	18.5	1,517	29.9	874	17.3	35	6.9
	White	1,061	35.2	2,271	75.4	377	12.5	641	21.3	482	16.0	7	2.3
	Nonwhite	6,356	309.5	2,662	129.6	560	27.3	876	42.7	392	19.2	28	13.6
1967	Total	7,521	151.0	4,833	97.0	937	18.8	1,384	27.8	891	17.9	24	4.8
	White	1,124	37.5	2,224	74.1	414	13.8	628	20.9	493	16.4	8	2.7
	Nonwhite	6,397	322.7	2,609	131.6	523	26.4	756	38.1	398	20.1	16	8.1
1968	Total	7,353	149.6	4,804	97.7	851	17.3	1,342	27.3	838	17.0	28	5.7
	White	1,117	36.7	2,277	74.9	394	13.0	614	20.2	457	15.0	11	3.6
	Nonwhite	6,236	332.7	2,527	134.8	457	24.4	728	38.8	381	20.3	17	9.1
1969	Total	7,439	147.6	4,828	95.8	845	16.8	1,220	24.2	776	15.4	18	3.6
	White	1,193	37.7	2,203	69.7	381	12.0	599	18.9	439	13.9	6	1.9
	Nonwhite	6,246	332.7	2,625	139.8	464	24.7	621	33.1	337	17.9	12	6.4
1970	Total	7,858	150.3	5,008	95.8	815	15.6	1,199	22.9	798	15.3	23	4.4
	White	1,226	37.5	2,374	72.6	417	12.8	607	18.6	469	14.3	6	1.8
	Nonwhite	6,632	338.7	2,634	134.5	398	20.3	592	30.2	329	16.8	17	8.7
1971	Total	8,218	155.1	4,690	88.5	813[3]	15.3	1,149	21.7	789	14.9	28	5.3
	White	1,191	36.2	2,145	65.2	366	11.1	536	16.3	423	12.9	8	2.4
	Nonwhite	7,027	350.1	2,545	126.8	445	22.2	613	30.5	366	18.2	20	10.0
1972	Total	8,387	167.9	4,533	90.7	791	15.8	1,126	22.5	774	15.5	19	3.8
	White	1,249	40.5	2,065	66.9	351	11.4	536	17.4	405	13.1	5	1.6
	Nonwhite	7,138	373.8	2,468	129.3	440	23.0	590	30.9	369	19.3	14	7.3
1973	Total	8,778	179.4	4,404	90.0	809[3]	16.5	1,105	22.6	752	15.4	18	3.7
	White	1,314	44.0	1,989	66.6	354	11.8	527	17.6	395	13.2	4	1.3
	Nonwhite	7,464	392.0	2,415	126.8	453	23.8	578	30.4	357	18.7	14	7.4
1974	Total	8,811	181.9	4,401	90.9	732[4]	15.1	1,031	21.3	727	15.0	10	2.1
	White	1,281	43.5	1,901	64.5	327	11.1	493	16.7	377	12.8	4	1.4
	Nonwhite	7,530	397.1	2,500	131.8	402	21.2	538	28.4	350	18.5	6	3.2
1975	Total	9,242	198.0	4,205	90.1	653[5]	14.0	897	19.2	638	13.7	5	1.1
	White	1,394	49.8	1,840	65.7	282	10.1	431	15.4	318	11.4	1	0.4
	Nonwhite	7,848	420.8	2,365	126.8	370	19.8	466	25.0	320	17.2	4	2.1
1976	Total	9,447	198.3	4,237	88.9	715[6]	15.0	930	19.5	633	13.3	13	2.7
	White	1,404	49.2	1,758	61.6	312	10.9	400	14.0	284	10.0	2	0.7
	Nonwhite	8,043	420.6	2,479	129.6	398	20.8	530	27.7	349	18.3	11	5.8
1977	Total	10,419	209.0	4,442	89.1	685[7]	13.7	876	17.6	607	12.2	10	2.0
	White	1,588	53.6	1,811	61.1	301	10.2	387	13.1	285	9.6	1	0.3
	Nonwhite	8,831	437.1	2,631	130.2	378	18.7	489	24.2	322	15.9	9	4.5
1978	Total	10,822	218.4	4,418	89.1	664	13.4	919	18.5	614	12.4	8	1.6
	White	1,674	57.6	1,749	60.2	284	9.8	386	13.3	274	9.4	5	1.7
	Nonwhite	9,148	446.0	2,669	130.1	380	18.5	533	26.0	340	16.6	3	1.5
1979	Total	10,749	212.5	4,479	88.5	654	12.9	857	17.0	565	11.2	6	1.2
	White	1,571	52.6	1,848	61.9	279	9.4	367	12.3	260	8.7	–	0
	Nonwhite	9,178	442.4	2,631	126.8	375	18.1	490	23.6	305	14.7	6	2.9
1980	Total	11,191	215.6	4,493	86.6	672	12.9	809	15.6	561	10.8	12	2.3
	White	1,747	57.2	1,836	60.1	288	9.4	330	10.8	232	7.6	7	2.3
	Nonwhite	9,444	442.4	2,657	124.5	384	17.9	479	22.4	329	15.4	5	2.3
1981	Total	11,339	219.1	4,582	88.5	669	12.9	836	16.2	562	10.9	3	0.6
	White	1,735	56.8	1,876	61.4	280	9.2	379	12.4	247	8.1	–	0
	Nonwhite	9,604	453.0	2,706	127.6	389	18.3	457	21.6	315	14.9	3	1.4
1982	Total	11,626	225.5	4,580	88.8	684	13.3	832	16.1	552	10.7	6	1.2
	White	2,013	65.7	1,884	61.5	284	9.3	367	12.0	248	8.1	–	0
	Nonwhite	9,613	459.9	2,696	129.0	400	19.1	465	22.2	304	14.5	6	2.9

[1] Data on infant deaths under 28 days (1963-1966) derived from Vital Statistics of the United States.

[2] Rates for out-of-wedlock births, low weight births, fetal deaths, deaths under one year and under 28 days are calculated per 1,000 live births; rates for maternal deaths are calculated per 10,000 live births.

[3] Includes 2 race not stated
[4] Includes 3 race not stated
[5] Includes 1 race not stated
[6] Includes 5 race not stated
[7] Includes 6 race not stated

Table 3
Mortality From Selected Causes of Death by Race With Rates[1] Per 100,000 Population
South Carolina, 1973-1982
(Residence Data)

Year	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Malignant Neoplasms 140-209 (140-208), 1.0026						Hypertension 400,401,403 (401,403), 1.2703					
1973	3,688	135.3	2,564	132.8	1,124	141.2	110	4.0	39	2.0	71	8.9
1974	3,819	137.2	2,685	137.1	1,134	137.5	106	3.8	44	2.2	62	7.5
1975	3,840	136.3	2,685	138.3	1,155	131.8	101	3.6	38	2.0	63	7.2
1976	3,979	139.7	2,844	145.0	1,135	128.1	88	3.1	41	2.1	47	5.3
1977	4,272	148.5	3.030	154.1	1,242	136.6	67	2.3	30	1.5	37	4.1
1978	4,278	146.6	3,011	149.5	1,267	140.3	71	2.4	24	1.2	47	5.2
1979	4,563	155.6	3,210	158.7	1,353	148.8	99	3.4	55	2.7	44	4.8
1980	4,890	156.6	3,466	161.4	1,424	146.1	112	3.6	51	2.4	61	6.3
1981	4,904	153.4	3,487	158.7	1,417	141.8	108	3.4	47	2.1	61	6.1
1982	5,059	155.4	3,523	157.5	1,536	150.7	132	4.1	62	2.8	70	6.9
	Malignant Neoplasms of Cervix 180 (180), N.A.*						Atherosclerosis 440 (440), 1.0649					
1973	117	4.3	57	3.0	60	7.5	271	9.9	185	9.6	86	10.8
1974	92	3.3	48	2.4	44	5.3	279	10.0	201	10.3	78	9.5
1975	89	3.2	38	2.0	51	5.8	233	8.3	165	8.5	68	7.8
1976	97	3.4	47	2.4	50	5.6	242	8.5	179	9.1	63	7.1
1977	91	3.2	47	2.4	44	4.8	222	7.7	157	8.0	65	7.1
1978	78	2.7	40	2.0	38	4.2	239	8.2	185	9.2	54	6.0
1979	69	2.4	34	1.7	35	3.8	255	8.7	192	9.5	63	6.9
1980	94	3.0	48	2.2	46	4.7	264	8.5	175	8.2	89	9.1
1981	64	2.0	35	1.6	29	2.9	271	8.5	198	9.0	73	7.3
1982	94	2.9	48	2.1	46	4.5	266	8.2	187	8.4	79	7.7
	Cerebrovascular Disease 430-438 (430-438), 1.0049						Ischemic Heart Disease 410-414 (410-414), 0.8784					
1973	3,073	112.7	1,920	99.5	1,153	144.8	7,738	283.9	5,508	285.4	2,230	280.2
1974	2,906	104.4	1,830	93.4	1,076	130.4	7,384	265.2	5,316	271.4	2,068	250.7
1975	2,725	96.7	1,698	87.4	1,027	117.2	7,026	249.3	5,135	264.4	1,891	215.9
1976	2,739	96.2	1,722	87.8	1,017	114.8	7,143	250.8	5,214	265.7	1,929	217.7
1977	2,697	93.8	1,688	85.8	1,009	111.0	7,224	251.2	5,264	267.7	1,960	215.6
1978	2,541	87.1	1,569	77.9	972	107.6	7,067	242.3	5,190	257.7	1,877	207.8
1979	2,513	85.7	1,549	76.6	964	106.0	5,956	203.1	4,460	220.5	1,496	164.5
1980	2,488	79.7	1,532	71.3	956	98.1	6,060	194.1	4,655	216.8	1,405	144.2
1981	2,384	74.6	1,461	66.5	923	92.4	5,978	187.0	4,686	213.3	1,292	129.3
1982	2,378	73.0	1,429	63.9	949	93.1	5,926	182.0	4,543	203.1	1,383	135.6
	Heart Disease 390-398,402,404,410-429 (390-398,402,404-429), 1.0126						Influenza and Pneumonia 470-474,480-486 (480-486,487) 0.9264					
1973	8,779	322.0	6,107	316.4	2,672	335.7	670	24.6	413	21.4	257	32.3
1974	8,363	300.4	5,874	299.8	2,489	301.7	612	22.0	376	19.2	236	28.6
1975	8,139	288.8	5,757	296.4	2,382	271.9	707	25.1	441	22.7	266	30.4
1976	8,392	294.7	5,956	303.6	2,436	274.9	669	23.5	445	22.7	224	25.3
1977	8,636	300.3	6,069	308.6	2,567	282.4	673	23.4	430	21.9	243	26.7
1978	8,550	293.1	6,013	298.6	2,537	280.9	702	24.1	475	23.6	227	25.1
1979	8,640	297.7	6,081	300.7	2,559	281.4	546	18.6	376	18.6	170	18.7
1980	9,047	289.8	6,421	299.0	2,626	269.4	559	17.9	380	17.7	179	18.4
1981	9,151	286.3	6,603	300.6	2,548	255.0	646	20.2	448	20.4	198	19.8
1982	9,083	278.9	6,457	288.7	2,626	257.6	618	19.0	415	18.6	203	19.9

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

[1] Rates in table have not been adjusted

* Not Available

Table 3 (cont.)

Year	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Diabetes Mellitus 250 (250), 0.9991						Accidents, All Types E800-E949 (E800-E949), 0.9970					
1973	552	20.2	290	15.0	262	32.9	2,029	74.4	1,264	65.5	765	96.1
1974	586	21.1	326	16.6	260	31.5	1,835	65.9	1,181	60.3	654	79.3
1975	523	18.6	276	14.2	247	28.2	1,624	57.6	1,055	54.3	569	65.0
1976	468	16.4	245	12.5	223	25.2	1,593	55.9	983	50.1	610	68.8
1977	480	16.7	256	13.0	224	24.6	1,749	60.8	1,116	56.7	633	69.6
1978	450	15.4	245	12.2	205	22.7	1,658	56.8	1,052	52.2	606	67.1
1979	471	16.1	274	13.5	197	21.7	1,729	59.0	1,076	53.2	653	71.8
1980	475	15.2	256	11.9	219	22.5	1,700	54.5	1,092	50.9	608	62.4
1981	498	15.6	285	13.0	213	21.3	1,692	52.9	1,070	48.7	622	62.2
1982	476	14.6	240	10.7	236	23.1	1,548	47.5	1,031	46.1	517	50.7
	Complications of Pregnancy, Childbirth and Puerperium 630-678 (630-676), 1.100[2]						Motor Vehicle Accidents E810-E823 (E810-E825), 1.0117					
1973	18	3.7	4	1.3	14	7.4	996	36.5	650	33.7	346	43.5
1974	10	2.1	4	1.4	6	3.2	861	30.9	568	29.0	293	35.5
1975	5	1.1	1	0.1	4	2.1	814	28.9	535	27.5	279	31.8
1976	13	2.7	2	0.7	11	5.8	816	28.7	526	26.8	290	32.7
1977	10	2.0	1	0.3	9	4.5	952	33.1	676	34.4	276	30.4
1978	8	1.6	5	1.7	3	1.5	919	31.5	613	30.4	306	33.9
1979	6	1.2	-	0	6	2.9	915	31.2	599	29.6	316	34.8
1980	12	2.3	7	2.3	5	2.3	863	27.6	592	27.6	271	27.8
1981	3	0.6	-	0	3	1.4	849	26.6	616	28.0	233	23.3
1982	6	1.2	-	0	6	2.9	753	23.1	517	23.1	236	23.1
	Congenital Anomalies 740-759 (740-759), 0.9984						Suicide E950-E959 (E950-E959), 1.0032					
1973	221	8.1	159	8.2	62	7.8	308	11.3	270	14.0	38	4.8
1974	220	7.9	138	7.0	82	9.9	303	10.9	276	14.1	27	3.3
1975	207	7.3	128	6.6	79	9.0	328	11.6	293	15.1	35	4.0
1976	204	7.2	132	6.7	72	8.1	285	10.0	247	12.6	38	4.3
1977	207	7.2	122	6.2	85	9.3	359	12.5	311	15.8	48	5.3
1978	185	6.3	112	5.6	73	8.1	332	11.4	290	14.4	42	4.7
1979	229	7.8	143	7.1	86	9.5	308	10.5	281	13.9	27	3.0
1980	196	6.3	118	5.5	78	8.0	301	9.6	251	11.7	50	5.1
1981	213	6.7	125	5.7	88	8.8	348	10.9	305	13.9	43	4.3
1982	219	6.7	127	5.7	92	9.0	366	11.2	323	14.4	43	4.2
	Certain Conditions Originating In The Perinatal Period 760-778 (760-779), 1.0765						Homicide E960-E978 (E960-E978), 1.0057					
1973	585	21.5	292	15.1	293	36.8	459	16.8	184	9.5	275	34.5
1974	544	19.5	279	14.2	265	32.1	515	18.5	198	10.1	317	38.4
1975	471	16.7	222	11.4	249	28.4	444	15.8	189	9.7	255	29.1
1976	479	16.8	201	10.2	278	31.4	352	12.4	142	7.2	210	23.7
1977	469	16.3	207	10.5	262	28.8	380	13.2	174	8.8	206	22.7
1978	441	15.1	188	9.3	253	28.0	359	12.3	165	8.2	194	21.5
1979	422	14.4	167	8.3	255	28.0	387	13.2	168	8.3	219	24.1
1980	446	14.3	175	8.2	271	27.8	392	12.6	162	7.5	230	23.6
1981	452	14.1	188	8.6	264	26.4	357	11.2	158	7.2	199	19.9
1982	416	12.8	177	7.9	239	23.4	379	11.6	171	7.6	208	20.4

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

[1] Rates in table have not been adjusted

* Not Available

[2] Rates per 10,000 live births

SUMMARY OF POPULATION

The estimated population of South Carolina for 1982 was 3,256,259, an increase of 60,012 (1.9 percent) over the 1981 estimated population of 3,196,247. The 1982 estimate was also an increase of 22.2 percent over the 1972 estimated population of 2,665,000. Population figures for 1982 used in this report were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board.

1970 and 1980 CENSUS OF POPULATION

Population Density: In 1970, the population density (number of persons per square mile of land area) of South Carolina was approximately 85.6. Based on the most recent census count, the 1980 population density had increased to 103.4, a 20.8 percent increase. Approximately 70 percent of the 46 counties in South Carolina had population densities less than that of the state in 1980, and ten of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1970, there were 1,794,430 white and 796,086 nonwhite persons residing in South Carolina. The 1980 census count recorded a 19.7 percent increase in white population and a 22.4 percent increase in nonwhite population. Of the ten year population change from 1970 to 1980, the 25-34 year age group showed the greatest percentage increase. Only two age groups, 5-9 and 10-14, showed a decrease in population from 1970 to 1980. The age distribution and the percent change in number of resident population from 1970 to 1980 are as follows:

	1970		1980		Percent Change
	Total	Percent	Total	Percent	1970-1980
Total	2,590,516	100.0	3,121,820	100.0	+20.5
Under 1 Year	48,675	1.9	50,686	1.6	+ 4.1
1 - 4 Years	187,089	7.2	187,830	6.0	+ 0.4
5 - 9 Years	269,242	10.4	253,643	8.1	- 5.8
10 - 14 Years	282,703	10.9	266,179	8.5	- 5.8
15 - 19 Years	280,881	10.8	317,234	10.2	+12.9
20 - 24 Years	238,202	9.2	313,738	10.1	+31.7
25 - 34 Years	320,245	12.4	516,741	16.6	+61.4
35 - 44 Years	286,000	11.0	350,505	11.2	+22.6
45 - 54 Years	277,119	10.7	299,183	9.6	+ 8.0
55 - 64 Years	209,400	8.1	278,753	8.9	+33.1
65 - 74 Years	125,224	4.8	189,527	6.1	+51.4
75 and Over	65,736	2.5	97,801	3.1	+48.8

Table 4.
Population, Live Births, Deaths, and Natural Increase
South Carolina, 1963 - 1982
(Residence Data)

YEAR	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		NATURAL INCREASE
		Number	Rate	Number	Rate	(Births minus Deaths)
1963	2,461,400	58,231	23.7	21,675	8.8	36,556
1964	2,487,600	56,906	22.9	21,309	8.6	35,597
1965	2,512,200	52,853	21.0	21,668	8.6	31,185
1966	2,536,800	50,653	20.0	22,081	8.7	28,572
1967	2,660,000	49,822	18.7	21,762	8.2	28,060
1968	2,669,000	49,158	18.4	23,411	8.8	25,747
1969	2,698,000	50,401	18.7	22,822	8.5	27,581
1970	2,590,516	52,283	20.2	22,762	8.8	29,521
1971	2,626,800	52,984	20.2	23,140	8.8	29.884
1972	2,665,000	49,951	18.7	23,920	9.0	26,031
1973	2,726,000	48,922	17.9	24,871	9.1	24,051
1974	2,784,000	48,432	17.4	24,169	8.7	24,263
1975	2,818,000	46,665	16.6	23,434	8.3	23,322
1976	2,848,000	47,651	16.7	23,639	8.3	24,012
1977	2,876,000	49,848	17.3	23,254	8.4	25,954
1978	2,918,000	49,558	17.0	24,058	8.2	25,503
1979	2,931,900	50,586	17.3	24,343	8.3	26,243
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335
1982	3,256,259	51,554	15.8	25,066	7.7	26,488

Rate per 1,000 population

Figure 1.

BIRTH RATES, DEATH RATES, AND NATURAL INCREASE

SOUTH CAROLINA, 1963 - 1982
(RESIDENCE DATA)



Figure 2.

POPULATION (*) DISTRIBUTION OF
SOUTH CAROLINA, 1982



LEGEND: ▥ 100001 - 300000 ▩ 50001 - 100000
▤ 25001 - 50000 ☐ 1 - 25000

(*) BASED ON 1982 ESTIMATES OF POPULATION

Table 5.
Estimates of South Carolina Population by Race by County
July, 1982

COUNTY	TOTAL	WHITE	NONWHITE
SOUTH CAROLINA	3,256,259	2,236,690	1,019,569
Abbeville	22,882	15,210	7,672
Aiken	108,908	81,131	27,777
Allendale	10,915	3,986	6,929
Anderson	140,508	115,565	24,943
Bamberg	18,589	7,816	10,773
Barnwell	20,490	11,832	8,658
Beaufort	69,107	44,724	24,383
Berkeley	106,328	76,897	29,431
Calhoun	12,508	5,581	6,927
Charleston	284,179	182,055	102,124
Cherokee	41,825	33,399	8,426
Chester	30,295	18,451	11,844
Chesterfield	39,137	26,207	12,930
Clarendon	27,790	11,719	16,071
Colleton	32,695	17,498	15,197
Darlington	64,871	38,559	26,312
Dillon	31,493	17,729	13,764
Dorchester	64,946	47,347	17,599
Edgefield	17,907	8,886	9,021
Fairfield	20,915	8,597	12,318
Florence	115,295	71,335	43,960
Georgetown	44,830	24,531	20,299
Greenville	300,202	244,445	55,757
Greenwood	59,685	42,021	17,664
Hampton	18,656	8,738	9,918
Horry	110,697	85,084	25,613
Jasper	15,149	6,411	8,738
Kershaw	39,920	27,231	12,689
Lancaster	55,875	42,019	13,856
Laurens	53,055	37,401	15,654
Lee	19,087	7,297	11,790
Lexington	154,575	137,884	16,691
McCormick	7,835	3,028	4,807
Marion	35,012	16,560	18,452
Marlboro	32,655	16,890	15,765
Newberry	31,580	21,422	10,158
Oconee	50,502	45,335	5,167
Orangeburg	85,222	36,796	48,426
Pickens	84,962	78,113	6,849
Richland	277,559	164,898	112,661
Saluda	16,478	10,602	5,876
Spartanburg	208,834	164,884	43,950
Sumter	90,016	48,953	41,063
Union	30,961	21,697	9,264
Williamsburg	39,084	14,622	24,462
York	112,245	85,304	26,941

SOURCE: South Carolina Division of Research and Statistical Services

BIRTHS

SUMMARY OF BIRTHS

In 1982, there were 51,554 live births to South Carolina residents with a crude rate of 15.8 per 1,000 estimated population. Of the total resident live births 30,652 (59.5 percent) were white and 20,902 (40.5 percent) were nonwhite. The white live birth rate was 13.7 per 1,000 estimated population; the nonwhite rate was 21.5.

Figure 3.


RESIDENT BIRTH RATES
SOUTH CAROLINA, 1982
LEGEND: BIRTH
▩ 17.7 - 20.8
▤ 14.5 - 15.9
▦ 16.0 - 17.6
☐ 11.6 - 14.4
RATE CALCULATED PER 1000 POPULATION

In 1973, the resident birth rate in South Carolina dropped to its lowest rate since 1950 and, in 1975, a new record low rate of 16.6 was set. The 1976 rate reflected a stabilization after several years of declining rates and the 1977 rate of 17.3 showed a slight increase (3.6 percent) over the 1976 rate of 16.7. In 1978, the rate fell again slightly to a rate of 17.0, but in 1979, the birth rate again rose slightly to a rate of 17.3. However, since 1980, the birth rate has steadily declined to the 1982 rate of 15.8, the lowest birth rate ever recorded.

Figure 4.



Table 6.
Total Births and Birth Rate by Race
1950 - 1982
South Carolina Residents

	TOTAL		WHITE		NONWHITE	
YEAR	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1950	57,082	27.1	30,547	25.2	26,535	29.6
1951	60,527	28.6	32,948	25.5	27,579	33.5
1952	62,564	29.6	34,871	27.0	27,693	33.6
1953	62,323	29.4	35,035	27.1	27,288	33.1
1954	65,141	28.6	36,524	26.4	28,617	32.0
1955	63,530	27.3	35,444	25.1	28,086	30.7
1956	63,811	26.9	35,656	24.8	28,155	30.1
1957	63,375	26.2	35,887	24.6	27,488	28.8
1958	60,681	24.5	34,790	23.2	25,891	26.4
1959	60,179	25.8	34,502	24.0	25,677	28.6
1960	59,702	25.1	34,428	22.0	25,274	30.4
1961	59,930	24.9	34,771	22.0	25,159	30.2
1962	58,142	23.9	34,216	21.4	23,926	28.7
1963	58,231	23.7	34,256	21.0	23,975	28.8
1964	56,906	22.9	33,184	20.1	23,722	28.4
1965	52,853	21.0	30,635	18.3	22,218	26.6
1966	50,653	20.0	30,118	17.7	20,535	24.4
1967	49,822	18.7	29,996	16.3	19,826	24.2
1968	49,158	18.4	30,416	16.6	18,742	22.5
1969	50,401	18.7	31,626	17.0	18,775	22.3
1970	52,283	20.2	32,703	18.2	19,580	24.6
1971	52,984	20.2	32,912	18.0	20,072	25.3
1972	49,951	18.7	30,857	16.5	19,094	24.1
1973	48,922	17.9	29,861	15.5	19,041	23.9
1974	48,432	17.4	29,469	15.0	18,963	23.0
1975	46,665	16.6	28,016	14.4	18,649	21.3
1976	47,651	16.7	28,529	14.5	19,122	21.6
1977	49,848	17.3	29,646	15.1	20,202	22.2
1978	49,558	17.0	29,048	14.4	20,510	22.7
1979	50,586	17.3	29,839	14.8	20,747	22.8
1980	51,908	16.6	30,559	14.2	21,349	21.9
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5

Rate per 1,000 population

ATTENDANT AT BIRTH

Tables 22 and 23 give the number of births according to attendant at delivery by county of residence and occurrence. Of the total 51,554 resident births, 96.9 percent were attended by a physician. This term "physician" includes osteopaths, residents, interns and externs. Midwives attended 2.4 percent of the total births, 1.9 percent of the white births, and 3.0 percent of nonwhite births. Other and not stated attendant accounted for less than one percent of total births. The term "other" includes any specified attendant other than physician, midwife or self-attended. Included in the "not stated" category are unknown, not specified or not classifiable attendants.

Table 7 shows resident births by attendant by delivery site. Deliveries by midwives in hospitals represent deliveries by certified nurse-midwives. Granny midwife deliveries are reflected as midwife deliveries at residences and other delivery sites.

Table 7.
Live Births by Attendant by Place of Delivery
South Carolina, 1982
(Residence Data)

	Total	Physician	Certified Nurse Midwife	Other Mid-Wife	Self	Other	Unk
Hospital or Clinic	51,037	49,835	1,106	55	2	37	2
Doctor's Office	105	80	22	-	-	3	-
Enroute	116	18	1	2	23	71	1
Residence	296	28	-	28	43	193	4
TOTAL	51,554	49,961	1,129	85	68	304	7

The percentages of total births which were delivered in hospitals are shown by race in Table 8 for the 10 year period 1973-1982. Only 97.2 percent of the total births occurred in hospitals in 1973, in contrast to 99.0 percent in 1982. The greatest change has been among nonwhite births for which the frequency of the hospital delivery has increased from 93.1 percent in 1973 to 98.5 percent in 1982.

Table 8.
Percentages of Births Occurring in Hospitals by Race:
South Carolina, 1973-1982
(Residence Data)

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1973	97.2	99.7	93.1	1978	99.0	99.5	98.3
1974	97.8	99.8	94.8	1979	99.2	99.5	98.7
1975	98.1	99.6	95.9	1980	99.3	99.5	99.1
1976	98.5	99.6	97.0	1981	99.2	99.5	98.7
1977	98.8	99.8	97.8	1982	99.0	99.2	98.5

OUT-OF-WEDLOCK

In 1982, there were 11,626 out-of-wedlock live births to resident mothers in South Carolina, representing 22.6 percent of all live births. This is an increase of 3.2 percent from the percent out-of-wedlock reported in 1981. The out-of-wedlock rate (rate per 1,000 total live births) increased from 219.1 in 1981 to 225.5 in 1982. Data for 1982 out-of-wedlock live births and percent of out-of-wedlock live births are given, by county, in Table 31. As in the past, out-of-wedlock births occurred more frequently among young mothers. Females under age 20 accounted for 45.5 percent of all out-of-wedlock live births in 1982. However, this percentage has decreased 12.0 percent since 1978.

Table 9.
Percentage Distribution of Out-of-Wedlock Live Births
By Age of Mother: South Carolina, 1978-1982
(Residence Data)

Age	1978	1979	1980	1981	1982
All Ages.................	100.0	100.0	100.0	100.0	100.0
Under 15 Years...........	2.9	2.1	2.4	1.9	2.0
15-19 Years..............	48.8	48.2	46.9	45.6	43.5
20-24 Years........	32.8	33.6	33.7	33.9	34.7
25-29 Years..............	10.2	10.9	11.4	12.6	13.3
30 Years and Over........	5.3	5.2	5.6	6.0	6.5

AGE OF MOTHER

In 1982, there were 261 resident live births to mothers under 15 years of age and only 8 live births to mothers 45 years of age and over. Woman aged 15-44 years were responsible for 99.5 percent of all live births. The median age of resident mothers giving birth in 1982 was 24.1 years. The youngest resident mother giving birth in 1982 was 12 years old and the oldest was 46 years old.

Table 10.
Percentage Distribution of Live Births by Age of Mother:
South Carolina, 1978-1982
(Residence Data)

Age	1978	1979	1980	1981	1982
All Ages.................	100.0	100.0	100.0	100.0	100.0
Under 15 Years...........	0.7	0.5	0.6	0.4	0.5
15-19 Years..............	20.3	19.8	19.2	18.5	18.0
20-24 Years..............	35.7	35.3	35.0	34.6	34.0
25-29 Years..............	27.9	28.1	28.7	28.9	29.2
30-34 Years..............	11.7	12.5	13.0	13.9	14.0
35-39 Years..............	3.0	3.2	3.1	3.2	3.7
40-44 Years..............	0.5	0.5	0.5	0.5	4.2
45 Years and Over........	0.0	0.0	0.0	0.0	0.0

BIRTH WEIGHT

Birth weights of less than 5 pounds 8 ounces (Low Birth Weight) were reported for 8.9 percent of 51,554 resident births in 1982. A greater proportion of the nonwhite children were born at the low birth weights than the white children. The nonwhite low birth weight rate was 129.0 per 1,000 live births; the white rate, 61.5.

Table 11.
Live Births by Birth Weight by Race With Percentages of Births in Weight Group: South Carolina, 1982
(Residence Data)

Weight Group	Total Number	Total Percent	White Number	White Percent	Nonwhite Number	Nonwhite Percent
Total....................	51,554	100.0	30,652	100.0	20,902	100.0
Less Than 2,500 grams....	4,580	8.9	1,884	6.1	2,696	12.9
Under 1,000 grams.....	449	0.9	160	0.5	289	1.4
1,000-1,499 grams.....	450	0.9	194	0.6	256	1.2
1,500-1,999 grams.....	905	1.6	360	1.2	545	2.6
2,000-2,499 grams.....	2,776	5.4	1,170	3.8	1,606	7.7
2,500 or More grams......	46,973	91.1	28,767	93.9	18,206	87.1
Unknown Weight...........	1	0.0	1	0.0	-	0

The live birth of an infant weighing 1,499 grams or less was a very infrequent event (1.7 percent of all live births). The gram weight group of 2,000-2,499 grams represented only 5.4 percent of all live births, but accounted for 60.6 percent of all of the low birth weight babies.

In relation to age of mother, low weight births were comparatively frequent among very young mothers; 12.6 percent of all births to mothers age 15-19 were low weight. Only 7.3 percent of all live births to mothers age 25-34 were low weight. The percent of births that are low weight, by age of mother and race, is shown in Table 12 and Figure 5.

Table 12.
Percent* of Births Less than 2,500 Grams By Age of Mother and Race: South Carolina, 1982
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	14.9	12.6	8.8	7.3	8.9	0
White	13.2	8.8	6.3	5.2	6.9	0
Nonwhite	15.4	16.0	12.6	11.3	11.5	0

*Low weight birth percentages are based on total live births within each age group.

Figure 5.
Percent of Births Less Than 2,500 Grams
by Age of Mother and Race
South Carolina, 1982
(Residence Data)



Eighty-two percent of all resident live births in 1982 occurred in the weight interval 2,500-3,999 grams. The first group in this interval (2,500-2,999 grams) contained 18.7 percent of all live births. The second gram weight group (3,000-3,499) contained 37.2 percent and the third (3,500-3,999 grams), 26.0 percent. Only a comparatively small proportion of births (1.5 percent) occurred in the upper weight interval of 4,500 grams or more.

Comparison of the percentages of white and nonwhite births at weights around the modal group for the distribution reveals some variation (see Figure 6). For both, the highest proportion of births occurred at 3,000-3,499 grams, but the mean white live birth weight was higher than the nonwhite mean weight.

Figure 6.
PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
BY BIRTHWEIGHT AND RACE:
SOUTH CAROLINA, 1982
(RESIDENCE DATA)



FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the proper population exposed to the chance of having a birth, since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. If the event of birth were to be related to the population exposed to risk, that is, to females of the childbearing ages 15-44, a more specific rate could be computed. This fertility rate per 1,000 females in the age group 15-44 has decreased 19.4 percent from 81.1 in 1973 to 65.4 in 1982, even though the female population between these ages has increased by 30.7 percent. By race, this 1973 to 1982 pattern shows a 19.1 percent decrease in the white fertility rate and a 21.1 percent decrease occurring to nonwhites.

Table 13.
Fertility Rates[1] by Race: South Carolina, 1950, 1960, 1970-1982

YEAR	TOTAL	WHITE	NONWHITE
1950	116.1	99.3	144.1
1960	120.3	103.1	155.6
1970	93.7	83.4	117.9
1971	92.1	82.6	113.7
1972	84.8	75.7	105.3
1973	81.1	71.6	102.6
1974	78.5	69.0	100.0
1975	73.3	63.4	95.9
1976	74.5	64.7	96.4
1977	76.5	66.0	100.1
1978	74.2	63.2	98.7
1979	72.1	62.1	94.2
1980	69.1	60.4	87.4
1981	67.2	58.8	84.6
1982	65.4	57.9	81.0

[1] Rate per 1,000 census population of females aged 15-44 years (1950, 1960, 1970, 1980)
Rate per 1,000 projected female population aged 15-44 years (1971-1979)
Rate per 1,000 estimated population aged 15-44 years (1981-1982)

Table 14.
Population of Females Age 15-44 , by Race: South Carolina, 1950, 1960, 1970-1982

YEAR	TOTAL	WHITE	NONWHITE
1950	491,675	307,558	184,117
1960	496,192	333,772	162,420
1970	558,052	392,021	166,031
1971	575,207	398,639	176,568
1972	589,015	407,756	181,259
1973	602,886	417,291	185,595
1974	616,927	427,272	189,655
1975	636,469	442,097	194,372
1976	639,264	440,857	198,407
1977	651,320	449,482	201,838
1978	663,289	458,227	205,062
1979*	697,351	479,583	217,768
1980	746,625	505,229	241,396
1981	769,799	519,118	250,681
1982	787,720	529,546	258,174

*revised

SEX RATIO

Out of the total 51,554 live births occurring to South Carolina residents in 1982, male births numbered 26,169 and female births numbered 25,385, giving a ratio of 103.1 males per 100 females.

Table 15.
Sex Ratio of Males Per 100 Females:
South Carolina, 1978-1982
(Residence Data)

Year	Total	White	Nonwhite
1978	105.0	107.3	102.0
1979	105.7	107.2	103.7
1980	105.1	106.0	103.8
1981	102.8	104.8	99.9
1982	103.1	103.2	102.9

MULTIPLE BIRTHS

During 1982, a total of 1,031 live births occurred as a result of multiple births. Of that number, there were 505 sets of twins and 7 sets of triplets. The 1,031 multiple births resulted in a ratio of 1 multiple birth per 50.0 live births.

CONGENITAL MALFORMATIONS

Congenital malformations were reported on 402 birth records in 1982. This corresponds to a rate of 7.8 per 1,000 live births. The three major malformations reported in 1982 were 1) Other Anomalies of Limbs, 2) Congenital Anomalies of Genital Organs, and 3) Cleft Lip and Cleft Palate. Table 33 shows live births with reported congenital malformations for residents of South Carolina and each county.

Table 16.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	51,554	15.8	30,652	13.7	20,902	20.5
Abbeville................	331	14.5	198	13.0	133	17.3
Abbeville..............	87	---	36	---	51	---
Honea Path (Part)......	-	---	-	---	-	---
Balance of County......	244	---	198	---	133	---
Aiken..................	1,741	16.0	1,134	14.0	607	21.9
New Ellenton...........	37	---	19	---	18	---
Aiken..................	252	---	120	---	132	---
N. Augusta.............	213	---	164	---	49	---
Balance of County......	1,239	---	831	---	408	---
Allendale..............	198	18.1	56	14.0	142	20.5
Allendale..............	85	---	18	---	67	---
Balance of County......	113	---	38	---	75	---
Anderson...............	1,819	12.9	1,381	11.9	438	17.6
Belton.................	75	---	58	---	17	---
Honea Path (Part)......	37	---	30	---	7	---
Williamston............	44	---	39	---	5	---
Clemson Village (Part).	-	---	-	---	-	---
Pendleton..............	44	---	16	---	28	---
Anderson...............	403	---	213	---	190	---
Balance of County......	1,216	---	1,025	---	191	---
Bamberg................	312	16.8	106	13.6	206	19.1
Bamberg................	61	---	29	---	32	---
Denmark................	74	---	17	---	57	---
Balance of County......	177	---	60	---	117	---
Barnwell...............	317	15.5	144	12.2	173	20.0
Barnwell...............	84	---	44	---	40	---
Williston..............	46	---	24	---	22	---
Blackville.............	52	---	17	---	35	---
Balance of County......	135	---	59	---	76	---
Beaufort...............	1,440	20.8	859	19.2	581	23.8
Beaufort...............	197	---	118	---	79	---
Port Royal.............	86	---	53	---	33	---
Balance of County......	1,157	---	688	---	469	---
Berkeley...............	2,036	19.1	1,381	18.0	655	22.3
Goose Creek............	305	---	240	---	65	---
Hanahan................	211	---	179	---	32	---
Moncks Corner..........	91	---	61	---	30	---
Balance of County......	1,429	---	901	---	528	---
Calhoun................	231	18.5	77	13.8	154	22.2
Balance of County......	231	---	77	---	154	---
Charleston.............	5,328	18.7	2,998	16.5	2,330	22.8
Mt. Pleasant...........	334	---	249	---	85	---
Isle of Palms..........	37	---	37	---	-	---
Summerville............	5	---	4	---	1	---
Charleston.............	1,699	---	748	---	951	---
N. Charleston..........	763	---	472	---	291	---
Balance of County......	2,490	---	1,488	---	1,002	---

Table 16 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	611	14.6	408	12.2	203	24.1
Gaffney	237	---	107	---	130	---
Balance of County	374	---	301	---	73	---
Chester	543	17.9	258	14.0	285	24.1
Chester	165	---	67	---	98	---
Great Falls	34	---	28	---	6	---
Balance of County	344	---	163	---	181	---
Chesterfield	556	14.2	320	12.2	236	18.3
Cheraw	99	---	47	---	52	---
Pageland	25	---	14	---	11	---
Balance of County	432	---	259	---	173	---
Clarendon	499	18.0	167	14.3	332	20.7
Manning	85	---	30	---	55	---
Balance of County	414	---	137	---	277	---
Colleton	546	16.7	242	13.8	304	20.0
Walterboro	136	---	57	---	79	---
Balance of County	410	---	185	---	225	---
Darlington	919	14.2	484	12.6	435	16.5
Darlington	157	---	67	---	90	---
Hartsville	146	---	79	---	67	---
Balance of County	616	---	338	---	278	---
Dillon	547	17.4	245	13.8	302	21.9
Dillon	168	---	86	---	82	---
Balance of County	379	---	159	---	220	---
Dorchester	1,126	17.3	787	16.6	339	19.3
Summerville (Part)	303	---	208	---	95	---
Balance of County	823	---	579	---	244	---
Edgefield	291	16.3	116	13.1	175	19.4
Edgefield	40	---	13	---	27	---
Johnston	49	---	18	---	31	---
Balance of County	202	---	85	---	117	---
Fairfield	315	15.1	95	11.1	220	17.9
Winnsboro	43	---	20	---	23	---
Balance of County	272	---	75	---	197	---
Florence	1,856	16.1	921	12.9	935	21.3
Lake City	132	---	39	---	93	---
Florence	602	---	248	---	354	---
Balance of County	1,122	---	634	---	488	---
Georgetown	757	16.9	318	13.0	439	21.6
Andrews (Part)	45	---	7	---	38	---
Georgetown	196	---	82	---	114	---
Balance of County	516	---	229	---	287	---
Greenville	4,389	14.6	3,334	13.6	1,055	18.9
Travelers Rest	7	---	6	---	1	---
Simpsonville	58	---	43	---	15	---
Fountain Inn (Part)	26	---	15	---	11	---
Mauldin	18	---	12	---	6	---
Greenville	1,305	---	729	---	576	---
Greer (Part)	59	---	51	---	8	---
Balance of County	2,916	---	2,478	---	438	---

Table 16 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood	857	14.4	493	11.7	364	20.6
Greenwood	371	---	153	---	218	---
Balance of County	486	---	340	---	146	---
Hampton	353	18.9	110	12.6	243	24.5
Hampton	47	---	24	---	23	---
Balance of County	306	---	86	---	220	---
Horry	1,863	16.8	1,303	15.3	560	21.9
Conway	167	---	80	---	87	---
Myrtle Beach	356	---	275	---	81	---
N. Myrtle Beach	65	---	58	---	7	---
Surfside Beach	43	---	40	---	3	---
Balance of County	1,232	---	849	---	383	---
Jasper	281	18.5	110	17.2	171	19.6
Balance of County	281	---	110	---	171	---
Kershaw	580	14.5	336	12.3	244	19.2
Camden	109	---	50	---	59	---
Balance of County	471	---	286	---	185	---
Lancaster	809	14.5	521	12.4	288	20.8
Lancaster	202	---	82	---	120	---
Balance of County	607	---	439	---	168	---
Laurens	758	14.3	465	12.4	293	18.7
Clinton	124	---	61	---	63	---
Fountain Inn (Part)	5	---	2	---	3	---
Laurens	147	---	77	---	70	---
Balance of County	482	---	325	---	157	---
Lee	291	15.2	78	10.7	213	18.1
Bishopville	54	---	12	---	42	---
Balance of County	237	---	66	---	171	---
Lexington	2,066	13.4	1,727	12.5	339	20.3
Batesburg (Part)	62	---	24	---	38	---
Cayce	152	---	116	---	36	---
W. Columbia	299	---	242	---	57	---
Springdale	6	---	6	---	-	---
Irmo (Part)	21	---	15	---	6	---
Balance of County	1,526	---	1,324	---	202	---
McCormick	133	17.0	31	10.2	102	21.2
Balance of County	133	---	31	---	102	---
Marion	620	17.7	213	12.9	407	22.1
Marion	148	---	47	---	101	---
Mullins	101	---	38	---	63	---
Balance of County	371	---	128	---	243	---
Marlboro	517	15.8	214	12.7	303	19.2
Bennettsville	165	---	61	---	104	---
McColl	45	---	36	---	9	---
Balance of County	307	---	117	---	190	---
Newberry	457	14.5	245	11.4	212	20.9
Newberry	150	---	67	---	83	---
Balance of County	307	---	178	---	129	---

Table 16 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee...................	711	14.1	635	14.0	76	14.7
Seneca................	116	---	75	---	41	---
Walhalla..............	49	---	43	---	6	---
Westminster...........	44	---	39	---	5	---
Balance of County......	502	---	478	---	24	---
Orangeburg..............	1,488	17.5	470	12.8	1,018	21.0
Orangeburg............	308	---	97	---	211	---
Balance of County......	1,180	---	373	---	807	---
Pickens..................	985	11.6	889	11.4	96	14.0
Liberty...............	27	---	22	---	5	---
Pickens...............	34	---	29	---	5	---
Clemson Village (Part).	58	---	40	---	18	---
Easley................	115	---	93	---	22	---
Balance of County......	751	---	705	---	46	---
Richland.................	4,239	15.3	1,962	11.9	2,277	20.2
Forest Acres..........	1	---	1	---	-	---
Irmo (Part)...........	52	---	45	---	7	---
Columbia..............	2,111	---	806	---	1,305	---
Balance of County......	2,075	---	1,110	---	965	---
Saluda...................	279	16.9	131	12.4	148	25.2
Batesburg (Part).......	9	---	4	---	5	---
Saluda................	60	---	18	---	42	---
Balance of County......	210	---	109	---	101	---
Spartanburg..............	3,030	14.5	2,201	13.3	829	18.9
Woodruff..............	14	---	12	---	2	---
Spartanburg...........	804	---	375	---	429	---
Greer (Part)..........	18	---	14	---	4	---
Balance of County......	2,194	---	1,800	---	394	--
Sumter...................	1,756	19.5	898	18.3	858	20.9
Sumter................	580	---	272	---	308	---
Balance of County......	1,176	---	626	---	550	---
Union....................	417	13.5	257	11.8	160	17.3
Union.................	147	---	80	---	67	---
Balance of County......	270	---	177	---	93	---
Williamsburg.............	724	18.5	201	13.7	523	21.4
Andrews (Part).........	4	---	1	---	3	---
Kingstree.............	88	---	26	---	62	---
Balance of County......	632	---	174	---	458	---
York.....................	1,632	14.5	1,133	13.3	499	18.5
Clover................	62	---	47	---	15	---
Fort Mill.............	60	---	43	---	17	---
York..................	127	---	72	---	55	---
Rock Hill.............	569	---	295	---	274	---
Balance of County......	814	---	676	---	138	---

Rate per 1,000 estimated population

Table 17.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982
(Occurrence Data)

	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	49,286	15.2	28,932	13.0	20,354	20.1
Abbeville................	203	8.9	70	4.6	133	17.3
Abbeville..............	202	---	70	---	132	---
Honea Path(Part).......	-	---	-	---	-	---
Balance of County......	1	---	-	---	1	---
Aiken....................	576	5.3	294	3.6	282	10.2
Aiken..................	571	---	292	---	279	---
New Ellenton...........	-	---	-	---	-	---
North Augusta..........	-	---	-	---	-	---
Balance of County......	5	---	2	---	3	---
Allendale................	153	14.0	34	8.5	119	17.2
Allendale..............	1	---	1	---	-	---
Balance of County......	152	---	33	---	119	---
Anderson.................	2,114	15.0	1,614	14.0	500	20.0
Anderson...............	2,107	---	1,608	---	499	---
Belton.................	-	---	-	---	-	---
Clemson Village(Part)..	-	---	-	---	-	---
Honea Path(Part).......	-	---	-	---	-	---
Pendleton..............	-	---	-	---	-	---
Williamston............	-	---	-	---	-	---
Balance of County......	7	---	6	---	1	---
Bamberg..................	382	20.5	150	19.2	232	21.5
Bamberg................	377	---	149	---	228	---
Denmark................	2	---	-	---	2	---
Balance of County......	3	---	1	---	2	---
Barnwell............. ..	153	7.5	39	3.3	114	13.2
Barnwell...............	150	---	38	---	112	---
Blackville.............	2	---	-	---	2	---
Williston..............	-	---	-	---	-	---
Balance of County......	1	---	1	---	-	---
Beaufort.................	1,511	21.9	805	18.0	706	29.0
Beaufort...............	926	---	388	---	538	---
Port Royal.............	-	---	-	---	-	---
Balance of County......	585	---	417	---	168	---
Berkeley.................	12	0.1	5	0.1	7	0.2
Goose Creek............	-	---	-	---	-	---
Hanahan................	-	---	-	---	-	---
Moncks Corner..........	-	---	-	---	-	---
Balance of County......	12	---	5	---	7	---
Calhoun..................	2	0.2	-	---	2	0.3
Balance of County......	2	---	-	---	2	---
Charleston...............	8,926	31.4	5,412	29.7	3,514	34.4
Charleston.............	6,498	---	3,503	---	2,995	---
Isle of Palms.........	-	---	-	---	-	---
Mt. Pleasant...........	1	---	-	---	1	---
N. Charleston..........	1,855	---	1,466	---	389	---
Summerville(Part)......	-	---	-	---	-	---
Balance of County......	572	---	443	---	129	---

Table 17 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee.................	358	8.6	180	5.4	178	21.1
Gaffney.................	-	---	-	---	-	---
Balance of County......	358	---	180	---	178	---
Chester.................	465	15.3	200	10.8	265	22.4
Chester.................	-	---	-	---	-	---
Great Falls............	-	---	-	---	-	---
Balance of County......	465	---	200	---	265	---
Chesterfield............	291	7.4	149	5.7	142	11.0
Cheraw..................	211	---	102	---	109	---
Pageland...............	-	---	-	---	-	---
Balance of County......	80	---	47	---	33	---
Clarendon...............	356	12.8	93	7.9	263	16.4
Manning.................	353	---	93	---	260	---
Balance of County......	3	---	-	---	3	---
Colleton................	221	6.8	47	2.7	174	11.4
Walterboro..............	203	---	40	---	163	---
Balance of County......	18	---	7	---	11	---
Darlington..............	781	12.0	366	9.5	415	15.8
Darlington..............	485	---	211	---	274	---
Hartsville..............	292	---	155	---	137	---
Balance of County......	4	---	-	---	4	---
Dillon..................	335	10.6	126	7.1	209	15.2
Dillon..................	335	---	126	---	209	---
Balance of County......	-	---	-	---	-	---
Dorchester..............	10	0.2	5	0.1	5	0.3
Summerville(Part)......	2	---	1	---	1	---
Balance of County......	8	---	4	---	4	---
Edgefield...............	131	7.3	16	1.8	115	12.7
Edgefield...............	130	---	15	---	115	---
Johnston................	-	---	-	---	-	---
Balance of County......	1	---	1	---	-	---
Fairfield...............	66	3.2	19	2.2	47	3.8
Winnsboro...............	-	---	-	---	-	---
Balance of County......	66	---	19	---	47	---
Florence................	2,495	21.6	1,330	18.6	1,165	26.5
Florence................	2,489	---	1,329	---	1,160	---
Lake City...............	2	---	-	---	2	---
Balance of County......	4	---	1	---	3	---
Georgetown..............	791	17.6	302	12.3	489	24.1
Andrews(Part)..........	-	---	-	---	-	---
Georgetown..............	788	---	302	---	486	---
Balance of County......	3	---	-	---	3	---
Greenville..............	5,336	17.8	4,193	17.2	1,143	20.5
Fountain Inn(Part).....	-	---	-	---	-	---
Greenville..............	4,771	---	3,733	---	1,038	---
Greer(Part)............	345	---	316	---	29	---
Mauldin.................	1	---	1	---	-	---
Simpsonville...........	194	---	125	---	69	---
Travelers Rest.........	-	---	-	---	-	---
Balance of County......	25	---	18	---	7	---

Table 17 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood................	1,779	29.8	1,023	24.3	756	42.8
Greenwood..............	1,778	---	1,023	---	755	---
Balance of County......	1	---	-	---	1	---
Hampton..................	268	14.4	73	8.4	195	19.7
Hampton................	-	---	-	---	-	---
Balance of County......	268	---	73	---	195	---
Horry....................	1,849	16.7	1,307	15.4	542	21.2
Conway.................	680	---	465	---	215	---
Myrtle Beach...........	1,072	---	805	---	267	---
North Myrtle Beach.....	1	---	1	---	-	---
Surfside Beach.........	-	---	-	---	-	---
Balance of County......	96	---	35	---	61	---
Jasper...................	15	1.0	1	0.2	14	1.6
Balance of County......	15	---	1	---	14	---
Kershaw..................	462	11.6	271	10.0	191	15.1
Camden.................	461	---	270	---	191	---
Balance of County......	1	---	1	---	-	---
Lancaster................	622	11.1	336	8.0	286	20.6
Lancaster..............	620	---	335	---	285	---
Balance of County......	2	---	1	---	1	---
Laurens..................	207	3.9	95	2.5	112	7.2
Clinton................	56	---	25	---	31	---
Fountain Inn(Part).....	-	---	-	---	-	---
Laurens................	110	---	46	---	64	---
Balance of County......	41	---	24	---	17	---
Lee......................	99	5.2	8	1.1	91	7.7
Bishopville............	1	---	-	---	1	---
Balance of County......	98	---	8	---	90	---
Lexington................	1,753	11.3	1,434	10.4	319	19.1
Batesburg(Part)........	-	---	-	---	-	---
Cayce..................	1	---	1	---	-	---
Irmo(Part).............	-	---	-	---	-	---
Springdale.............	-	---	-	---	-	---
West Columbia..........	-	---	-	---	-	---
Balance of County......	1,752	---	1,433	---	319	---
McCormick................	-	---	-	---	-	---
Balance of County......	-	---	-	---	-	---
Marion...................	804	23.0	306	18.5	498	27.0
Marion.................	691	---	253	---	438	---
Mullins................	111	---	53	---	58	---
Balance of County......	2	---	-	---	2	---
Marlboro.................	385	11.8	116	6.9	269	17.1
Bennettsville..........	382	---	116	---	266	---
McColl.................	-	---	-	---	-	---
Balance of County......	3	---	-	---	3	---
Newberry.................	398	12.6	203	9.5	195	19.2
Newberry...............	398	---	203	---	195	---
Balance of County......	-	---	-	---	-	---

Table 17 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee	451	8.9	397	8.8	54	10.5
Seneca	-	---	-	---	-	---
Walhalla	1	---	1	---	-	---
Westminster	1	---	1	---	-	---
Balance of County	449	---	395	---	54	---
Orangeburg	1,500	17.6	468	12.7	1,032	21.3
Orangeburg	1,491	---	465	---	1,026	---
Balance of County	9	---	3	---	6	---
Pickens	471	5.5	431	5.5	40	5.8
Clemson Village(Part)	-	---	-	---	-	---
Easley	469	---	429	---	40	---
Liberty	-	---	-	---	-	---
Pickens	-	---	-	---	-	---
Balance of County	2	---	2	---	-	---
Richland	5,485	19.8	2,704	16.4	2,781	24.7
Columbia	5,476	---	2,697	---	2,779	---
Irmo(Part)	-	---	-	---	-	---
Forest Acres	-	---	-	---	-	---
Balance of County	9	---	7	---	2	---
Saluda	1	.1	-	---	1	.2
Saluda	1	---	1	---	1	---
Batesburg(Part)	-	---	-	---	-	---
Balance of County	-	---	-	---	-	---
Spartanburg	3,108	14.9	2,254	13.7	854	19.4
Greer(Part)	-	---	-	---	-	---
Spartanburg	2,162	---	1,386	---	776	---
Woodruff	-	---	-	---	-	---
Balance of County	946	---	868	---	78	---
Sumter	1,975	21.9	985	20.1	990	24.1
Sumter	1,492	---	633	---	859	---
Balance of County	483	---	352	---	131	---
Union	309	10.0	168	7.7	141	15.2
Union	309	---	168	---	141	---
Balance of County	-	---	-	---	-	---
Williamsburg	367	9.4	52	3.6	315	12.9
Andrews(Part)	-	---	-	---	-	---
Kingstree	363	---	51	---	312	---
Balance of County	4	---	1	---	3	---
York	1,310	11.7	851	10.0	459	17.0
Clover	-	---	-	---	-	---
Fort Mill	-	---	-	---	-	---
Rock Hill	1,197	---	793	---	404	---
York	107	---	53	---	54	---
Balance of County	6	---	5	---	1	---

Rate per 1,000 estimated population

Table 18.
Live Births by Race and Sex: South Carolina and Each County, 1982
(Residence Data)

ounty of esidence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	51,554	26,169	25,385	30,652	15,567	15,085	20,902	10,602	10,300
Abbeville	331	163	168	198	97	101	133	66	67
Aiken	1,741	887	854	1,134	581	553	607	306	301
Allendale	198	109	89	56	34	22	142	75	67
Anderson	1,819	944	875	1,381	720	661	438	224	214
Bamberg	312	154	158	106	47	59	206	107	99
Barnwell	317	158	159	144	74	70	173	84	89
Beaufort	1,440	718	722	859	434	425	581	284	297
Berkeley	2,036	1,013	1,023	1,381	712	669	655	301	354
Calhoun	231	104	127	77	34	43	154	70	84
Charleston	5,328	2,671	2,657	2,998	1,513	1,485	2,330	1,158	1,172
Cherokee	611	333	278	408	224	184	203	109	94
Chester	543	273	270	258	115	143	285	158	127
Chesterfield	556	290	266	320	166	154	236	124	112
Clarendon	499	244	255	167	94	73	332	150	182
Colleton	546	287	259	242	129	113	304	158	146
Darlington	919	460	459	484	233	251	435	227	208
Dillon	547	294	253	245	134	111	302	160	142
Dorchester	1,126	573	553	787	394	393	339	179	160
Edgefield	291	139	152	116	52	64	175	87	88
Fairfield	315	157	158	95	43	52	220	114	106
Florence	1,856	957	899	921	481	440	935	476	459
Georgetown	757	365	392	318	161	157	439	204	235
Greenville	4,389	2,218	2,171	3,334	1,718	1,616	1,055	500	555
Greenwood	857	435	422	493	253	240	364	182	182
Hampton	353	190	163	110	55	55	243	135	108
Horry	1,863	904	959	1,303	639	664	560	265	295
Jasper	281	149	132	110	60	50	171	89	82
Kershaw	580	296	284	336	182	154	244	114	130
Lancaster	809	418	391	521	259	262	288	159	129
Laurens	758	384	374	465	243	222	293	141	152
Lee	291	147	144	78	41	37	213	106	107
Lexington	2,066	1,058	1,008	1,727	872	855	339	186	153
McCormick	133	67	66	31	14	17	102	53	49
Marion	620	307	313	213	98	115	407	209	198
Marlboro	517	288	229	214	112	102	303	176	127
Newberry	457	214	243	245	110	135	212	104	108
Oconee	711	369	342	635	326	309	76	43	33
Orangeburg	1,488	759	729	470	240	230	1,018	519	499
Pickens	985	485	500	889	437	452	96	48	48
Richland	4,239	2,187	2,052	1,962	993	969	2,277	1,194	1,083
Saluda	279	129	150	131	63	68	148	66	82
Spartanburg	3,030	1,522	1,508	2,201	1,086	1,115	829	436	393
Sumter	1,756	904	852	898	460	438	858	444	414
Union	417	222	195	257	136	121	160	86	74
Williamsburg	724	373	351	201	106	95	523	267	256
York	1,632	851	781	1,133	592	541	499	259	240

Table 19.
Live Births by Race and Sex: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	49,286	25,002	24,284	28,932	14,684	14,248	20,354	10,318	10,036
Abbeville	203	103	100	70	33	37	133	70	63
Aiken	576	299	277	294	158	136	282	141	141
Allendale	153	85	68	34	21	13	119	64	55
Anderson	2,114	1,093	1,021	1,614	834	780	500	259	241
Bamberg	382	193	189	150	77	73	232	116	116
Barnwell	153	77	76	39	19	20	114	58	56
Beaufort	1,511	754	757	805	405	400	706	349	357
Berkeley	12	6	6	5	3	2	7	3	4
Calhoun	2	1	1	–	–	–	2	1	1
Charleston	8,926	4,490	4,436	5,412	2,751	2,661	3,514	1,739	1,775
Cherokee	358	189	169	180	96	84	178	93	85
Chester	465	234	231	200	87	113	265	147	118
Chesterfield	291	168	123	149	85	64	142	83	59
Clarendon	356	161	195	93	43	50	263	118	145
Colleton	221	120	101	47	27	20	174	93	81
Darlington	781	403	378	366	180	186	415	223	192
Dillon	335	157	178	126	56	70	209	101	108
Dorchester	10	5	5	5	3	2	5	2	3
Edgefield	131	62	69	16	5	11	115	57	58
Fairfield	66	31	35	19	5	14	47	26	21
Florence	2,495	1,271	1,224	1,330	684	646	1,165	587	578
Georgetown	791	387	404	302	156	146	489	231	258
Greenville	5,336	2,721	2,615	4,193	2,179	2,014	1,143	542	601
Greenwood	1,779	883	896	1,023	520	503	756	363	393
Hampton	268	146	122	73	39	34	195	107	88
Horry	1,849	901	948	1,307	645	662	542	256	286
Jasper	15	9	6	1	–	1	14	9	5
Kershaw	462	232	230	271	142	129	191	90	101
Lancaster	622	315	307	336	156	180	286	159	127
Laurens	207	110	97	95	51	44	112	59	53
Lee	99	53	46	8	6	2	91	47	44
Lexington	1,753	917	836	1,434	744	690	319	173	146
McCormick	–	–	–	–	–	–	–	–	–
Marion	804	424	380	306	158	148	498	266	232
Marlboro	385	202	183	116	58	58	269	144	125
Newberry	398	199	199	203	98	105	195	101	94
Oconee	451	235	216	397	207	190	54	28	26
Orangeburg	1,500	746	754	468	219	249	1,032	527	505
Pickens	471	225	246	431	207	224	40	18	22
Richland	5,485	2,776	2,709	2,704	1,347	1,357	2,781	1,429	1,352
Saluda	1	–	1	–	–	–	1	–	1
Spartanburg	3,108	1,564	1,544	2,254	1,111	1,143	854	453	401
Sumter	1,975	1,029	946	985	516	469	990	513	477
Union	309	171	138	168	94	74	141	77	64
Williamsburg	367	184	183	52	22	30	315	162	153
York	1,310	671	639	851	437	414	459	234	225

Table 20.
Total Births by Number of Prenatal Care Visits: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits					
		No Visits	01-05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unknown
SOUTH CAROLINA	51,554	777	5,731	21,344	20,882	2,455	365
Abbeville	331	-	28	145	130	23	5
Aiken	1,741	43	162	614	783	61	78
Allendale	198	7	44	71	67	8	1
Anderson	1,819	19	142	887	719	50	2
Bamberg	312	5	35	127	121	22	2
Barnwell	317	5	38	157	91	14	12
Beaufort	1,440	17	88	412	882	37	4
Berkeley	2,036	19	153	756	940	162	6
Calhoun	231	6	7	99	116	3	-
Charleston	5,328	75	620	1,958	2,281	387	7
Cherokee	611	7	51	238	291	23	1
Chester	543	7	99	241	176	19	1
Chesterfield	556	8	72	224	206	44	2
Clarendon	499	18	108	189	173	10	1
Colleton	546	6	67	255	186	32	-
Darlington	919	11	142	412	310	43	1
Dillon	547	10	104	223	185	22	3
Dorchester	1,126	12	105	416	532	59	2
Edgefield	291	8	63	115	91	7	7
Fairfield	315	5	50	131	112	10	7
Florence	1,856	17	109	817	883	29	1
Georgetown	757	9	111	297	303	36	1
Greenville	4,389	56	577	2,438	1,157	160	1
Greenwood	857	4	69	345	323	89	27
Hampton	353	4	76	150	112	8	3
Horry	1,863	37	234	908	616	54	14
Jasper	281	-	28	73	166	10	4
Kershaw	580	6	42	165	312	53	2
Lancaster	809	7	100	367	299	36	-
Laurens	758	7	101	334	248	45	23
Lee	291	7	24	113	124	23	-
Lexington	2,066	15	123	706	1,108	99	15
McCormick	133	2	26	56	37	11	1
Marion	620	8	117	275	192	28	-
Marlboro	517	15	136	196	138	21	11
Newberry	457	6	45	158	219	28	1
Oconee	711	12	85	265	297	48	4
Orangeburg	1,488	17	74	649	721	21	6
Pickens	985	15	79	400	415	75	1
Richland	4,239	64	425	1,486	1,981	223	60
Saluda	279	1	67	106	85	6	14
Spartanburg	3,030	74	393	1,430	1,053	50	30
Sumter	1,756	54	139	630	838	93	2
Union	417	6	55	217	119	19	1
Williamsburg	724	18	125	359	211	10	1
York	1,632	28	193	734	533	144	-

Table 21.
Live Births by Month Prenatal Care Began
South Carolina and Each County, 1982
(Residence Data)

	Total	TOTAL										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk
SOUTH CAROLINA	51,554	756	4,302	17,627	12,211	6,443	4,061	2,580	1,651	989	392	542
Abbeville	331	–	29	150	58	39	16	8	9	3	1	18
Aiken	1,741	43	201	585	336	187	124	64	72	37	9	83
Allendale	198	7	18	53	43	36	12	11	8	6	3	1
Anderson	1,819	19	92	985	360	158	117	43	26	13	4	2
Bamberg	312	5	32	101	63	47	23	18	12	7	2	2
Barnwell	317	5	35	114	78	42	16	8	5	3	2	9
Beaufort	1,440	18	166	458	417	218	83	39	23	8	5	5
Berkeley	2,036	19	196	541	562	322	172	105	60	41	13	5
Calhoun	231	6	30	82	50	27	20	8	5	2	1	–
Charleston	5,328	75	675	1,474	1,148	706	482	352	217	143	54	2
Cherokee	611	7	14	222	150	71	66	36	24	12	6	3
Chester	543	7	50	155	132	72	52	33	26	9	5	2
Chesterfield	556	8	53	151	149	67	57	40	17	10	2	2
Clarendon	499	17	26	111	117	77	60	33	29	21	6	2
Colleton	546	6	78	200	114	56	40	24	16	8	3	1
Darlington	919	11	71	313	200	108	78	63	40	30	4	1
Dillon	547	10	24	152	143	93	50	35	25	12	1	2
Dorchester	1,126	12	110	372	303	132	70	48	44	22	13	–
Edgefield	291	8	24	92	46	38	30	16	11	15	3	8
Fairfield	315	5	10	96	55	60	22	22	16	14	8	7
Florence	1,856	17	302	795	428	143	63	49	26	26	6	1
Georgetown	757	9	57	249	165	113	69	51	20	15	8	1
Greenville	4,389	56	310	1,619	1,067	492	329	228	155	94	36	3
Greenwood	857	4	91	300	179	80	43	38	19	11	1	91
Hampton	353	4	52	136	69	44	21	12	7	4	–	4
Horry	1,863	37	176	684	380	182	136	109	79	50	11	19
Jasper	281	–	45	105	56	37	18	10	4	–	1	5
Kershaw	580	6	62	221	144	59	39	22	13	8	4	2
Lancaster	809	7	56	326	207	94	59	37	14	8	1	–
Laurens	758	7	36	209	164	112	77	50	27	18	12	46
Lee	291	7	17	107	60	45	27	13	6	7	2	–
Lexington	2,066	15	123	935	550	187	101	65	37	24	13	16
McCormick	133	2	14	37	30	21	13	8	–	1	3	4
Marion	620	8	69	194	124	67	69	40	19	18	12	–
Marlboro	517	15	36	113	119	71	63	38	28	14	3	17
Newberry	457	6	25	155	129	66	30	19	14	7	3	3
Oconee	711	12	28	293	169	91	61	30	12	8	4	3
Orangeburg	1,488	17	154	483	392	205	115	57	39	16	8	2
Pickens	985	15	124	395	187	106	70	42	23	20	2	1
Richland	4,239	63	136	1,384	1,105	593	339	237	160	97	59	66
Saluda	279	2	12	78	40	34	33	19	19	15	4	23
Spartanburg	3,030	53	116	988	744	428	300	155	109	34	27	76
Sumter	1,756	54	91	412	484	278	191	125	62	45	12	2
Union	417	6	20	109	104	77	39	24	24	5	8	1
Williamsburg	724	18	41	250	214	77	53	35	22	12	1	1
York	1,632	28	175	643	377	185	113	61	28	16	6	–

Table 21-A.
Live Birth by Month Prenatal Care Began by Race, South Carolina and Each County, 1982
(Residence Data)

	Total	WHITE										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk
SOUTH CAROLINA	30,652	234	3,070	12,660	7,308	3,102	1,745	1,047	657	406	173	250
Abbeville	198	-	20	100	29	18	8	5	3	1	-	14
Aiken	1,134	16	157	434	238	99	66	34	36	19	2	33
Allendale	56	1	5	22	16	5	2	1	2	1	-	1
Anderson	1,381	7	79	818	261	96	67	27	13	10	2	1
Bamberg	106	-	18	44	19	11	7	1	3	3	-	-
Barnwell	144	2	19	67	31	15	6	1	-	-	-	3
Beaufort	859	8	97	303	250	120	46	14	9	6	2	4
Berkeley	1,381	8	151	412	375	207	98	59	36	22	10	3
Calhoun	77	1	8	30	22	7	7	-	2	-	-	-
Charleston	2,998	22	487	1,030	629	310	210	144	82	65	18	1
Cherokee	408	4	10	158	115	46	34	21	10	5	2	3
Chester	258	1	35	98	61	30	13	10	4	3	3	-
Chesterfield	320	3	41	101	90	35	24	18	4	2	1	1
Clarendon	167	3	19	60	45	19	9	4	2	5	1	-
Colleton	242	1	45	107	44	16	14	6	5	3	-	1
Darlington	484	4	52	204	114	38	27	24	13	5	3	-
Dillon	245	2	16	85	67	37	17	10	7	3	1	-
Dorchester	787	4	83	287	215	83	44	27	27	10	7	-
Edgefield	116	-	17	61	24	9	3	-	1	1	-	-
Fairfield	95	1	5	49	18	14	1	3	1	2	1	-
Florence	921	3	172	461	180	52	17	14	9	9	3	1
Georgetown	318	1	32	152	69	31	13	7	8	4	1	-
Greenville	3,334	20	288	1,397	839	306	197	127	85	48	24	3
Greenwood	493	2	72	202	90	27	9	17	8	5	1	60
Hampton	110	1	23	58	13	7	3	2	2	1	-	-
Horry	1,303	15	138	569	268	108	78	58	37	21	6	5
Jasper	110	-	23	46	22	10	3	3	1	-	-	2
Kershaw	336	-	39	165	74	27	10	11	3	5	2	-
Lancaster	521	3	46	231	144	42	31	14	6	3	1	-
Laurens	465	1	31	170	95	51	35	29	11	7	5	30
Lee	78	-	12	38	17	5	3	1	2	-	-	-
Lexington	1,727	9	102	862	466	133	68	37	19	17	5	9
McCormick	31	-	4	16	6	1	1	-	-	-	2	1
Marion	213	-	39	84	39	24	9	8	4	3	3	-
Marlboro	214	3	22	63	46	30	22	8	12	2	-	6
Newberry	245	1	18	100	74	25	15	3	4	2	1	2
Oconee	635	5	25	280	149	79	47	28	10	6	4	2
Orangeburg	470	3	55	226	121	34	13	8	5	3	2	-
Pickens	889	12	120	362	171	91	57	36	19	18	2	1
Richland	1,962	12	88	878	533	192	86	51	47	34	25	16
Saluda	131	1	11	49	28	13	11	1	5	5	-	7
Spartanburg	2,201	27	107	827	535	302	176	96	53	20	19	39
Sumter	898	11	61	262	288	140	61	35	24	11	5	-
Union	257	4	18	80	69	41	20	10	8	2	5	-
Williamsburg	201	1	15	102	54	15	7	3	-	3	-	1
York	1,133	11	145	510	255	101	50	31	15	11	4	-

Table 21-A
Live Birth by Month Prenatal Care Began by Race, South Carolina and Each County, 1982
(Residence Data)

	Total	Nonwhite										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk
SOUTH CAROLINA	20,902	522	1,232	4,967	4,903	3,341	2,316	1,533	994	583	219	292
Abbeville	133	-	9	50	29	21	8	3	6	2	1	4
Aiken	607	27	44	151	98	88	58	30	36	18	7	50
Allendale	142	6	13	31	27	31	10	10	6	5	3	-
Anderson	438	12	13	167	99	62	50	16	13	3	2	1
Bamberg	206	5	14	57	44	36	16	17	9	4	2	2
Barnwell	173	3	16	47	47	27	10	7	5	3	2	6
Beaufort	581	10	69	155	167	98	37	25	14	2	3	1
Berkeley	655	11	45	129	187	115	74	46	24	19	3	2
Calhoun	154	5	22	52	28	20	13	8	3	2	1	-
Charleston	2,330	53	188	444	519	396	272	208	135	78	36	1
Cherokee	203	3	4	64	35	25	32	15	14	7	4	-
Chester	285	6	15	57	71	42	39	23	22	6	2	2
Chesterfield	236	5	12	50	59	32	33	22	13	8	1	1
Clarendon	332	14	7	51	72	58	51	29	27	16	5	2
Colleton	304	5	33	93	70	40	26	18	11	5	3	-
Darlington	435	7	19	109	86	70	51	39	27	25	1	1
Dillon	302	8	8	67	76	56	33	25	18	9	-	2
Dorchester	339	8	27	85	88	49	26	21	17	12	6	-
Edgefield	175	8	7	31	22	29	27	16	10	14	3	8
Fairfield	220	4	5	47	37	46	21	19	15	12	7	7
Florence	935	14	130	334	248	91	46	35	17	17	3	-
Georgetown	439	8	25	97	96	82	56	44	12	11	7	1
Greenville	1,055	36	22	222	228	186	132	101	70	46	12	-
Greenwood	364	2	19	98	89	53	34	21	11	6	-	31
Hampton	243	3	29	78	56	37	18	10	5	3	-	4
Horry	560	22	38	115	112	74	58	51	42	29	5	14
Jasper	171	-	22	59	34	27	15	7	3	-	1	3
Kershaw	244	6	23	56	70	32	29	11	10	3	2	2
Lancaster	288	4	10	95	63	52	28	23	8	5	-	-
Laurens	293	6	5	39	69	61	42	21	16	11	7	16
Lee	213	7	5	69	43	40	24	12	4	7	2	-
Lexington	339	6	21	73	84	54	33	28	18	7	8	7
McCormick	102	2	10	21	24	20	12	8	-	1	1	3
Marion	407	8	30	110	85	43	60	32	15	15	9	-
Marlboro	303	12	14	50	73	41	41	30	16	12	3	11
Newberry	212	5	7	55	55	41	15	16	10	5	2	1
Oconee	76	7	3	13	20	12	14	2	2	2	-	1
Orangeburg	1,018	14	99	257	271	171	102	49	34	13	6	2
Pickens	96	3	4	33	16	15	13	6	4	2	-	-
Richland	2,277	51	48	506	572	401	253	186	113	63	34	50
Saluda	148	1	1	29	12	21	22	18	14	10	4	16
Spartanburg	829	26	9	161	209	126	124	59	56	14	8	37
Sumter	858	43	30	150	196	138	130	90	38	34	7	2
Union	160	2	2	29	35	36	19	14	16	3	3	1
Williamsburg	523	17	26	148	160	62	46	32	22	9	1	-
York	499	17	30	133	122	84	63	30	13	5	2	-

Table 22
Live Births by Attendant: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total	Total								
		Physician		Certified Nurse Midwife		Other Midwife		Other	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	51,554	49,853	108	1,107	22	57	28	304	68	7
Abbeville	331	329	-	1	-	-	-	1	-	-
Aiken	1,741	1,728	-	4	-	-	1	6	1	1
Allendale	198	191	-	-	-	-	-	4	3	-
Anderson	1,819	1,808	2	-	-	-	-	9	-	-
Bamberg	312	149	-	136	-	19	-	7	1	-
Barnwell	317	303	-	10	-	1	-	2	1	-
Beaufort	1,440	1,428	-	2	-	-	-	10	-	-
Berkeley	2,036	1,830	-	177	-	4	-	21	4	-
Calhoun	231	223	-	5	-	1	1	-	1	-
Charleston	5,328	4,990	-	275	-	13	3	37	10	-
Cherokee	611	609	1	1	-	-	-	-	-	-
Chester	543	539	-	-	1	-	-	3	-	-
Chesterfield	556	508	45	1	-	-	1	1	-	-
Clarendon	499	489	-	5	-	-	-	4	1	-
Colleton	546	509	24	9	-	1	-	1	2	-
Darlington	919	887	4	2	-	-	-	25	1	-
Dillon	547	543	-	1	-	-	-	2	1	-
Dorchester	1,126	1,047	1	52	-	8	2	13	3	-
Edgefield	291	290	-	-	-	-	1	-	-	-
Fairfield	315	308	-	-	-	-	1	2	4	-
Florence	1,856	1,837	-	3	-	-	-	14	2	-
Georgetown	757	746	1	4	-	-	-	3	3	-
Greenville	4,389	4,323	13	22	-	-	6	24	1	-
Greenwood	857	854	-	-	-	-	-	1	2	-
Hampton	353	348	1	1	-	-	-	1	2	-
Horry	1,863	1,761	4	84	-	-	1	8	4	1
Jasper	281	277	1	-	-	-	-	3	-	-
Kershaw	580	579	-	-	-	-	1	-	-	-
Lancaster	809	804	2	-	-	-	-	3	-	-
Laurens	758	752	1	2	-	1	-	2	-	-
Lee	291	281	1	4	-	-	-	4	1	-
Lexington	2,066	2,040	-	13	6	-	-	6	-	1
McCormick	133	133	-	-	-	-	-	-	-	-
Marion	620	617	-	1	-	-	-	2	-	-
Marlboro	517	511	1	-	-	1	-	3	1	-
Newberry	457	456	-	-	-	-	-	1	-	-
Oconee	711	707	-	-	-	-	-	4	-	-
Orangeburg	1,488	1,407	-	62	-	4	3	7	5	-
Pickens	985	978	1	1	-	-	-	5	-	-
Richland	4,239	4,185	1	13	15	-	5	12	7	1
Saluda	279	274	1	-	-	-	-	4	-	-
Spartanburg	3,030	2,997	2	1	-	-	2	26	1	1
Sumter	1,756	1,531	-	212	-	2	-	7	3	1
Union	417	416	-	-	-	1	-	-	-	-
Williamsburg	724	712	-	3	-	1	-	6	2	-
York	1,632	1,619	1	-	-	-	-	10	1	1

Table 22-A.
Live Births by Attendant by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total	White								
		Physician		Certified Nurse Midwife		Other Midwife		Other	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	30,652	29,866	65	531	22	18	23	111	12	4
Abbeville	198	197	-	1	-	-	-	-	-	-
Aiken	1,134	1,128	-	4	-	-	1	1	-	-
Allendale	56	55	-	-	-	-	-	-	1	-
Anderson	1,381	1,374	2	-	-	-	-	5	-	-
Bamberg	106	65	-	39	-	-	-	1	1	-
Barnwell	144	135	-	8	-	-	-	1	-	-
Beaufort	859	855	-	1	-	-	-	3	-	-
Berkeley	1,381	1,311	-	58	-	4	-	7	1	-
Calhoun	77	72	-	5	-	-	-	-	-	-
Charleston	2,998	2,886	-	84	-	9	3	14	2	-
Cherokee	408	407	-	1	-	-	-	-	-	-
Chester	258	257	-	-	1	-	-	-	-	-
Chesterfield	320	294	24	-	-	-	1	1	-	-
Clarendon	167	166	-	1	-	-	-	-	-	-
Colleton	242	225	10	7	-	-	-	-	-	-
Darlington	484	475	3	1	-	-	-	5	-	-
Dillon	245	244	-	1	-	-	-	-	-	-
Dorchester	787	752	-	24	-	2	2	6	1	-
Edgefield	116	115	-	-	-	-	1	-	-	-
Fairfield	95	95	-	-	-	-	-	-	-	-
Florence	921	916	-	2	-	-	-	3	-	-
Georgetown	318	315	1	2	-	-	-	-	-	-
Greenville	3,334	3,281	13	20	-	-	6	13	1	-
Greenwood	493	493	-	-	-	-	-	-	-	-
Hampton	110	109	-	1	-	-	-	-	-	-
Horry	1,303	1,239	3	56	-	-	1	3	-	1
Jasper	110	110	-	-	-	-	-	-	-	-
Kershaw	336	335	-	-	-	-	1	-	-	-
Lancaster	521	517	2	-	-	-	-	2	-	-
Laurens	465	462	1	2	-	-	-	-	-	-
Lee	78	76	-	1	-	-	-	1	-	-
Lexington	1,727	1,704	-	13	6	-	-	4	-	-
McCormick	31	31	-	-	-	-	-	-	-	-
Marion	213	212	-	1	-	-	-	-	-	-
Marlboro	214	212	1	-	-	1	-	-	-	-
Newberry	245	245	-	-	-	-	-	-	-	-
Oconee	635	631	-	-	-	-	-	4	-	-
Orangeburg	470	444	-	22	-	-	1	1	2	-
Pickens	889	884	1	1	-	-	-	3	-	-
Richland	1,962	1,923	1	13	15	-	4	4	2	-
Saluda	131	131	-	-	-	-	-	-	-	-
Spartanburg	2,201	2,176	2	1	-	-	2	18	1	1
Sumter	898	733	-	160	-	1	-	3	-	1
Union	257	256	-	-	-	1	-	-	-	-
Williamsburg	201	199	-	1	-	-	-	1	-	-
York	1,133	1,124	1	-	-	-	-	7	-	1

Table 22-A
Live Births by Attendant by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Other Midwife		Other	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	20,902	19,987	43	576	-	39	5	193	56	3
Abbeville	133	132	-	-	-	-	-	1	-	-
Aiken	607	600	-	-	-	-	-	5	1	1
Allendale	142	136	-	-	-	-	-	4	2	-
Anderson	438	434	-	-	-	-	-	4	-	-
Bamberg	206	84	-	97	-	19	-	6	-	-
Barnwell	173	168	-	2	-	1	-	1	1	-
Beaufort	581	573	-	1	-	-	-	7	-	-
Berkeley	655	519	-	119	-	-	-	14	3	-
Calhoun	154	151	-	-	-	1	1	-	1	-
Charleston	2,330	2,104	-	191	-	4	-	23	8	-
Cherokee	203	202	1	-	-	-	-	-	-	-
Chester	285	282	-	-	-	-	-	3	-	-
Chesterfield	236	214	21	1	-	-	-	-	-	-
Clarendon	332	323	-	4	-	-	-	4	1	-
Colleton	304	284	14	2	-	1	-	1	2	-
Darlington	435	412	1	1	-	-	-	20	1	-
Dillon	302	299	-	-	-	-	-	2	1	-
Dorchester	339	295	1	28	-	6	-	7	2	-
Edgefield	175	175	-	-	-	-	-	-	-	-
Fairfield	220	213	-	-	-	-	1	2	4	-
Florence	935	921	-	1	-	-	-	11	2	-
Georgetown	439	431	-	2	-	-	-	3	3	-
Greenville	1,055	1,042	-	2	-	-	-	11	-	-
Greenwood	364	361	-	-	-	-	-	1	2	-
Hampton	243	239	1	-	-	-	-	1	2	-
Horry	560	522	1	28	-	-	-	5	4	-
Jasper	171	167	1	-	-	-	-	3	-	-
Kershaw	244	244	-	-	-	-	-	-	-	-
Lancaster	288	287	-	-	-	-	-	1	-	-
Laurens	293	290	-	-	-	1	-	2	-	-
Lee	213	205	1	3	-	-	-	3	1	-
Lexington	339	336	-	-	-	-	-	2	-	1
McCormick	102	102	-	-	-	-	-	-	-	-
Marion	407	405	-	-	-	-	-	2	-	-
Marlboro	303	299	-	-	-	-	-	3	1	-
Newberry	212	211	-	-	-	-	-	1	-	-
Oconee	76	76	-	-	-	-	-	-	-	-
Orangeburg	1,018	963	-	40	-	4	2	6	3	-
Pickens	96	94	-	-	-	-	-	2	-	-
Richland	2,277	2,262	-	-	-	-	1	8	5	1
Saluda	148	143	1	-	-	-	-	4	-	-
Spartanburg	829	821	-	-	-	-	-	8	-	-
Sumter	858	798	-	52	-	1	-	4	3	-
Union	160	160	-	-	-	-	-	-	-	-
Williamsburg	523	513	-	2	-	1	-	5	2	-
York	499	495	-	-	-	-	-	3	1	-

Table 23
Live Births by Attendant: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	Total	Total								
		Physician		Certified Nurse Midwife		Other Midwife		Other	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	49,286	47,568	118	1,114	23	57	28	304	69	5
Abbeville	203	202	-	-	-	-	-	1	-	-
Aiken	576	568	-	-	-	-	1	5	1	1
Allendale	153	145	-	-	-	-	-	4	4	-
Anderson	2,114	2,104	2	-	-	-	-	8	-	-
Bamberg	382	69	-	271	-	33	-	8	1	-
Barnwell	153	150	-	-	-	-	-	2	1	-
Beaufort	1,511	1,501	-	-	-	-	-	10	-	-
Berkeley	12	-	-	-	-	-	-	11	1	-
Calhoun	2	-	-	-	-	-	1	-	1	-
Charleston	8,926	8,364	-	472	-	18	4	54	14	-
Cherokee	358	358	-	-	-	-	-	-	-	-
Chester	465	462	-	-	-	-	-	3	-	-
Chesterfield	291	226	61	1	1	-	1	1	-	-
Clarendon	356	353	-	-	-	-	-	3	-	-
Colleton	221	193	25	-	-	-	-	1	2	-
Darlington	781	749	1	-	-	1	-	29	1	-
Dillon	335	333	-	-	-	-	-	1	1	-
Dorchester	10	-	-	-	-	-	2	6	2	-
Edgefield	131	130	-	-	-	-	1	-	-	-
Fairfield	66	64	-	-	-	-	1	-	1	-
Florence	2,495	2,478	-	-	-	-	-	15	2	-
Georgetown	791	784	-	-	-	-	-	4	3	-
Greenville	5,336	5,261	14	27	-	-	6	27	1	-
Greenwood	1,779	1,773	-	-	-	-	-	4	2	-
Hampton	268	265	-	-	-	-	-	1	2	-
Horry	1,849	1,744	5	88	-	-	-	7	4	1
Jasper	15	10	2	-	-	-	-	3	-	-
Kershaw	462	461	-	-	-	-	1	-	-	-
Lancaster	622	619	-	-	-	-	-	3	-	-
Laurens	207	203	1	-	-	1	-	2	-	-
Lee	99	94	1	-	-	-	-	3	1	-
Lexington	1,753	1,699	-	25	22	-	-	6	-	1
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	804	802	-	-	-	-	-	2	-	-
Marlboro	385	381	-	-	-	-	-	3	1	-
Newberry	398	396	-	-	-	-	-	2	-	-
Oconee	451	447	-	-	-	-	-	4	-	-
Orangeburg	1,500	1,485	-	-	-	-	3	7	5	-
Pickens	471	467	1	-	-	-	-	3	-	-
Richland	5,485	5,453	1	-	-	-	5	15	10	1
Saluda	1	-	1	-	-	-	-	-	-	-
Spartanburg	3,108	3,075	3	-	-	-	2	26	1	1
Sumter	1,975	1,731	-	230	-	3	-	7	4	-
Union	309	308	-	-	-	1	-	-	-	-
Williamsburg	367	360	-	-	-	-	-	5	2	-
York	1,310	1,301	-	-	-	-	-	8	1	-

Table 23-A
Live Births by Attendant by Race: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	Total	White								
		Physician		Certified Nurse Midwife		Other Midwife		Other	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	28,932	28,140	70	535	22	18	23	110	12	2
Abbeville	70	70	-	-	-	-	-	-	-	-
Aiken	294	292	-	-	-	-	1	1	-	-
Allendale	34	33	-	-	-	-	-	-	1	-
Anderson	1,614	1,608	2	-	-	-	-	4	-	-
Bamberg	150	28	-	119	-	1	-	1	1	-
Barnwell	39	38	-	-	-	-	-	1	-	-
Beaufort	805	802	-	-	-	-	-	3	-	-
Berkeley	5	-	-	-	-	-	-	5	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	5,412	5,231	-	140	-	14	4	19	4	-
Cherokee	180	180	-	-	-	-	-	-	-	-
Chester	200	200	-	-	-	-	-	-	-	-
Chesterfield	149	112	35	-	-	-	1	1	-	-
Clarendon	93	93	-	-	-	-	-	-	-	-
Colleton	47	37	10	-	-	-	-	-	-	-
Darlington	366	359	-	-	-	1	-	6	-	-
Dillon	126	126	-	-	-	-	-	-	-	-
Dorchester	5	-	-	-	-	-	2	3	-	-
Edgefield	16	15	-	-	-	-	1	-	-	-
Fairfield	19	19	-	-	-	-	-	-	-	-
Florence	1,330	1,327	-	-	-	-	-	3	-	-
Georgetown	302	302	-	-	-	-	-	-	-	-
Greenville	4,193	4,132	14	25	-	-	6	15	1	-
Greenwood	1,023	1,023	-	-	-	-	-	-	-	-
Hampton	73	73	-	-	-	-	-	-	-	-
Horry	1,307	1,240	4	59	-	-	-	3	-	1
Jasper	1	1	-	-	-	-	-	-	-	-
Kershaw	271	270	-	-	-	-	1	-	-	-
Lancaster	336	334	-	-	-	-	-	2	-	-
Laurens	95	93	1	-	-	-	-	1	-	-
Lee	8	8	-	-	-	-	-	-	-	-
Lexington	1,434	1,383	-	25	22	-	-	4	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	306	306	-	-	-	-	-	-	-	-
Marlboro	116	116	-	-	-	-	-	-	-	-
Newberry	203	203	-	-	-	-	-	-	-	-
Oconee	397	393	-	-	-	-	-	4	-	-
Orangeburg	468	464	-	-	-	-	1	1	2	-
Pickens	431	428	1	-	-	-	-	2	-	-
Richland	2,704	2,692	1	-	-	-	4	5	2	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	2,254	2,231	2	-	-	-	2	17	1	1
Sumter	985	814	-	167	-	1	-	3	-	-
Union	168	167	-	-	-	1	-	-	-	-
Williamsburg	52	51	-	-	-	-	-	1	-	-
York	851	846	-	-	-	-	-	5	-	-

Table 23-A
Live Births by Attendant by Race: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Other Midwife		Other	Self	Unknown
		In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital	In Hospital Or Enroute	Out Hospital			
SOUTH CAROLINA	20,354	19,428	48	579	1	39	5	194	57	3
Abbeville	133	132	-	-	-	-	-	1	-	-
Aiken	282	276	-	-	-	-	-	4	1	1
Allendale	119	112	-	-	-	-	-	4	3	-
Anderson	500	496	-	-	-	-	-	4	-	-
Bamberg	232	41	-	152	-	32	-	7	-	-
Barnwell	114	112	-	-	-	-	-	1	1	-
Beaufort	706	699	-	-	-	-	-	7	-	-
Berkeley	7	-	-	-	-	-	-	6	1	-
Calhoun	2	-	-	-	-	-	1	-	1	-
Charleston	3,514	3,133	-	332	-	4	-	35	10	-
Cherokee	178	178	-	-	-	-	-	-	-	-
Chester	265	262	-	-	-	-	-	3	-	-
Chesterfield	142	114	26	1	1	-	-	-	-	-
Clarendon	263	260	-	-	-	-	-	3	-	-
Colleton	174	156	15	-	-	-	-	1	2	-
Darlington	415	390	1	-	-	-	-	23	1	-
Dillon	209	207	-	-	-	-	-	1	1	-
Dorchester	5	-	-	-	-	-	-	3	2	-
Edgefield	115	115	-	-	-	-	-	-	-	-
Fairfield	47	45	-	-	-	-	1	-	1	-
Florence	1,165	1,151	-	-	-	-	-	12	2	-
Georgetown	489	482	-	-	-	-	-	4	3	-
Greenville	1,143	1,129	-	2	-	-	-	12	-	-
Greenwood	756	750	-	-	-	-	-	4	2	-
Hampton	195	192	-	-	-	-	-	1	2	-
Horry	542	504	1	29	-	-	-	4	4	-
Jasper	14	9	2	-	-	-	-	3	-	-
Kershaw	191	191	-	-	-	-	-	-	-	-
Lancaster	286	285	-	-	-	-	-	1	-	-
Laurens	112	110	-	-	-	1	-	1	-	-
Lee	91	86	1	-	-	-	-	3	1	-
Lexington	319	316	-	-	-	-	-	2	-	1
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	498	496	-	-	-	-	-	2	-	-
Marlboro	269	265	-	-	-	-	-	3	1	-
Newberry	195	193	-	-	-	-	-	2	-	-
Oconee	54	54	-	-	-	-	-	-	-	-
Orangeburg	1,032	1,021	-	-	-	-	2	6	3	-
Pickens	40	39	-	-	-	-	-	1	-	-
Richland	2,781	2,761	-	-	-	-	1	10	8	1
Saluda	1	-	1	-	-	-	-	-	-	-
Spartanburg	854	844	1	-	-	-	-	9	-	-
Sumter	990	917	-	63	-	2	-	4	4	-
Union	141	141	-	-	-	-	-	-	-	-
Williamsburg	315	309	-	-	-	-	-	4	2	-
York	459	455	-	-	-	-	-	3	1	-

Table 24.
Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1982
(Residence Data)

Age of Mother	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Live Births by Age of Mother						
All Ages	51,554	100.0	30,652	100.0	20,902	100.0
< 15	261	0.5	53	0.2	208	1.0
15 - 19	9,280	18.0	4,325	14.1	4,955	23.7
20 - 24	17,554	34.0	10,472	34.2	7,082	33.9
25 - 29	15,068	29.2	9,897	32.3	5,171	24.7
30 - 34	7,202	14.0	4,660	15.2	2,542	12.2
35 - 44	2,177	4.2	1,241	4.0	936	4.5
45+	8	0.2	4	0.0	4	0.0
Not Stated	4	0.0	-	0	4	0.0
Live Births by Age of Married Mother						
All Ages	39,928	100.0	28,639	100.0	11,289	100.0
< 15	30	0.1	27	0.1	3	0.0
15 - 19	4,226	10.6	3,383	11.8	843	7.5
20 - 24	13,514	33.8	9,783	34.2	3,731	33.0
25 - 29	13,522	33.9	9,661	33.7	3,861	34.2
30 - 34	6,637	16.6	4,572	16.0	2,065	18.3
35 - 44	1,990	5.0	1,209	4.2	781	6.9
45+	8	0.0	4	0.0	4	0.0
Not Stated	1	0.0	-	0	1	0.0
Live Births by Age of Unmarried Mother						
All Ages	11,626	100.0	2,013	100.0	9,613	100.0
< 15	231	2.0	26	1.3	205	2.1
15 - 19	5,054	43.5	942	46.8	4,112	42.8
20 - 24	4,040	34.7	689	34.2	3,351	34.9
25 - 29	1,546	13.3	236	11.7	1,310	13.6
30 - 34	565	4.9	88	4.4	477	5.0
35 - 44	187	1.6	32	1.6	155	1.6
45+	-	0	-	0	-	0
Not Stated	3	0.0	-	0	3	0.0

Table 25.
Live Births by Age of Mother:
South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Statec
SOUTH CAROLINA	51,554	261	9,280	17,554	15,068	7,202	2,177	8	4
Abbeville	331	1	60	124	100	38	7	1	-
Aiken	1,741	11	310	590	530	218	81	-	1
Allendale	198	3	45	60	56	26	8	-	-
Anderson	1,819	13	361	634	541	204	66	-	-
Bamberg	312	4	79	101	74	44	10	-	-
Barnwell	317	3	62	119	89	29	15	-	-
Beaufort	1,440	8	227	543	401	198	63	-	-
Berkeley	2,036	4	267	768	672	254	71	-	-
Calhoun	231	1	45	76	70	29	10	-	-
Charleston	5,328	18	877	1,931	1,507	774	221	-	-
Cherokee	611	9	139	216	154	62	30	1	-
Chester	543	5	123	175	156	67	17	-	-
Chesterfield	556	4	117	190	147	75	23	-	-
Clarendon	499	2	100	170	129	64	34	-	-
Colleton	546	3	103	191	154	72	23	-	-
Darlington	919	7	198	313	248	115	38	-	-
Dillon	547	1	122	209	134	62	19	-	-
Dorchester	1,126	2	157	392	335	191	48	1	-
Edgefield	291	1	53	83	101	42	11	-	-
Fairfield	315	3	73	103	75	39	22	-	-
Florence	1,856	13	336	598	543	281	85	-	-
Georgetown	757	4	140	250	227	93	43	-	-
Greenville	4,389	14	721	1,346	1,397	720	189	2	-
Greenwood	857	4	176	292	243	99	43	-	-
Hampton	353	3	66	121	109	37	16	1	-
Horry	1,863	11	325	701	523	232	69	1	1
Jasper	281	2	58	107	70	34	10	-	-
Kershaw	580	3	96	219	158	86	18	-	-
Lancaster	809	6	172	302	212	85	32	-	-
Laurens	758	1	179	270	201	91	16	-	-
Lee	291	2	54	110	61	42	22	-	-
Lexington	2,066	6	286	635	689	357	93	-	-
McCormick	133	-	30	42	28	27	6	-	-
Marion	620	2	139	197	166	90	26	-	-
Marlboro	517	3	129	200	103	62	20	-	-
Newberry	457	7	88	160	113	67	22	-	-
Oconee	711	3	114	252	212	96	33	1	-
Orangeburg	1,488	7	331	478	407	213	52	-	-
Pickens	985	2	161	334	328	120	40	-	-
Richland	4,239	16	629	1,311	1,400	671	210	-	2
Saluda	279	4	69	88	71	33	14	-	-
Spartanburg	3,030	22	560	1,001	871	449	127	-	-
Sumter	1,756	5	337	656	485	222	51	-	-
Union	417	2	95	137	122	44	17	-	-
Williamsburg	724	6	144	234	189	112	39	-	-
York	1,632	10	327	525	467	236	67	-	-

Table 26.
Live Births to Mothers Less Than 20 Years Old
South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total ≤19	Age of Mother <15	15	16	17	18	19
SOUTH CAROLINA	9,541	261	592	1,131	1,817	2,691	3,049
Abbeville	61	1	5	7	13	18	17
Aiken	321	11	17	36	80	86	91
Allendale	48	3	5	7	7	11	15
Anderson	374	13	21	50	74	111	105
Bamberg	83	4	10	17	6	22	24
Barnwell	65	3	3	7	17	15	20
Beaufort	235	8	13	20	37	65	92
Berkeley	271	4	7	17	55	87	101
Calhoun	46	1	-	7	10	15	13
Charleston	895	18	64	93	176	262	282
Cherokee	148	9	11	23	31	38	36
Chester	128	5	8	15	24	40	36
Chesterfield	121	4	10	6	25	43	33
Clarendon	102	2	5	16	24	31	24
Colleton	106	3	4	16	19	33	31
Darlington	205	7	11	30	37	53	67
Dillon	123	1	10	12	28	39	33
Dorchester	159	2	8	24	24	46	55
Edgefield	54	1	5	6	11	11	20
Fairfield	76	3	9	10	16	16	22
Florence	349	13	29	36	59	94	118
Georgetown	144	4	10	14	32	45	39
Greenville	735	14	53	100	133	198	237
Greenwood	180	4	15	21	44	41	55
Hampton	69	3	3	9	16	15	23
Horry	336	11	21	26	58	101	119
Jasper	60	2	-	9	6	22	21
Kershaw	99	3	5	13	20	22	36
Lancaster	178	6	7	23	31	50	61
Laurens	180	1	15	27	27	45	65
Lee	56	2	3	5	8	19	19
Lexington	292	6	15	35	59	85	92
McCormick	30	-	2	6	4	10	8
Marion	141	2	10	25	28	35	41
Marlboro	132	3	9	14	22	48	36
Newberry	95	7	5	13	18	18	34
Oconee	117	3	6	9	18	30	51
Orangeburg	338	7	27	39	69	104	92
Pickens	163	2	7	15	36	49	54
Richland	645	16	32	68	139	175	215
Saluda	73	4	8	8	15	23	15
Spartanburg	582	22	36	82	102	165	175
Sumter	342	5	12	45	59	94	127
Union	97	2	6	9	18	19	43
Williamsburg	150	6	6	18	29	43	48
York	337	10	24	43	53	99	108

Table 27.
Live Births by Birth Weight, Age of Mother and Race: South Carolina, 1982
(Residence Data)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
All Ages............	51,554	104	345	450	905	2,776	9,637	19,186	13,413	3,945	687	105	1
White............	30,652	31	129	194	360	1,170	4,464	11,069	9,488	3,107	558	81	1
Nonwhite..........	20,902	73	216	256	545	1,606	5,173	8,117	3,925	838	129	24	-
Under 15 Years.......	261	1	4	2	10	22	78	98	41	5	-	-	-
White............	53	-	-	1	1	5	11	14	19	2	-	-	-
Nonwhite..........	208	1	4	1	9	17	67	84	22	3	-	-	-
15 - 19 Years........	9,280	24	96	113	240	699	2,206	3,563	1,841	434	60	4	-
White............	4,325	6	26	42	83	223	769	1,665	1,131	329	49	2	-
Nonwhite..........	4,955	18	70	71	157	476	1,437	1,898	710	105	11	2	-
20 - 24 Years........	17,554	33	100	144	301	968	3,464	6,699	4,491	1,157	175	21	1
White............	10,472	11	40	74	114	418	1,642	3,846	3,239	922	148	17	1
Nonwhite..........	7,082	22	60	70	187	550	1,822	2,853	1,252	235	27	4	-
25 - 34 Years........	22,270	38	126	172	312	980	3,551	8,081	6,423	2,122	402	63	-
White............	14,556	12	54	67	144	477	1,884	5,130	4,718	1,695	323	52	-
Nonwhite..........	7,714	26	72	105	168	503	1,667	2,951	1,705	427	79	11	-
35 - 44 Years........	2,177	8	19	19	42	106	335	740	615	226	50	17	-
White............	1,241	2	9	10	18	47	157	412	380	158	38	10	-
Nonwhite..........	936	6	10	9	24	59	178	328	235	68	12	7	-
45 and Over..........	8	-	-	-	-	-	3	2	2	1	-	-	-
White............	4	-	-	-	-	-	1	1	1	1	-	-	-
Nonwhite..........	4	-	-	-	-	-	2	1	1	-	-	-	-
Not Stated..........	4	-	-	-	-	1	-	3	-	-	-	-	-
White............	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite..........	4	-	-	-	-	1	-	3	-	-	-	-	-

Table 28.
Low Weight* Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	4,580	8.9	1,884	6.1	2,696	12.9
Abbeville	21	6.3	10	5.1	11	8.3
Aiken	156	9.0	69	6.1	87	14.3
Allendale	33	16.7	6	10.7	27	19.0
Anderson	140	7.7	84	6.1	56	12.8
Bamberg	31	9.9	6	5.7	25	12.1
Barnwell	34	10.7	6	4.2	28	16.2
Beaufort	114	7.9	41	4.8	73	12.6
Berkeley	157	7.7	91	6.6	66	10.1
Calhoun	24	10.4	3	3.9	21	13.6
Charleston	456	8.6	151	5.0	305	13.1
Cherokee	50	8.2	31	7.6	19	9.4
Chester	46	8.5	12	4.7	34	11.9
Chesterfield	55	9.9	17	5.3	38	16.1
Clarendon	55	11.0	14	8.4	41	12.3
Colleton	57	10.4	15	6.2	42	13.8
Darlington	85	9.2	33	6.8	52	12.0
Dillon	54	9.9	17	6.9	37	12.3
Dorchester	84	7.5	41	5.2	43	12.7
Edgefield	32	11.0	7	6.0	25	14.3
Fairfield	37	11.7	7	7.4	30	13.6
Florence	182	9.8	57	6.2	125	13.4
Georgetown	75	9.9	16	5.0	59	13.4
Greenville	358	8.2	210	6.3	148	14.0
Greenwood	90	10.5	42	8.5	48	13.2
Hampton	30	8.5	7	6.4	23	9.5
Horry	146	7.8	76	5.8	70	12.5
Jasper	31	11.0	12	10.9	19	11.1
Kershaw	44	7.6	16	4.8	28	11.5
Lancaster	79	9.8	37	7.1	42	14.6
Laurens	67	8.8	39	8.4	28	9.6
Lee	34	11.7	3	3.8	31	14.6
Lexington	138	6.7	100	5.8	38	11.2
McCormick	10	7.5	2	6.5	8	7.8
Marion	63	10.2	9	4.2	54	13.3
Marlboro	47	9.1	13	6.1	34	11.2
Newberry	38	8.3	11	4.5	27	12.7
Oconee	49	6.9	42	6.6	7	9.2
Orangeburg	174	11.7	31	6.6	143	14.0
Pickens	65	6.6	53	6.0	12	12.5
Richland	431	10.2	129	6.6	302	13.3
Saluda	39	14.0	16	12.2	23	15.5
Spartanburg	253	8.3	152	6.9	101	12.2
Sumter	150	8.5	47	5.2	103	12.0
Union	40	9.6	17	6.6	23	14.4
Williamsburg	90	12.4	14	7.0	76	14.5
York	136	8.3	72	6.4	64	12.8

*Live birth weighing less than 2500 grams

Low Weight* Live Births by Age of Mother
South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total All Ages	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	4,580	39	1,172	1,546	1,096	532	194	-	1
Abbeville	21	-	6	4	6	4	1	-	-
Aiken	156	2	40	58	28	21	7	-	-
Allendale	33	1	9	10	8	4	1	-	-
Anderson	140	2	42	43	32	16	5	-	-
Bamberg	31	-	10	10	2	7	2	-	-
Barnwell	34	-	7	10	10	4	3	-	-
Beaufort	114	-	25	32	37	16	4	-	-
Berkeley	157	-	31	53	54	13	6	-	-
Calhoun	24	1	3	6	9	2	3	-	-
Charleston	456	1	110	169	109	52	15	-	-
Cherokee	50	2	14	17	9	8	-	-	-
Chester	46	1	15	10	13	5	2	-	-
Chesterfield	55	-	11	21	10	11	2	-	-
Clarendon	55	1	12	16	16	4	6	-	-
Colleton	57	1	15	24	12	3	2	-	-
Darlington	85	-	26	28	24	5	2	-	-
Dillon	54	1	14	21	10	7	1	-	-
Dorchester	84	1	16	30	25	10	2	-	-
Edgefield	32	-	6	13	8	5	-	-	-
Fairfield	37	-	15	10	8	2	2	-	-
Florence	182	3	37	67	42	25	8	-	-
Georgetown	75	-	17	28	20	4	6	-	-
Greenville	358	2	107	98	101	37	13	-	-
Greenwood	90	2	21	26	29	9	3	-	-
Hampton	30	1	4	17	5	2	1	-	-
Horry	146	1	28	55	29	24	9	-	-
Jasper	31	-	9	9	9	2	2	-	-
Kershaw	44	1	11	19	6	6	1	-	-
Lancaster	79	1	22	31	12	7	6	-	-
Laurens	67	-	20	22	17	6	2	-	-
Lee	34	-	8	14	7	3	2	-	-
Lexington	138	-	28	55	32	17	6	-	-
McCormick	10	-	4	4	1	1	-	-	-
Marion	63	-	15	19	15	13	1	-	-
Marlboro	47	-	13	19	7	5	3	-	-
Newberry	38	2	10	14	6	4	2	-	-
Oconee	49	2	12	17	10	5	3	-	-
Orangeburg	174	-	51	60	35	20	8	-	-
Pickens	65	-	10	26	20	6	3	-	-
Richland	431	2	107	146	111	52	12	-	1
Saluda	39	1	13	11	6	5	3	-	-
Spartanburg	253	3	64	78	55	39	14	-	-
Sumter	150	2	47	46	35	11	9	-	-
Union	40	-	15	5	15	3	2	-	-
Williamsburg	90	1	28	28	16	14	3	-	-
York	136	1	44	47	25	13	6	-	-

* Live birth weighing less than 2500 grams

Table 30.
Live Births by Birth Weight and Race, South Carolina and Each County, 1982
(Residence Data)

County and Race	Total	Birth Weight										
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
SOUTH CAROLINA.......	51,554	104	345	450	905	2,776	9,637	19,186	13,413	3,945	687	105	1
White.............	30,652	31	129	194	360	1,170	4,464	11,069	9,488	3,107	558	81	1
Nonwhite..........	20,902	73	216	256	545	1,606	5,173	8,117	3,925	838	129	24	-
Abbeville............	331	-	2	1	7	11	63	133	85	24	4	1	-
White.............	198	-	1	-	5	4	31	75	58	19	4	1	-
Nonwhite..........	133	-	1	1	2	7	32	58	27	5	-	-	-
Aiken...............	1,741	1	4	14	24	113	308	667	463	123	20	4	-
White.............	1,134	-	3	6	7	53	155	437	358	98	15	2	-
Nonwhite..........	607	1	1	8	17	60	153	230	105	25	5	2	-
Allendale............	198	2	1	4	9	17	30	68	53	10	3	1	-
White.............	56	-	-	1	1	4	2	20	20	6	1	1	-
Nonwhite..........	142	2	1	3	8	13	28	48	33	4	2	-	-
Anderson.............	1,819	4	15	10	27	84	318	708	483	137	30	3	-
White.............	1,381	1	9	6	14	54	197	536	406	127	28	3	-
Nonwhite..........	438	3	6	4	13	30	121	172	77	10	2	-	-
Bamberg..............	312	-	4	5	10	12	66	118	80	14	2	1	-
White.............	106	-	-	-	3	3	20	35	37	7	1	-	-
Nonwhite..........	206	-	4	5	7	9	46	83	43	7	1	1	-
Barnwell.............	317	-	3	3	9	19	61	128	66	22	5	1	-
White.............	144	-	-	-	4	2	20	62	37	14	5	-	-
Nonwhite..........	173	-	3	3	5	17	41	66	29	8	-	1	-
Beaufort.............	1,440	-	11	11	22	70	260	501	408	131	23	3	-
White.............	859	-	3	8	6	24	112	288	284	110	21	3	-
Nonwhite..........	581	-	8	3	16	46	148	213	124	21	2	-	-
Berkeley.............	2,036	7	11	21	26	92	335	733	595	179	34	3	-
White.............	1,381	1	9	13	15	53	200	458	454	150	26	2	-
Nonwhite..........	655	6	2	8	11	39	135	275	141	29	8	1	-
Calhoun..............	231	-	2	1	7	14	51	85	51	18	2	-	-
White.............	77	-	-	-	-	3	6	30	23	13	2	-	-
Nonwhite..........	154	-	2	1	7	11	45	55	28	5	-	-	-
Charleston...........	5,328	14	40	39	96	267	979	2,028	1,371	415	73	6	-
White.............	2,998	2	11	16	33	89	416	1,068	978	317	62	6	-
Nonwhite..........	2,330	12	29	23	63	178	563	960	393	98	11	-	-

Table 30 (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
Cherokee.............	611	3	1	5	12	29	127	233	142	47	10	1	1
White.............	408	-	1	2	7	21	62	159	107	39	8	1	1
Nonwhite..........	203	3	-	3	5	8	65	74	35	8	2	-	-
Chester..............	543	1	5	10	9	21	101	219	130	37	9	1	-
White.............	258	-	1	3	4	4	43	99	79	20	4	1	-
Nonwhite..........	285	1	4	7	5	17	58	120	51	17	5	-	-
Chesterfield.........	556	1	4	4	13	33	93	218	127	57	5	1	-
White.............	320	-	1	1	6	9	42	141	76	40	4	-	-
Nonwhite..........	236	1	3	3	7	24	51	77	51	17	1	1	-
Clarendon............	499	1	5	7	16	26	105	194	114	27	3	1	-
White.............	167	-	1	2	3	8	25	60	55	11	1	1	-
Nonwhite..........	332	1	4	5	13	18	80	134	59	16	2	-	-
Colleton.............	546	-	5	5	15	32	102	193	130	50	12	2	-
White.............	242	-	-	2	4	9	34	89	69	29	5	1	-
Nonwhite..........	304	-	5	3	11	23	68	104	61	21	7	1	-
Darlington...........	919	-	5	6	16	58	201	355	211	57	10	-	-
White.............	484	-	2	4	5	22	78	188	136	40	9	-	-
Nonwhite..........	435	-	3	2	11	36	123	167	75	17	1	-	-
Dillon...............	547	-	2	11	13	28	132	191	134	32	4	-	-
White.............	245	-	2	4	5	6	51	86	66	21	4	-	-
Nonwhite..........	302	-	-	7	8	22	81	105	68	11	-	-	-
Dorchester...........	1,126	7	8	9	16	44	186	417	303	107	24	5	-
White.............	787	2	5	6	6	22	109	287	230	95	22	3	-
Nonwhite..........	339	5	3	3	10	22	77	130	73	12	2	2	-
Edgefield............	291	1	10	1	6	14	60	93	75	28	3	-	-
White.............	116	-	3	-	-	4	14	37	42	14	2	-	-
Nonwhite..........	175	1	7	1	6	10	46	56	33	14	1	-	-
Fairfield............	315	1	1	1	11	23	60	129	67	17	4	1	-
White.............	95	-	-	-	2	5	16	36	25	7	3	1	-
Nonwhite..........	220	1	1	1	9	18	44	93	42	10	1	-	-
Florence.............	1,856	4	14	27	26	111	378	717	438	120	20	1	-
White.............	921	1	2	13	12	29	139	349	263	95	18	-	-
Nonwhite..........	935	3	12	14	14	82	239	368	175	25	2	1	-

Table 30 (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
Georgetown	757	3	5	7	8	52	133	268	200	71	9	1	-
White	318	1	-	-	1	14	42	99	106	49	6	-	-
Nonwhite	439	2	5	7	7	38	91	169	94	22	3	1	-
Greenville	4,389	7	33	38	57	223	771	1,604	1,264	337	45	10	-
White	3,334	4	15	23	33	135	513	1,197	1,060	307	37	10	-
Nonwhite	1,055	3	18	15	24	88	258	407	204	30	8	-	-
Greenwood	857	3	6	12	18	51	163	301	229	60	12	2	-
White	493	-	3	7	6	26	68	166	158	47	11	1	-
Nonwhite	364	3	3	5	12	25	95	135	71	13	1	1	-
Hampton	353	-	1	4	5	20	70	146	80	22	4	1	-
White	110	-	-	-	1	6	13	42	38	8	1	1	-
Nonwhite	243	-	1	4	4	14	57	104	42	14	3	-	-
Horry	1,863	1	14	16	20	95	327	712	494	154	27	3	-
White	1,303	-	4	8	12	52	200	477	399	127	22	2	-
Nonwhite	560	1	10	8	8	43	127	235	95	27	5	1	-
Jasper	281	2	4	4	7	14	53	110	59	22	4	2	-
White	110	2	2	2	2	4	6	35	36	15	4	2	-
Nonwhite	171	-	2	2	5	10	47	75	23	7	-	-	-
Kershaw	580	-	1	7	11	25	92	208	174	48	11	3	-
White	336	-	1	2	3	10	40	118	110	40	9	3	-
Nonwhite	244	-	-	5	8	15	52	90	64	8	2	-	-
Lancaster	809	-	2	6	16	55	169	314	199	40	7	1	-
White	521	-	2	3	7	25	88	204	154	30	7	1	-
Nonwhite	288	-	-	3	9	30	81	110	45	10	-	-	-
Laurens	758	3	1	6	16	41	146	266	203	59	15	2	-
White	465	2	-	3	12	22	75	145	144	49	12	1	-
Nonwhite	293	1	1	3	4	19	71	121	59	10	3	1	-
Lee	291	3	1	3	9	18	64	113	58	18	2	2	-
White	78	-	-	1	1	1	10	31	20	11	2	1	-
Nonwhite	213	3	1	2	8	17	54	82	38	7	-	1	-
Lexington	2,066	4	7	11	26	90	322	746	622	199	31	8	-
White	1,727	1	6	7	19	67	238	603	565	184	30	7	-
Nonwhite	339	3	1	4	7	23	84	143	57	15	1	1	-

Table 30 (Cont.)

County and Race	Total	Birth Weight										
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
McCormick............	133	1	-	1	2	6	28	51	33	8	1	2	-
White.............	31	-	-	-	-	2	3	12	11	3	-	-	-
Nonwhite..........	102	1	-	1	2	4	25	39	22	5	1	2	-
Marion..............	620	-	5	8	18	32	131	230	153	36	7	-	-
White.............	213	-	1	-	2	6	29	83	68	20	4	-	-
Nonwhite..........	407	-	4	8	16	26	102	147	85	16	3	-	-
Marlboro............	517	3	-	4	9	31	120	186	139	19	5	1	-
White.............	214	1	-	2	4	6	40	75	70	12	3	1	-
Nonwhite..........	303	2	-	2	5	25	80	111	69	7	2	-	-
Newberry............	457	-	-	2	12	24	85	178	119	32	2	3	-
White.............	245	-	-	1	4	6	33	89	82	26	1	3	-
Nonwhite..........	212	-	-	1	8	18	52	89	37	6	1	-	-
Oconee..............	711	-	4	3	9	33	115	263	201	70	10	3	-
White.............	635	-	4	3	8	27	90	236	188	66	10	3	-
Nonwhite..........	76	-	-	-	1	6	25	27	13	4	-	-	-
Orangeburg..........	1,488	2	16	17	32	107	349	527	323	96	18	1	-
White.............	470	2	4	1	2	22	59	177	135	58	9	1	-
Nonwhite..........	1,018	-	12	16	30	85	290	350	188	38	9	-	-
Pickens.............	985	2	8	7	3	45	172	353	308	72	12	3	-
White.............	889	2	6	5	2	38	139	321	289	72	12	3	-
Nonwhite..........	96	-	2	2	1	7	33	32	19	-	-	-	-
Richland............	4,239	6	34	31	85	275	840	1,608	1,008	297	45	10	-
White.............	1,962	1	7	8	31	82	305	724	572	198	29	5	-
Nonwhite..........	2,277	5	27	23	54	193	535	884	436	99	16	5	-
Saluda..............	279	-	4	3	15	17	47	105	68	17	3	-	-
White.............	131	-	1	1	4	10	16	42	40	14	3	-	-
Nonwhite..........	148	-	3	2	11	7	31	63	28	3	-	-	-
Spartanburg.........	3,030	5	16	25	56	151	582	1,079	826	234	56	-	-
White.............	2,201	3	8	16	36	89	341	759	685	212	52	-	-
Nonwhite..........	829	2	8	9	20	62	241	320	141	22	4	-	-
Sumter..............	1,756	5	11	14	24	96	350	656	424	156	17	3	-
White.............	898	1	4	5	9	28	119	329	271	115	15	2	-
Nonwhite..........	858	4	7	9	15	68	231	327	153	41	2	1	-

Table 30 (Cont.)

County and Race	Total	Birth Weight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000 grams or More	Not Stated
Union................	417	3	3	5	7	22	83	164	97	28	4	1	-
White.............	257	2	-	2	3	10	42	99	72	22	4	1	-
Nonwhite..........	160	1	3	3	4	12	41	65	25	6	-	-	-
Williamsburg.........	724	1	1	12	23	53	141	285	159	40	7	2	-
White.............	201	-	-	2	4	8	33	75	60	16	1	2	-
Nonwhite..........	523	1	1	10	19	45	108	210	99	24	6	-	-
York.................	1,632	3	15	9	27	82	268	585	447	158	33	5	-
White.............	1,133	2	7	5	12	46	150	391	352	134	29	5	-
Nonwhite..........	499	1	8	4	15	36	118	194	95	24	4	-	-

Table 31.
Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock
South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	11,626	22.6	2,013	6.6	9,613	46.0
Abbeville	85	25.7	11	5.6	74	55.6
Aiken	341	19.6	82	7.2	259	42.7
Allendale	66	33.3	3	5.4	63	44.4
Anderson	306	16.8	92	6.7	214	48.9
Bamberg	96	30.8	4	3.8	92	44.7
Barnwell	93	29.3	12	8.3	81	46.8
Beaufort	263	18.3	39	4.5	224	38.6
Berkeley	240	11.8	77	5.6	163	24.9
Calhoun	81	35.1	5	6.5	76	49.4
Charleston	1,363	25.6	245	8.2	1,118	48.0
Cherokee	145	23.7	32	7.8	113	55.7
Chester	155	28.5	20	7.8	135	47.4
Chesterfield	120	21.6	25	7.8	95	40.3
Clarendon	157	31.5	11	6.6	146	44.0
Colleton	152	27.8	16	6.6	136	44.7
Darlington	269	29.3	33	6.8	236	54.3
Dillon	190	34.7	34	13.9	156	51.7
Dorchester	147	13.1	34	4.3	113	33.3
Edgefield	92	31.6	1	0.9	91	52.0
Fairfield	113	35.9	8	8.4	105	47.7
Florence	510	27.5	57	6.2	453	48.4
Georgetown	213	28.1	16	5.0	197	44.9
Greenville	749	17.1	197	5.9	552	52.3
Greenwood	210	24.5	31	6.3	179	49.2
Hampton	95	26.9	8	7.3	87	35.8
Horry	366	19.6	91	7.0	275	49.1
Jasper	101	35.9	4	3.6	97	56.7
Kershaw	135	23.3	23	6.8	112	45.9
Lancaster	164	20.3	33	6.3	131	45.5
Laurens	213	28.1	42	9.0	171	58.4
Lee	94	32.3	2	2.6	92	43.2
Lexington	238	11.5	93	5.4	145	42.8
McCormick	46	34.6	2	6.5	44	43.1
Marion	203	32.7	15	7.0	188	46.2
Marlboro	191	36.9	28	13.1	163	53.8
Newberry	128	28.0	11	4.5	117	55.2
Oconee	57	8.0	32	5.0	25	32.9
Orangeburg	525	35.3	31	6.6	494	48.5
Pickens	100	10.2	60	6.7	40	41.7
Richland	1,013	23.9	115	5.9	898	39.4
Saluda	82	29.4	7	5.3	75	50.7
Spartanburg	618	20.4	158	7.2	460	55.5
Sumter	413	23.5	51	5.7	362	42.2
Union	89	21.3	21	8.2	68	42.5
Williamsburg	224	30.9	6	3.0	218	41.7
York	375	23.0	95	8.4	280	56.1

Table 32.
Out-of-Wedlock Live Births by Age of Mother: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15	15-19	20-24	25-29	30-34	35-44	45 & Over	Not Stated
SOUTH CAROLINA	11,626	231	5,054	4,040	1,546	565	187	-	3
Abbeville	85	1	29	42	9	4	-	-	-
Aiken	341	8	154	123	39	14	2	-	1
Allendale	66	3	27	24	7	4	1	-	-
Anderson	306	10	150	102	33	10	1	-	-
Bamberg	96	2	41	40	9	4	-	-	-
Barnwell	93	2	32	35	19	3	2	-	-
Beaufort	263	8	111	74	44	20	6	-	-
Berkeley	240	4	96	92	38	9	1	-	-
Calhoun	81	1	35	24	18	1	2	-	-
Charleston	1,363	17	551	534	170	71	20	-	-
Cherokee	145	8	64	46	21	4	2	-	-
Chester	155	4	69	50	24	7	1	-	-
Chesterfield	120	3	53	44	10	9	1	-	-
Clarendon	157	2	68	60	20	4	3	-	-
Colleton	152	3	66	58	16	7	2	-	-
Darlington	269	7	125	97	27	7	6	-	-
Dillon	190	1	86	74	22	5	2	-	-
Dorchester	147	1	63	45	22	12	4	-	-
Edgefield	92	1	41	29	14	4	3	-	-
Fairfield	113	3	53	36	14	5	2	-	-
Florence	510	13	220	158	73	29	17	-	-
Georgetown	213	4	78	88	29	11	3	-	-
Greenville	749	12	351	248	94	37	7	-	-
Greenwood	210	4	84	76	26	16	4	-	-
Hampton	95	3	42	30	10	7	3	-	-
Horry	366	9	163	120	54	13	6	-	1
Jasper	101	2	34	39	17	7	2	-	-
Kershaw	135	3	57	44	16	12	3	-	-
Lancaster	164	4	75	62	17	4	2	-	-
Laurens	213	1	101	66	30	11	4	-	-
Lee	94	2	34	39	9	7	3	-	-
Lexington	238	5	122	76	22	8	5	-	-
McCormick	46	-	23	18	-	3	2	-	-
Marion	203	2	91	61	30	15	4	-	-
Marlboro	191	3	87	65	18	13	5	-	-
Newberry	128	7	51	42	18	8	2	-	-
Oconee	57	1	27	20	7	-	2	-	-
Orangeburg	525	7	237	188	66	21	6	-	-
Pickens	100	2	41	32	18	6	1	-	-
Richland	1,013	14	412	360	158	46	22	-	1
Saluda	82	3	44	22	8	5	-	-	-
Spartanburg	618	20	272	200	89	26	11	-	-
Sumter	413	5	185	147	61	13	2	-	-
Union	89	2	42	23	15	5	2	-	-
Williamsburg	224	5	91	71	35	18	4	-	-
York	375	9	176	116	50	20	4	-	-

Table 33.
Live Births With Reported Congenital Malformations[1/]
South Carolina and Each County, 1980-1982
(Residence Data)

County of Residence	1980		1981		1982	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	408	7.9	509	9.8	402	7.8
Abbeville	5	15.7	-	0	-	0
Aiken	16	9.5	10	5.5	12	6.9
Allendale	4	17.7	1	4.4	-	0
Anderson	6	3.1	9	4.7	16	8.8
Bamberg	2	6.8	6	20.8	5	16.0
Barnwell	4	11.6	3	8.4	1	3.2
Beaufort	19	14.4	18	12.9	12	8.3
Berkeley	16	8.0	26	12.9	16	7.9
Calhoun	1	4.7	2	10.6	3	13.0
Charleston	30	6.0	71	14.0	45	8.4
Cherokee	5	7.9	10	17.2	3	4.9
Chester	7	11.8	5	8.9	13	23.9
Chesterfield	8	12.5	11	17.9	9	16.2
Clarendon	2	3.9	5	10.7	2	4.0
Colleton	10	19.6	6	11.1	5	9.2
Darlington	9	9.6	17	17.8	12	13.1
Dillon	33	55.1	41	71.1	27	49.4
Dorchester	8	7.6	10	9.1	12	10.7
Edgefield	5	16.7	6	19.0	3	10.3
Fairfield	1	2.9	4	12.7	-	0
Florence	12	6.0	8	4.2	2	1.1
Georgetown	3	3.8	8	10.4	3	4.0
Greenville	12	2.7	17	3.9	16	3.6
Greenwood	5	5.7	5	6.0	2	2.3
Hampton	1	2.9	1	2.7	2	5.7
Horry	15	7.9	12	6.8	16	8.6
Jasper	3	9.7	4	13.0	-	0
Kershaw	4	6.5	8	12.8	6	10.3
Lancaster	12	14.4	9	11.3	5	6.2
Laurens	8	10.2	9	11.8	13	17.2
Lee	3	9.5	3	8.9	-	0
Lexington	14	7.0	11	5.3	4	1.9
McCormick	1	6.3	1	7.0	-	0
Marion	5	7.8	3	4.8	4	6.5
Marlboro	11	18.6	9	16.2	4	7.7
Newberry	4	8.8	4	8.0	4	8.8
Oconee	7	9.4	9	13.2	7	9.8
Orangeburg	17	11.3	19	12.2	10	6.7
Pickens	6	5.7	10	9.8	10	10.2
Richland	20	5.0	45	10.7	36	8.5
Saluda	2	8.1	1	3.9	5	17.9
Spartanburg	17	5.4	17	5.5	15	4.9
Sumter	13	7.3	13	7.4	13	7.4
Union	4	8.3	5	11.3	2	4.8
Williamsburg	3	3.9	3	4.5	4	5.5
York	15	8.7	14	8.5	23	14.1

[1/] Classified and coded according to the International Classification of Diseases, (ICD) Ninth Revision 740-759
Rates per 1,000 live births

Table 34.
Live Births With Reported Congenital Malformations[1], by Type: South Carolina, 1980-1982
(Residence Data)

CONGENITAL MALFORMATIONS	1980	1981	1982
Anencephalus (740)	4	4	12
Spina Bifida (741)	18	13	11
Other of Nervous System (742)	14	18	26
Of Eye (743)	6	3	6
Of Ear, Face, and Neck (744)	14	15	5
Bulbus Cordis and Cardiac Septal Closure (745)	4	2	4
Other of Heart (746)	20	19	22
Circulatory System (747)	6	6	-
Respiratory System (748)	6	25	6
Cleft Palate and Cleft Lip (749)	42	30	31
Other of Upper Alimentary Tract (750)	15	9	12
Other Digestive System (751)	4	16	11
Of Genital Organs (752)	47	53	39
Of Urinary System (753)	5	8	8
Certain Musculoskeletal Deformities (754)	26	42	29
Other of Limbs (755)	94	142	87
Other Musculoskeletal Anomalies (756)	15	26	24
Of the Integument (757)	23	29	33
Chromosomal Anomalies (758)	9	16	10
Other, Unspecified or Multiple Anomalies (759)	36	33	26
TOTAL	408	509	402
Rate Per 1,000 live births	7.9	9.8	7.8

---

[1] Classified and coded according to the International Classification of Diseases (ICD) Ninth Revision

DEATHS

DEATH SUMMARY

In 1982, there were 25,066 deaths to residents of South Carolina. This is a decrease of 344 from the number of deaths reported in 1981. The 1982 death rate of 7.7 per 1,000 estimated population decreased slightly from the 1981 rate of 7.9.

Figure 7.

RESIDENT DEATH RATES

SOUTH CAROLINA, 1982


LEGEND: DEATH
9.1 - 10.7
8.5 - 9.0
7.4 - 8.4
4.7 - 7.3
RATE CALCULATED PER 1000 POPULATION

The pattern of mortality for the last thirty-three years is shown by race in Figure 8. The total death rate fluctuated between the lowest rate of 7.7 and highest rate of 9.1 for this period. The nonwhite death rate has been consistently higher than the white or total rate for this same time period, as Figure 8 shows.

Figure 8.

TOTAL DEATH RATES BY RACE

SOUTH CAROLINA, 1950 - 1982
(RESIDENCE DATA)



Table 35.
Total Deaths and Death Rate by Race
1950 - 1982
South Carolina Residents

YEAR	TOTAL NUMBER	TOTAL RATE	WHITE NUMBER	WHITE RATE	NONWHITE NUMBER	NONWHITE RATE
1950	17,874	8.5	9,285	7.7	8,589	9.6
1951	17,706	8.4	9,326	7.2	8,380	10.2
1952	18,543	8.8	9,612	7.4	8,931	10.8
1953	18,176	8.6	9,676	7.5	8,500	10.3
1954	17,838	7.8	9,578	6.9	8,260	9.2
1955	18,166	7.8	9,987	7.1	8,179	8.9
1956	18,397	7.8	10,265	7.1	8,132	8.7
1957	19,125	7.9	10,555	7.2	8,570	9.0
1958	19,655	7.9	11,135	7.4	8,520	8.7
1959	19,773	8.5	11,157	7.8	8,616	9.6
1960	20,589	8.6	11,850	7.6	8,739	10.5
1961	20,151	8.4	11,780	7.5	8,371	10.1
1962	20,390	8.4	12,143	7.6	8,247	9.9
1963	21,675	8.8	12,714	7.8	8,961	10.7
1964	21,309	8.6	12,789	7.7	8,520	10.2
1965	21,668	8.6	13,101	7.8	8,567	10.3
1966	22,081	8.7	13,427	7.9	8,654	10.4
1967	21,762	8.2	13,611	7.4	8,151	10.0
1968	23,411	8.8	14,778	8.0	8,633	10.4
1969	22,820	8.5	14,612	7.9	8,208	9.8
1970	22,762	8.8	14,752	8.2	8,010	10.1
1971	23,140	8.8	15,035	8.2	8,105	10.2
1972	23,920	9.0	15,475	8.3	8,445	10.7
1973	24,871	9.1	16,188	8.4	8,683	10.9
1974	24,169	8.7	15,941	8.1	8,228	10.0
1975	23,343	8.3	15,464	8.0	7,879	9.0
1976	23,639	8.3	15,652	8.0	7,987	9.0
1977	24,254	8.4	16,088	8.2	8,166	9.0
1978	24,055	8.2	15,993	7.9	8,062	8.9
1979	24,343	8.3	16,207	8.0	8,136	8.9
1980	25,138	8.1	16,781	7.8	8,357	8.6
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	25,066	7.7	16,823	7.5	8,243	8.1

Rate per 1,000 population

AGE AT DEATH

A comparison of mortality by age between 1982 and twenty years ago shows how the age at death structure is changing. The age group showing the greatest percentage change from 1963 to 1982 is infants under one year of age. In 1963, 8.9 percent of all deaths occurred to infants under one year of age; in 1982, however, this group accounted for only 3.3 percent of all deaths. The age groups of 55 years old and over accounted for a greater percentage of total deaths in 1982 (77.7 percent) than in 1963, when deaths in these age groups represented 63.8 percent of all deaths.

The percentage distribution of resident deaths by age and race, for South Carolina, 1963 and 1982, is shown in Table 36. This table shows that the changes in age at death between 1963 and 1982, as noted for total deaths, are paralleled by changes in the race distributions.

Table 36.
Percentage Distribution of Deaths by Race by Age:
South Carolina, 1963 and 1982
(Residence Data)

	Total		White		Nonwhite	
Age at Death	1963	1982	1963	1982	1963	1982
All Ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	8.9	3.3	6.0	2.2	12.7	5.6
01 - 04	1.7	0.5	1.1	0.4	2.6	0.7
05 - 09	0.8	0.2	0.6	0.2	1.1	0.4
10 - 14	0.8	0.4	0.6	0.4	1.0	0.5
15 - 19	1.2	1.1	1.1	1.1	1.3	1.0
20 - 24	1.5	1.5	1.3	1.3	1.7	1.8
25 - 34	3.0	3.2	2.5	2.7	3.7	4.3
35 - 44	6.2	4.2	4.9	3.4	8.2	5.9
45 - 54	12.0	7.9	10.7	7.2	13.9	9.4
55 - 64	18.7	17.8	16.7	16.9	21.6	19.5
65 - 74	22.0	25.9	23.0	25.5	20.4	26.8
75 and Over	23.1	34.0	31.3	38.8	11.4	24.0
Unknown	0.2	0	0.1	0	0.3	0

INFANT DEATH

Resident deaths in South Carolina to infants under one year of age numbered 832 in 1982 and occurred at a rate of 16.1 per 1,000 live births. The infant mortality rate showed a slight decrease (0.6 percent) from the previous year's rate of 16.2. As seen in Table 37, over 40 percent of all infant deaths occurred within the first 24 hours of life and 57.5 percent occurred within the first week after birth. Over one-half (55.9 percent) of the total infant deaths were nonwhite. There were 465 nonwhite and 367 white infant deaths. The white infant mortality rate decreased from the previous year's rate by 3.2 percent and the nonwhite rate increased by 2.8 percent. Of the total resident infant deaths, 476 or (57.2 percent) were males and 346 or (41.6 percent) were females.

The leading causes of infant death in South Carolina in 1982 are shown, by age at death, in Table 37. The first leading cause of infant death was Certain Conditions Originating in the Perinatal Period, followed by Congenital Anomalies as the second leading cause.

Table 37
Leading Causes of Infant Death, by Age at Death
South Carolina, 1982
(Residence Data)

Cause of Death	Total	Under 1 Day	1-6 Days	7-27 Days	28-364 Days
Total Infant Deaths	832	347	131	74	280
Certain Conditions Originating in the Perinatal Period (760-779)	416	280	86	35	15
Congenital Anomalies (740-759)	154	60	37	18	39
Symptoms and Ill-defined Conditions (780-799)	103	2	1	4	96
Disease of Heart (390-398,402,404-429)	26	1	1	3	21
Infectious and Parasitic Disease (001-139)	22	-	-	1	21
Accidents (E800-E949)	20	-	-	2	18
Pneumonia & Influenza (480-486,487)	18	-	-	-	18
Homicide (E960-E978)	7	1	-	-	6
Other Disease of the Respiratory System (510-519)	6	-	-	1	5
Meningitis (320-322)	5	-	-	-	5
Acute Bronchitis & Bronchiolitis (446)	5	-	-	-	5
All Other Causes	50	3	6	10	31

NEONATAL DEATH

Deaths in the first 27 days of life (neonatal deaths) numbered 552, representing 66.3 percent of all infant deaths. The total neonatal mortality rate (10.7 per 1,000 live births) decreased 1.8 percent from the rate in 1981 (10.9). The white neonatal mortality rate remained unchanged with a rate of 8.1 while the nonwhite rate decreased 2.7 percent to a rate of 14.5.

POSTNEONATAL DEATHS

Deaths to infants 28 through 364 days of age (postneonatal deaths) numbered 280 in 1982. The postneonatal mortality rate of 5.4 per 1,000 live births represents an increase of 1.9 percent from the 1981 rate of 5.3. As shown in Table 37, the leading causes of death for infants 28-364 days differ from the leading causes of death for infants under 28 days. The first leading cause of postneonatal mortality in 1982 was Symptoms and Ill-defined Conditions and the second leading cause was Congenital Anomalies.

MATERNAL DEATH

A total of 6 maternal deaths occurred to South Carolina residents during 1982 at a rate of 1.2 per 10,000 live births. The 1982 maternal mortality rate represents an increase of 100 percent from the previous year's rate of 0.6. All of the 6 maternal deaths in 1982 were nonwhite.

Table 38.
Maternal Deaths by Cause, Race, and Age:
South Carolina, 1982
(Residence Data)

Cause of Maternal Death	Race	All Ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
All Maternal Deaths (630-676)	Total	6	-	4	-	1	-	-	1	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	6	-	4	-	1	-	-	1	-
1. Pregnancy with abortive outcome (630-639)	Total	2	-	-	-	1	-	-	1	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	1	-	-	1	-
2. Complications mainly related to pregnancy (640-648)	Total	1	-	1	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-
3. Normal delivery, & other indications for care in pregnancy, labor & delivery (650-659)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
4. Complications occurring mainly in the course of labor & delivery (660-669)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
5. Complications of the puerperium (670-678)	Total	3	-	3	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	3	-	-	-	-	-	-

Cause of death classified and coded according to the International Classification of Diseases, (ICD), 9th revision.

FETAL DEATH

In 1982, there were 684 fetal deaths, representing a rate of 13.3 per 1,000 live births. The total number of white fetal deaths (284) increased 1.4 percent, and the nonwhite number (400) increased 2.8 percent from the previous year.

PERINATAL DEATH

In 1982, there were 1,236 deaths in the perinatal period, corresponding to a rate of 23.7 per 1,000 deliveries. The total number of perinatal deaths increased by 5 from 1981 and the rate increased 0.9 percent. Of the total 1,236 perinatal deaths, 532 were white and 704 were nonwhite.

VIOLENT DEATHS

There were 2,315 South Carolina residents who died from violent causes in 1982. Violent causes are defined as accidents, suicides, homicides, and "injury undetermined whether accidentally or purposely inflicted."

Table 39 shows the number of deaths with death rates for each type of violent death for the past five years.

Table 39.
Violent Deaths With Rates by Type:
South Carolina, 1978-1982
(Residence Data)

Type of Violence	1978		1979		1980		1981		1982	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	2,375	81.4	2,452	83.6	2,413	77.3	2,415	75.6	2,315	71.1
Accidents	1,658	56.8	1,729	59.0	1,700	54.5	1,692	53.4	1,548	47.5
Homicide	359	12.3	387	13.2	392	12.6	357	11.3	379	11.6
Suicide	332	11.4	308	10.5	301	9.6	348	11.0	366	11.2
Unable to Determine	26	0.9	28	1.0	20	0.6	18	0.7	22	0.7

Rate per 100,000 population

ACCIDENTAL DEATH

Accidental deaths to residents of South Carolina numbered 1,548 in 1982. This represents a 8.5 percent decrease from the previous year. The death rate for motor vehicle accidents decreased from 26.8 per 100,000 population in 1981 to 23.1 per 100,000 population in 1982, a decrease of 13.8 percent.

Table 40.
Types of Accidental Deaths by Sex:
South Carolina, 1982
(Residence Data)

Sex	Total	Transport	Poison	Falls	Fire and Flames	Drowning	Firearms	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E910	E922	E800-E949
Total	1,548	821	77	127	128	99	40	256
Male	1,122	619	51	57	92	81	33	189
Female	426	202	26	70	36	18	7	67

SUICIDE

The methods used most frequently for resident suicide deaths were firearms (72.7 percent) and poisoning (13.4 percent). Table 41 summarizes the methods most frequently used for each of the sex groups in 1982. Firearms were most frequently used to commit suicide in 1982 by both males (76.7 percent) and females (59.0 percent).

Table 41.
Methods of Suicidal Deaths by Sex:
South Carolina, 1982
(Residence Data)

	All Suicides (E950-E959)	Poisoning (E950-E952)	Hanging Strangulation & Suffocation (E953)	Drowning (E954)	Firearms (E955)	Cutting and Piercing (E956)	Jumping From High Places (E957)	All Other
Total	366	49	37	6	266	4	2	2
Male	283	26	31	3	217	2	2	2
Female	83	23	6	3	49	2	-	-

HOMICIDE

Deaths from homicide accounted for 16.4 percent of all violent deaths in 1982. The most frequently used method for committing homicide in 1982 was firearms. Sex distribution of methods for committing homicide is shown in Table 42.

Table 42.
Methods of Homicidal Deaths by Sex:
South Carolina, 1982
(Residence Data)

	All Homicides (E960-E978)	Fight Brawl Rape (E960)	Assault by Poisoning (E962)	Assault by Hanging & Strangulation (E963)	Assault by Submersion (E964)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	All Other
Total	379	1	1	16	1	247	70	43
Male	277	-	1	7	1	187	54	27
Female	102	1	-	9	-	60	16	16

TEN LEADING CAUSES OF DEATH

The ten leading causes of death in South Carolina during 1982 are shown by rank, with the number of deaths from each cause and the corresponding percentage of total deaths, in Table 45. These ten causes accounted for 83.6 percent of all deaths in 1982; 72.1 percent of all deaths were attributed to the first four causes.

The first leading cause of death was diseases of the heart, which accounted for 9,083 deaths in 1982. The death rate for diseases of the heart was 278.9 per 100,000 population. Deaths attributed to this cause represented 36.2 percent of total deaths. Of all deaths from disease of the heart, 65.2 percent were attributed to ischemic heart disease. The majority of deaths from diseases of the heart occurred to persons over the age of 44. However, deaths from diseases of the heart accounted for 37.9 percent of all deaths occurring to white males 35-54 years of age.

The second leading cause of death was malignant neoplasms, which was the cause of 5,059 resident deaths in 1982. The majority of deaths from malignant neoplasms occurred to persons in the age group 55-74. Table 43 shows the distribution of malignant neoplasms by site. Of all deaths attributed to malignant neoplasms, 29.0 percent were attributed to malignant neoplasms of the respiratory system; 24.8 percent to malignant neoplasms of the digestive system and peritoneum.

Table 43.
Distribution of Malignant Neoplasms by Site:
South Carolina, 1982
(Residence Data)

	ICD CODES	NUMBER	PERCENT
Malignant Neoplasms	140-208	5,059	100.0
Lip, Oral Cavity and Pharynx	140-149	111	2.2
Digestive Organs and Peritoneum	150-159	1,257	24.8
Respiratory System	160-165	1,465	29.0
Breast	174-175	405	8.0
Genital Organs	179-187	611	12.1
Cervix Uteri	(179-180)	(133)	(2.6)
Other Female Genital Organs	(181-184)	(161)	(3.2)
Prostate	(185)	(310)	(6.1)
Other Male Genital Organs	(186-187)	(7)	(0.1)
Urinary Organs	188-189	203	4.0
Leukemia	204-208	160	3.2
Other and Unspecified Sites	170-173, 190-199	581	11.5
Lymphatic & Hematopoietic Tissues	200-203	266	5.3

Cerebrovascular diseases, the third leading cause of death in 1982, accounted for 2,378 deaths, or 9.5 percent of total deaths. Of the deaths attributed to cerebrovascular diseases, 76.9 percent occurred to persons 65 years of age and older. Fifty-eight percent of deaths from cerebrovascular diseases occurred to females, with 35.7 percent of all cerebrovascular disease deaths occurring to white females.

Table 44.
Death From Major Cardiovascular Diseases:
South Carolina, 1982
(Residence Data)

	Number of Deaths	Percent of Total Deaths
Major Cardiovascular Disease (390-448)	12,076	48.2
Disease of Heart (390-398, 402, 404-429)	9,083	36.2
Hypertension (401, 403)	132	0.5
Cerebrovascular Disease (430-438)	2,378	9.5
Atherosclerosis (440)	266	1.1
Other Diseases of Arteries, Arterioles, and Capillaries (441-448)	217	0.9

Figure 9 depicts the sex percentages of the ten leading causes of death in South Carolina for 1982. Table 46 presents the five leading causes of death within each age group for 1982. While diseases of the heart is the leading cause of death for all ages combined, accidental death is the leading cause for all five age groups between the ages of one and 45 years.

Table 45.
Mortality From Ten Leading Causes of Death by Race: South Carolina, 1982
(Residence Data)

Cause of Death	TOTAL		WHITE		NONWHITE	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	25,066	100.0	16,823	100.0	8,243	100.0
Ten Leading Causes, All Ages	20,952	83.6	14,294	85.0	6,658	80.8
Diseases of Heart (390-398,402,404-429)	9,083	36.2	6,457	38.4	2,626	31.9
Malignant Neoplasms (140-208)	5,059	20.2	3,523	20.9	1,536	18.6
Cerebrovascular Diseases (430-438)	2,378	9.5	1,429	8.5	949	11.5
Accidents (E800-E949)	1,548	6.2	1,031	6.1	517	6.3
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	629	2.5	528	3.1	101	1.2
Pneumonia & Influenza (480-486,487)	618	2.5	415	2.5	203	2.5
Diabetes Mellitus (250)	476	1.9	240	1.4	236	2.9
Certain Conditions Originating In The Perinatal Period (760-779)	416	1.7	177	1.1	239	2.9
Homicide & Legal Intervention (E960-E978)	379	1.5	171	1.0	208	2.5
Suicide (E950-E959)	366	1.5	323	1.9	43	0.5
All Other Causes	4,114	16.4	2,529	15.0	1,585	19.2

Figure 9.
Percentage Distribution of the Ten Leading Causes of Death
And Deaths From All Causes by Sex, South Carolina, 1982
(Residence Data)



Table 46.
Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1982 (Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	832	100.0	367	100.0	465	100.0
Certain Conditions Originating in the Perinatal Period (760-779)	416	50.0	177	48.2	239	51.4
Congenital Anomalies (740-759)	154	18.5	89	24.2	65	14.0
Symptoms and Ill-defined Conditions (780-799)	103	12.4	43	11.7	60	12.9
Disease of Heart (390-398,402,404-429)	26	3.1	11	3.0	15	3.2
Infectious & Parasitic Disease (001-139)	22	2.6	9	2.5	13	2.8
All Other Causes	111	13.3	38	10.4	73	15.7
1 - 4 Years						
All Causes	120	100.0	66	100.0	54	100.0
Accidents (E800-E949)	48	40.0	29	43.9	19	35.2
Congenital Anomalies (740-759)	19	15.8	11	16.7	8	14.8
Disease of Heart (390-398,402,404-429)	9	7.5	3	4.5	6	11.1
Homicide & Legal Intervention (E960-E978)	6	5.0	-	0	6	11.1
Malignant Neoplasms (140-208)	5	4.2	4	6.1	1	1.9
All Other Causes	33	27.5	19	28.8	14	25.9
5 - 14 Years						
All Causes	156	100.0	86	100.0	70	100.0
Accidents (E800-E949)	83	53.2	48	55.8	35	50.0
Malignant Neoplasms (140-208)	21	13.5	12	14.0	9	12.9
Influenza & Pneumonia (487,480-486)	9	5.8	5	5.8	4	5.7
Congenital Anomalies (740-759)	5	3.2	2	2.3	3	4.3
Infectious & Parasitic Disease (001-139)	4	2.6	2	2.3	2	2.9
Suicide (E950-E959)	4	2.6	4	4.7	-	0
All Other Causes	30	19.2	13	15.1	17	24.3
15 - 24 Years						
All Causes	637	100.0	408	100.0	229	100.0
Accidents (E800-E949)	346	54.3	243	59.6	103	45.0
Homicide & Legal Intervention (E960-E978)	72	11.3	28	6.9	44	19.2
Suicide (E950-E959)	64	10.0	56	13.7	8	3.5
Malignant Neoplasms (140-208)	35	5.5	25	6.1	10	4.4
Disease of Heart (390-398,402,404-429)	18	2.8	6	1.5	12	5.2
All Other Causes	102	16.0	50	12.3	52	22.7
25 - 44 Years						
All Causes	1,862	100.0	1,020	100.0	842	100.0
Accidents (E800-E949)	472	25.3	305	29.9	167	19.8
Disease of Heart (390-398,402,404-429)	299	16.1	146	14.3	153	18.2
Malignant Neoplasms (140-208)	257	13.8	154	15.1	103	12.2
Homicide & Legal Intervention (E960-E978)	192	10.3	79	7.7	113	13.4
Suicide (E950-E959)	147	7.9	125	12.3	22	2.6
All Other Causes	495	26.6	211	20.7	284	33.7
45 - 64 Years						
All Causes	6,443	100.0	4,060	100.0	2,383	100.0
Disease of Heart (390-398,402,404-429)	2,371	36.8	1,538	37.9	833	35.0
Malignant Neoplasms (140-208)	1,759	27.3	1,196	29.5	563	23.6
Cerebrovascular Diseases (430-438)	455	7.1	192	4.7	263	11.0
Accidents (E800-E949)	310	4.8	201	5.0	109	4.6
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	159	2.5	132	3.3	27	1.1
All Other Causes	1,389	21.6	801	19.7	588	24.7
65 - 74 Years						
All Causes	6,496	100.0	4,289	100.0	2,207	100.0
Disease of Heart (390-398,402,404-429)	2,643	40.7	1,796	41.9	847	38.4
Malignant Neoplasms (140-208)	1,658	25.5	1,144	26.7	514	23.3
Cerebrovascular Disease (430-438)	582	9.0	307	7.2	275	12.5
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	222	3.4	181	4.2	41	1.9
Diabetes Mellitus (250)	170	2.6	71	1.7	99	4.5
All Other Causes	1,221	18.8	790	18.4	431	19.5
75 Years & Over						
All Causes	8,520	100.0	6,527	100.0	1,993	100.0
Disease of Heart (390-398,402,404-429)	3,714	43.6	2,956	45.3	758	38.0
Malignant Neoplasms (140-208)	1,323	15.5	987	15.1	336	16.9
Cerebrovascular Disease (430-438)	1,246	14.6	897	13.7	349	17.5
Influenza & Pneumonia (487,480-486)	324	3.8	257	3.9	67	3.4
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	222	2.6	203	3.1	19	1.0
All Other Causes	1,691	19.8	1,227	18.8	464	23.3

Table 47.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	25,066	7.7	16,823	7.5	8,243	8.1
Abbeville................	210	9.2	141	9.3	69	9.0
Abbeville..............	70	---	39	---	31	---
Honea Path (Part)......	1	---	1	---	0	---
Balance of County......	139	---	101	---	38	---
Aiken....................	914	8.4	648	8.0	266	9.6
New Ellenton...........	25	---	16	---	9	---
Aiken..................	233	---	161	---	72	---
N. Augusta.............	151	---	124	---	27	---
Balance of County......	505	---	347	---	158	---
Allendale................	116	10.6	41	10.3	75	10.8
Allendale..............	47	---	12	---	35	---
Balance of County......	69	---	29	---	40	---
Anderson.................	1,102	7.8	918	7.9	184	7.4
Belton.................	44	---	38	---	6	---
Honea Path (Part)......	33	---	28	---	5	---
Williamston............	28	---	23	---	5	---
Clemson Village (Part).	-	---	-	---	-	---
Pendleton..............	23	---	11	---	12	---
Anderson...............	417	---	329	---	88	---
Balance of County......	557	---	489	---	68	---
Bamberg..................	132	7.1	70	9.0	62	5.8
Bamberg................	42	---	28	---	14	---
Denmark................	34	---	14	---	20	---
Balance of County......	56	---	28	---	28	---
Barnwell.................	182	8.9	95	8.0	87	10.0
Barnwell...............	54	---	37	---	17	---
Williston..............	21	---	7	---	14	---
Blackville............	27	---	8	---	19	---
Balance of County......	80	---	43	---	37	---
Beaufort.................	447	6.5	249	5.6	198	8.1
Beaufort...............	129	---	80	---	49	---
Port Royal.............	7	---	4	---	3	---
Balance of County......	311	---	165	---	146	---
Berkeley.................	495	4.7	322	4.2	173	5.9
Goose Creek............	45	---	42	---	3	---
Hanahan................	48	---	46	---	2	---
Moncks Corner..........	80	---	55	---	25	---
Balance of County......	322	---	179	---	143	---
Calhoun..................	108	8.6	39	7.0	69	10.0
Balance of County......	108	---	39	---	69	---
Charleston...............	1,939	6.8	1,149	6.3	790	7.7
Mt. Pleasant...........	159	---	121	---	38	---
Summerville............	-	---	-	---	-	---
Isle of Palms..........	21	---	21	---	0	---
Charleston.	777	---	403	---	374	---
N. Charleston..........	159	---	117	---	42	---
Balance of County......	823	---	487	---	336	---

Table 47 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	365	8.7	281	8.4	84	10.0
Gaffney	180	---	132	---	48	---
Balance of County	185	---	149	---	36	---
Chester	285	9.4	191	10.4	94	7.9
Chester	74	---	50	---	24	---
Great Falls	35	---	32	---	3	---
Balance of County	176	---	109	---	67	---
Chesterfield	349	8.9	246	9.4	103	8.0
Cheraw	73	---	45	---	28	---
Pageland	15	---	12	---	3	---
Balance of County	261	---	189	---	72	---
Clarendon	237	8.5	104	8.9	133	8.3
Manning	40	---	17	---	23	---
Balance of County	197	---	87	---	110	---
Colleton	310	9.5	168	9.6	142	9.3
Walterboro	107	---	62	---	45	---
Balance of County	203	---	106	---	97	---
Darlington	585	9.0	366	9.5	219	8.3
Darlington	117	---	61	---	56	---
Hartsville	100	---	57	---	43	---
Balance of County	368	---	248	---	120	---
Dillon	294	9.3	184	10.4	110	8.0
Dillon	89	---	57	---	32	---
Balance of County	205	---	127	---	78	---
Dorchester	420	6.5	243	5.1	177	10.1
Summerville	71	---	57	---	14	---
Balance of County	349	---	186	---	163	---
Edgefield	157	8.8	91	10.2	66	7.3
Edgefield	46	---	31	---	15	---
Johnston	24	---	11	---	13	---
Balance of County	87	---	49	---	38	---
Fairfield	203	9.7	96	11.2	107	8.7
Winnsboro	36	---	17	---	19	---
Balance of County	167	---	79	---	88	---
Florence	880	7.6	490	6.9	390	8.9
Lake City	57	---	21	---	36	---
Florence	311	---	130	---	181	---
Balance of County	512	---	339	---	173	---
Georgetown	362	8.1	186	7.6	176	8.7
Andrews (Part)	32	---	15	---	17	---
Georgetown	135	---	71	---	64	---
Balance of County	195	---	100	---	95	---
Greenville	2,191	7.3	1,791	7.3	400	7.2
Travelers Rest	22	---	20	---	2	---
Simpsonville	52	---	48	---	4	---
Fountain Inn (Part)	21	---	16	---	5	---
Mauldin	24	---	22	---	2	---
Greenville	674	---	439	---	235	---
Greer (Part)	110	---	104	---	6	---
Balance of County	1,288	---	142	---	146	---

Table 47 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood................	523	8.8	355	8.4	168	9.5
Greenwood..............	277	---	177	---	100	---
Balance of County......	246	---	178	---	68	---
Hampton	154	8.3	71	8.1	83	8.4
Hampton................	27	---	20	---	7	---
Balance of County......	127	---	51	---	76	---
Horry....................	827	7.5	648	7.6	179	7.0
Conway.................	112	---	70	---	42	---
Myrtle Beach...........	151	---	129	---	22	---
N. Myrtle Beach........	33	---	32	---	1	---
Surfside Beach.........	10	---	10	---	-	---
Balance of County......	521	---	407	---	114	---
Jasper...................	141	9.3	62	9.7	79	9.0
Balance of County......	141	---	62	---	79	---
Kershaw..................	314	7.9	201	7.4	113	8.9
Camden.................	92	---	52	---	40	---
Balance of County......	222	---	149	---	73	---
Lancaster................	401	7.2	291	6.9	110	7.9
Lancaster..............	136	---	80	---	56	---
Balance of County......	265	---	211	---	54	---
Laurens..................	460	8.7	332	8.9	128	8.2
Clinton................	93	---	62	---	31	---
Fountain Inn (Part)....	6	---	2	---	4	---
Laurens................	121	---	77	---	44	---
Balance of County......	240	---	191	---	49	---
Lee......................	143	7.5	58	7.9	85	7.2
Bishopville............	36	---	14	---	22	---
Balance of County......	107	---	44	---	63	---
Lexington................	885	5.7	767	5.6	118	7.1
Batesburg (Part).......	38	---	22	---	16	---
Cayce..................	81	---	63	---	18	---
Springdale.............	-	---	-	---	-	---
W. Columbia............	149	---	140	---	9	---
Irmo (Part)............	2	---	1	---	1	---
Balance of County......	615	---	541	---	74	---
McCormick................	52	6.6	19	6.3	33	6.9
Balance of County......	52	---	19	---	33	---
Marion...................	303	8.7	133	8.0	170	9.2
Marion.................	102	---	38	---	64	---
Mullins................	56	---	37	---	19	---
Balance of County......	145	---	58	---	87	---
Marlboro.................	310	9.5	173	10.2	137	8.7
Bennettsville..........	96	---	39	---	57	---
McColl.................	22	---	20	---	2	---
Balance of County......	192	---	114	---	78	---
Newberry.................	312	9.9	219	10.2	93	9.2
Newberry...............	130	---	82	---	48	---
Balance of County......	182	---	137	---	45	---

Table 47 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee..................	435	8.6	379	8.4	56	10.8
Seneca................	77	---	50	---	27	---
Walhalla..............	41	---	39	---	2	---
Westminster...........	34	---	28	---	6	---
Balance of County......	283	---	262	---	21	---
Orangeburg..............	722	8.5	357	9.7	365	7.5
Orangeburg............	162	---	101	---	61	---
Balance of County......	560	---	256	---	304	---
Pickens.................	548	6.4	487	6.2	61	8.9
Liberty...............	21	---	16	---	5	---
Pickens...............	53	---	46	---	7	---
Clemson Village (Part).	51	---	38	---	13	---
Easley................	146	---	121	---	25	---
Balance of County......	277	---	266	---	11	---
Richland................	2,192	7.9	1,311	8.0	881	7.8
Forest Acres..........	2	---	2	---	-	---
Irmo (Part)...........	2	---	2	---	-	---
Columbia..............	1,197	---	757	---	440	---
Balance of County......	991	---	550	---	441	---
Saluda..................	164	10.0	122	11.5	42	7.1
Batesburg (Part).......	5	---	2	---	3	---
Saluda................	19	---	13	---	6	---
Balance of County......	140	---	107	---	33	---
Spartanburg.............	1,720	8.2	1,353	8.2	367	8.4
Woodruff..............	31	---	20	---	11	---
Spartanburg...........	526	---	348	---	178	---
Greer (Part)..........	31	---	21	---	10	---
Balance of County......	1,132	---	964	---	168	---
Sumter..................	644	7.2	338	6.9	306	7.5
Sumter................	318	---	188	---	130	---
Balance of County......	326	---	150	---	176	---
Union...................	330	10.7	240	11.1	90	9.7
Union.................	121	---	86	---	35	---
Balance of County......	209	---	154	---	55	---
Williamsburg............	305	7.8	110	7.5	195	8.0
Andrews (Part).........	1	---	-	---	1	---
Kingstree.............	62	---	32	---	30	---
Balance of County......	242	---	78	---	164	---
York....................	898	8.0	688	8.1	210	7.8
Clover................	38	---	30	---	8	---
Fort Mill.............	51	---	45	---	6	---
York..................	65	---	44	---	21	---
Rock Hill.............	356	---	251	---	105	---
Balance of County......	388	---	318	---	70	---

Rate per 1,000 estimated population

Table 48.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	24,266	7.5	16,262	7.3	8,004	7.9
Abbeville................	163	7.1	107	7.0	56	7.3
Abbeville.............	107	---	74	---	33	---
Honea Path(Part).......	-	---	-	---	-	---
Balance of County......	56	---	33	---	23	---
Aiken..................	585	5.4	396	4.9	189	6.8
Aiken.................	370	---	251	---	119	---
New Ellenton...........	7	---	4	---	3	---
North Augusta..........	53	---	41	---	12	---
Balance of County......	155	---	100	---	55	---
Allendale..............	107	9.8	43	10.8	64	9.2
Allendale.............	11	---	3	---	8	---
Balance of County......	96	---	40	---	56	---
Anderson...............	1,076	7.7	890	7.7	186	7.5
Anderson..............	880	---	726	---	154	---
Belton................	7	---	7	---	-	---
Clemson Village(Part)..	-	---	-	---	-	---
Honea Path(Part).......	5	---	3	---	2	---
Pendleton.............	8	---	3	---	5	---
Williamston...........	15	---	14	---	1	---
Balance of County......	161	---	137	---	24	---
Bamberg................	106	5.7	46	5.9	60	5.6
Bamberg...............	82	---	37	---	45	---
Denmark...............	7	---	1	---	6	---
Balance of County......	17	---	8	---	9	---
Barnwell...............	143	7.0	70	5.9	73	8.4
Barnwell..............	97	---	51	---	46	---
Blackville............	7	---	3	---	4	---
Williston.............	3	---	-	---	3	---
Balance of County......	36	---	16	---	20	---
Beaufort...............	397	5.7	226	5.1	171	7.0
Beaufort..............	188	---	88	---	100	---
Port Royal............	-	---	-	---	-	---
Balance of County......	209	---	138	---	71	---
Berkeley...............	189	1.8	115	1.5	74	2.5
Goose Creek...........	2	---	2	---	-	---
Hanahan...............	9	---	9	---	-	---
Moncks Corner..........	46	---	29	---	17	---
Balance of County......	132	---	75	---	57	---
Calhoun................	50	4.0	21	3.8	29	4.2
Balance of County......	50	---	21	---	29	---
Charleston.............	2,889	10.2	1,731	9.5	1,158	11.3
Charleston............	1,922	---	1,089	---	833	---
Isle of Palms.........	6	---	6	---	-	---
Mt. Pleasant..........	82	---	61	---	21	---
N. Charleston.........	214	---	159	---	55	---
Summerville(Part)......	-	---	-	---	-	---
Balance of County......	665	---	416	---	249	---

Table 48 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	309	7.4	235	7.0	74	8.8
Gaffney	25	---	20	---	5	---
Balance of County	284	---	215	---	69	---
Chester	210	6.9	143	7.8	67	5.7
Chester	16	---	9	---	7	---
Great Falls	15	---	13	---	2	---
Balance of County	179	---	121	---	58	---
Chesterfield	236	6.0	160	6.1	76	5.9
Cheraw	123	---	77	---	46	---
Pageland	1	---	1	---	-	---
Balance of County	112	---	82	---	30	---
Clarendon	192	6.9	82	7.0	110	6.8
Manning	116	---	45	---	71	---
Balance of County	76	---	37	---	39	---
Colleton	263	8.0	142	8.1	121	8.0
Walterboro	212	---	119	---	93	---
Balance of County	51	---	23	---	28	---
Darlington	492	7.6	311	8.1	181	6.9
Darlington	216	---	121	---	95	---
Hartsville	181	---	130	---	51	---
Balance of County	95	---	60	---	35	---
Dillon	219	7.0	132	7.4	87	6.3
Dillon	146	---	90	---	56	---
Balance of County	73	---	42	---	31	---
Dorchester	186	2.9	105	2.2	81	4.6
Summerville(Part)	13	---	11	---	2	---
Balance of County	173	---	94	---	79	---
Edgefield	111	6.2	66	7.4	45	5.0
Edgefield	74	---	46	---	28	---
Johnston	3	---	2	---	1	---
Balance of County	34	---	18	---	16	---
Fairfield	117	5.6	61	7.1	56	4.5
Winnsboro	4	---	2	---	2	---
Balance of County	113	---	59	---	54	---
Florence	1,147	9.9	658	9.2	489	11.1
Florence	886	---	505	---	361	---
Lake City	67	---	27	---	40	---
Balance of County	214	---	126	---	88	---
Georgetown	319	7.1	165	6.7	154	7.6
Andrews(Part)	7	---	2	---	5	---
Georgetown	262	---	133	---	129	---
Balance of County	50	---	30	---	20	---
Greenville	2,380	7.9	1,954	8.0	426	7.6
Fountain Inn(Part)	8	---	7	---	1	---
Greenville	990	---	732	---	258	---
Greer(Part)	157	---	143	---	14	---
Mauldin	9	---	8	---	1	---
Simpsonville	90	---	74	---	16	---
Travelers Rest	9	---	8	---	1	---
Balance of County	1,117	---	982	---	135	---

Table 48 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood................	659	11.0	458	10.9	201	11.4
Greenwood..............	592	---	414	---	178	---
Balance of County......	67	---	44	---	23	---
Hampton..................	108	5.8	43	4.9	65	6.6
Hampton................	7	---	3	---	4	---
Balance of County......	101	---	40	---	61	---
Horry....................	848	7.7	666	7.8	182	7.1
Conway.................	233	---	174	---	59	---
Myrtle Beach...........	259	---	220	---	39	---
North Myrtle Beach.....	9	---	9	---	-	---
Surfside Beach.........	2	---	2	---	-	---
Balance of County......	345	---	261	---	84	---
Jasper...................	91	6.0	38	5.9	53	6.1
Balance of County......	91	---	38	---	53	---
Kershaw..................	238	6.0	154	5.7	84	6.6
Camden.................	176	---	107	---	69	---
Balance of County......	62	---	47	---	15	---
Lancaster................	341	6.1	246	5.9	95	6.9
Lancaster..............	298	---	214	---	84	---
Balance of County......	43	---	32	---	11	---
Laurens..................	314	5.9	218	5.8	96	6.1
Clinton................	55	---	34	---	21	---
Fountain Inn(Part).....	3	---	-	---	3	---
Laurens................	134	---	91	---	43	---
Balance of County......	122	---	93	---	29	---
Lee......................	81	4.2	29	4.0	52	4.4
Bishopville............	6	---	3	---	3	---
Balance of County......	75	---	26	---	49	---
Lexington................	693	4.5	591	4.3	102	6.1
Batesburg(Part)........	8	---	6	---	2	---
Cayce..................	22	---	18	---	4	---
Irmo(Part).............	-	---	-	---	-	---
Springdale.............	-	---	-	---	-	---
West Columbia..........	41	---	38	---	3	---
Balance of County......	622	---	529	---	93	---
McCormick................	21	2.7	8	2.6	13	2.7
Balance of County......	21	---	8	---	13	---
Marion...................	333	9.5	167	10.1	166	9.0
Marion.................	193	---	91	---	102	---
Mullins................	95	---	58	---	37	---
Balance of County......	45	---	18	---	27	---
Marlboro.................	247	7.6	131	7.8	116	7.4
Bennettsville..........	182	---	93	---	89	---
McColl.................	-	---	-	---	-	---
Balance of County......	65	---	38	---	27	---
Newberry.................	230	7.3	157	7.3	73	7.2
Newberry...............	180	---	118	---	62	---
Balance of County......	50	---	39	---	11	---

Table 48 (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee..................	374	7.4	327	7.2	47	9.1
Seneca.................	14	---	9	---	5	---
Walhalla...............	7	---	6	---	1	---
Westminster............	4	---	2	---	2	---
Balance of County......	349	---	310	---	39	---
Orangeburg..............	718	8.4	348	9.5	370	7.6
Orangeburg.............	482	---	242	---	240	---
Balance of County......	236	---	106	---	130	---
Pickens.................	423	5.0	378	4.8	45	6.6
Clemson Village(Part)..	26	---	23	---	3	---
Easley.................	228	---	200	---	28	---
Liberty................	5	---	3	---	2	---
Pickens................	74	---	69	---	5	---
Balance of County......	90	---	83	---	7	---
Richland................	3,096	11.2	1,946	11.8	1,150	10.2
Columbia...............	2,520	---	1,621	---	899	---
Forest Acres...........	1	---	1	---	-	---
Irmo (Part)............	-	---	-	---	-	---
Balance of County......	575	---	324	---	251	---
Saluda..................	85	5.2	61	5.8	24	4.1
Batesburg(Part)........	2	---	1	---	1	---
Saluda.................	7	---	5	---	2	---
Balance of County......	76	---	55	---	21	---
Spartanburg.............	1,737	8.3	1,353	8.2	384	8.7
Greer(Part)............	7	---	3	---	4	---
Spartanburg............	1,274	---	950	---	324	---
Woodruff...............	50	---	40	---	10	---
Balance of County......	406	---	360	---	46	---
Sumter..................	563	6.3	288	5.9	275	6.7
Sumter.................	423	---	225	---	198	---
Balance of County......	140	---	63	---	77	---
Union...................	263	8.5	190	8.8	73	7.9
Union..................	214	---	153	---	61	---
Balance of County......	49	---	37	---	12	---
Williamsburg............	221	5.7	75	5.1	146	6.0
Andrews(Part)..........	-	---	-	---	-	---
Kingstree..............	139	---	57	---	82	---
Balance of County......	82	---	18	---	64	---
York....................	696	6.2	531	6.2	165	6.1
Clover.................	4	---	3	---	1	---
Fort Mill..............	7	---	6	---	1	---
Rock Hill..............	488	---	368	---	120	---
York...................	116	---	83	---	33	---
Balance of County......	81	---	71	---	10	---

Rate per 1,000 estimated population

Table 49.
Deaths by Race and Sex: South Carolina and Each County, 1982
(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	25,066	13,733	11,333	16,823	9,196	7,627	8,243	4,537	3,706
Abbeville	210	113	97	141	76	65	69	37	32
Aiken	914	483	431	648	343	305	266	140	126
Allendale	116	65	51	41	26	15	75	39	36
Anderson	1,102	616	486	918	514	404	184	102	82
Bamberg	132	80	52	70	43	27	62	37	25
Barnwell	182	97	85	95	59	36	87	38	49
Beaufort	447	253	194	249	140	109	198	113	85
Berkeley	495	282	213	322	182	140	173	100	73
Calhoun	108	58	50	39	21	18	69	37	32
Charleston	1,939	1,037	902	1,149	614	535	790	423	367
Cherokee	365	200	165	281	152	129	84	48	36
Chester	285	159	126	191	103	88	94	56	38
Chesterfield	349	181	168	246	125	121	103	56	47
Clarendon	237	132	105	104	51	53	133	81	52
Colleton	310	154	156	168	82	86	142	72	70
Darlington	585	291	294	366	179	187	219	112	107
Dillon	294	155	139	184	97	87	110	58	52
Dorchester	420	229	191	243	137	106	177	92	85
Edgefield	157	95	62	91	54	37	66	41	25
Fairfield	203	118	85	96	52	44	107	66	41
Florence	880	478	402	490	280	210	390	198	192
Georgetown	362	219	143	186	118	68	176	101	75
Greenville	2,191	1,180	1,011	1,791	974	817	400	206	194
Greenwood	523	291	232	355	199	156	168	92	76
Hampton	154	85	69	71	42	29	83	43	40
Horry	827	475	352	648	372	276	179	103	76
Jasper	141	78	63	62	28	34	79	50	29
Kershaw	314	172	142	201	109	92	113	63	50
Lancaster	401	229	172	291	162	129	110	67	43
Laurens	460	244	216	332	174	158	128	70	58
Lee	143	87	56	58	35	23	85	52	33
Lexington	885	503	382	767	435	332	118	68	50
McCormick	52	26	26	19	9	10	33	17	16
Marion	303	176	127	133	82	51	170	94	76
Marlboro	310	173	137	173	93	80	137	80	57
Newberry	312	161	151	219	111	108	93	50	43
Oconee	435	247	188	379	215	164	56	32	24
Orangeburg	722	391	331	357	196	161	365	195	170
Pickens	548	309	239	487	272	215	61	37	24
Richland	2,192	1,175	1,017	1,311	673	638	881	502	379
Saluda	164	88	76	122	64	58	42	24	18
Spartanburg	1,720	964	756	1,353	745	608	367	219	148
Sumter	644	356	288	338	193	145	306	163	143
Union	330	177	153	240	129	111	90	48	42
Williamsburg	305	170	135	110	66	44	195	104	91
York	898	481	417	688	370	318	210	111	99

Table 50.
Deaths by Race and Sex: South Carolina and Each County, 1982
(Occurrence Data)

ounty of ccurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	24,266	13,272	10,994	16,262	8,878	7,384	8,004	4,394	3,610
Abbeville	163	91	72	107	59	48	56	32	24
Aiken	585	295	290	396	197	199	189	98	91
Allendale	107	61	46	43	28	15	64	33	31
Anderson	1,076	597	479	890	490	400	186	107	79
Bamberg	106	62	44	46	26	20	60	36	24
Barnwell	143	77	66	70	44	26	73	33	40
Beaufort	397	230	167	226	134	92	171	96	75
Berkeley	189	112	77	115	68	47	74	44	30
Calhoun	50	27	23	21	12	9	29	15	14
Charleston	2,889	1,600	1,289	1,731	959	772	1,158	641	517
Cherokee	309	168	141	235	126	109	74	42	32
Chester	210	118	92	143	76	67	67	42	25
Chesterfield	236	129	107	160	86	74	76	43	33
Clarendon	192	103	89	82	41	41	110	62	48
Colleton	263	126	137	142	65	77	121	61	60
Darlington	492	231	261	311	145	166	181	86	95
Dillon	219	118	101	132	73	59	87	45	42
Dorchester	186	105	81	105	59	46	81	46	35
Edgefield	111	61	50	66	39	27	45	22	23
Fairfield	117	64	53	61	31	30	56	33	23
Florence	1,147	604	543	658	357	301	489	247	242
Georgetown	319	179	140	165	95	70	154	84	70
Greenville	2,380	1,265	1,115	1,954	1,052	902	426	213	213
Greenwood	659	344	315	458	240	218	201	104	97
Hampton	108	57	51	43	24	19	65	33	32
Horry	848	511	337	666	407	259	182	104	78
Jasper	91	55	36	38	18	20	53	37	16
Kershaw	238	123	115	154	78	76	84	45	39
Lancaster	341	195	146	246	140	106	95	55	40
Laurens	314	161	153	218	108	110	96	53	43
Lee	81	44	37	29	15	14	52	29	23
Lexington	693	377	316	591	318	273	102	59	43
McCormick	21	13	8	8	5	3	13	8	5
Marion	333	186	147	167	98	69	166	88	78
Marlboro	247	144	103	131	77	54	116	67	49
Newberry	230	117	113	157	80	77	73	37	36
Oconee	374	205	169	327	179	148	47	26	21
Orangeburg	718	386	332	348	188	160	370	198	172
Pickens	423	230	193	378	203	175	45	27	18
Richland	3,096	1,798	1,298	1,946	1,111	835	1,150	687	463
Saluda	85	44	41	61	29	32	24	15	9
Spartanburg	1,737	955	782	1,353	730	623	384	225	159
Sumter	563	293	270	288	152	136	275	141	134
Union	263	134	129	190	97	93	73	37	36
Williamsburg	221	118	103	75	40	35	146	78	68
York	696	359	337	531	279	252	165	80	85

Table 51.
DEATHS AND DEATH RATES[1] FROM SELECTED CAUSES BY RACE AND SEX: SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	SOUTH CAROLINA					RATES		
	Total	White		Non-White		Total	White	Non-White
		Male	Female	Male	Female			
All Causes	25,066	9,196	7,627	4,537	3,706	7.7	7.5	8.1
Infectious and Parasitic Dis. (001-139)	331	88	81	88	74	10.2	7.6	15.9
Enteritis and Other Intestinal Dis. (008-009)	14	1	5	5	3	0.4	0.3	0.8
Tuberculosis, All Forms (010-018)	40	7	4	24	5	1.2	0.5	2.8
Tetanus (037)	1	—	—	—	1	0.0	0	0.1
Septicemia (038)	185	49	50	38	48	5.7	4.4	8.4
Measles (055)	—	—	—	—	—	0	0	0
Syphilis and its Sequelae (090-097)	1	—	—	1	—	0.0	0	0.1
Remainder of (001-139)	90	31	22	20	17	2.8	2.4	3.6
Malignant Neoplasms (140-208)	5,059	1,870	1,653	896	640	155.4	157.5	150.7
Of Lip, Oral Cavity and Pharynx (140-149)	111	42	21	36	12	3.4	2.8	4.7
Of Digestive Organs and Peritoneum (150-159)	1,257	403	429	240	185	38.6	37.2	41.7
Of Respiratory System (160-165)	1,465	778	315	309	63	45.0	48.9	36.5
Of Breast (174-175)	405	3	289	1	112	12.4	13.1	11.1
Of Genital Organs (179-187)	611	169	198	148	96	18.8	16.4	23.9
Of Urinary Organs (188-189)	203	113	44	24	22	6.2	7.0	4.5
Leukemia (204-208)	160	63	62	14	21	4.9	5.6	3.4
Of Other and Unspecified Sites (170-173, 190-199)	581	200	201	90	90	17.8	17.9	17.7
Of Lymphatic and Hematopoietic Tissues (200-203)	266	99	94	34	39	8.2	8.6	7.2
Benign and Unspecified Neoplasms (210-239)	55	17	23	9	6	1.7	1.8	1.5
Diabetes Mellitus (250)	476	88	152	79	157	14.6	10.7	23.1
Meningitis (320-322)	14	2	2	5	5	0.4	0.2	1.0
Diseases of Heart (390-398, 402, 404-429)	9,083	3,557	2,900	1,360	1,266	278.9	288.7	257.6
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	61	17	35	1	8	1.9	2.3	0.9
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	412	58	134	91	129	12.7	8.6	21.6
Ischemic Heart Disease (410-414)	5,926	2,650	1,893	705	678	182.0	203.1	135.6
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	520	140	203	91	86	16.0	15.3	17.4
All Other Forms of Heart Disease (415-423, 425-427, 429)	2,164	692	635	472	365	66.5	59.3	82.1
Hypertension (401, 403)	132	36	26	35	35	4.1	2.8	6.9
Cerebrovascular Disease (430-438)	2,378	579	850	431	518	73.0	63.9	93.1
Arteriosclerosis (440)	266	61	126	30	49	8.2	8.4	7.7
Other Diseases of the Circulatory System (441-459)	284	120	88	47	29	8.7	9.3	7.5
Acute Bronchitis and Bronchiolitis (446)	11	1	5	3	2	0.3	0.3	0.5
Pneumonia (480-486)	611	223	187	132	69	18.8	18.3	19.7
Influenza (487)	7	3	2	—	2	0.2	0.2	0.2
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490, 496)	629	370	158	72	29	19.3	23.6	9.9
Chronic and Unqualified Bronchitis (490, 491)	36	23	11	1	1	1.1	1.5	0.2
Emphysema (492)	110	69	27	12	2	3.4	4.3	1.4
Asthma (493)	39	10	10	9	10	1.2	0.9	1.9
Other Chr. Obstructive Pulm. Diseases (494-496)	444	268	110	50	16	13.6	16.9	6.5
Ulcer of Stomach and Duodenum (531-533)	84	40	25	9	10	2.6	2.9	1.9
Hernia and Intestinal Obstruction (550-553, 560)	48	13	18	11	6	1.5	1.4	1.7
Chronic Liver Disease and Cirrhosis (571)	288	156	64	46	22	8.8	9.8	6.7
Other Disease of the Respiratory System (510-519)	187	68	60	40	19	5.7	5.7	5.8
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	270	65	60	59	86	8.3	5.6	14.2
Infections of Kidney (590)	34	4	22	3	5	1.0	1.2	0.8
Congenital Anomalies (740-759)	219	70	57	40	52	6.7	5.7	9.0
Certain Conditions Originating in the Perinatal Period (760-779)	416	109	68	128	111	12.8	7.9	23.4
Symptoms and Ill-Defined Conditions (780-799)	356	97	61	115	83	10.9	7.1	19.4
All Other Diseases (001-799)	1,513	462	497	298	256	46.5	42.9	54.3
Accidents (E800-E949)	1,548	723	308	399	118	47.5	46.1	50.7
Motor Vehicle Traffic (E810-E819)	740	364	144	185	47	22.7	22.7	22.8
Motor Vehicle Non-Traffic (E820-E825)	13	8	1	4	—	0.4	0.4	0.4
Railway (E800-E807)	14	7	—	7	—	0.4	0.3	0.7
Poisoning by Drugs & Medicaments (E850-E858)	40	20	13	4	3	1.2	1.5	0.7
Falls (E880-E888)	127	41	63	16	7	3.9	4.6	2.3
Fire and Flames (E890-E899)	128	47	16	45	20	3.9	2.8	6.4
Drowning (E910)	99	38	11	43	7	3.0	2.2	4.9
Firearms (E922)	40	25	4	8	3	1.2	1.3	1.1
Residual (E800-E949)	347	173	56	87	31	10.7	10.2	11.6
Suicide (E950-E959)	366	244	79	39	4	11.2	14.4	4.2
Firearms (E955)	266	192	47	25	2	8.2	10.7	2.6
Hanging, Strangulation and Suffocation (E953)	37	24	6	7	—	1.1	1.3	0.7
Poisoning (E950-E952)	49	25	21	1	2	1.5	2.1	0.3
Residual (E950-E959)	14	3	5	6	—	0.4	0.4	0.6
Homicide and Legal Intervention (E960-E978)	379	118	53	159	49	11.6	7.6	20.4
Assault by Firearms (E965)	247	89	31	98	29	7.6	5.4	12.5
Assault by Cutting and Piercing (E966)	70	13	7	41	9	2.1	0.9	4.9
Residual (E960-E978)	62	16	15	20	11	1.9	1.4	3.0
Other External Causes (E980-E999)	22	12	2	4	4	0.7	0.6	0.8

---

[1] Rate per 1,000 estimated population for all causes; rate per 100,000 estimated population for individual cause categories.

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	ABBEVILLE					AIKEN				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	210	76	65	37	32	914	343	305	140	126
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	10	2	4	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	3	—	—	2	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	4	1	3	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	3	1	1	1	—
Malignant Neoplasms (140-208)	47	18	20	4	5	191	73	71	23	24
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	7	4	3	—	—	45	14	14	9	8
Of Respiratory System (160-165)	10	2	6	2	—	65	40	16	7	2
Of Breast (174-175)	4	—	3	—	1	11	—	9	—	2
Of Genital Organs (179-187)	6	4	2	—	—	27	6	14	2	5
Of Urinary Organs (188-189)	2	2	—	—	—	7	3	3	—	1
Leukemia (204-208)	2	—	2	—	—	6	2	—	1	3
Of Other and Unspecified Sites (170-173, 190-199)	16	6	4	2	4	17	5	8	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	11	2	7	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	3	—	2	1	—
Diabetes Mellitus (250)	3	1	1	1	—	15	4	8	1	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	77	33	22	11	11	317	124	105	39	49
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	1	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	7	2	3	—	2	22	5	8	4	5
Ischemic Heart Disease (410-414)	58	24	17	10	7	189	85	59	15	30
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	—	—	—	—	—	11	2	8	—	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	12	7	2	1	2	94	31	30	20	13
Hypertension (401, 403)	—	—	—	—	—	3	2	—	—	1
Cerebrovascular Disease (430-438)	22	7	6	5	4	87	24	32	14	17
Arteriosclerosis (440)	1	—	—	—	1	14	1	8	2	3
Other Diseases of the Circulatory System (441-459)	9	2	2	3	2	11	3	5	1	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	7	3	2	1	1	20	6	9	4	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	5	3	2	—	—	19	6	9	3	1
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	8	4	3	1	—
Asthma (493)	—	—	—	—	—	1	—	1	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	4	2	2	—	—	10	2	5	2	1
Ulcer of Stomach and Duodenum (531-533)	2	1	—	—	1	3	1	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	3	—	—	2	1
Chronic Liver Disease and Cirrhosis (571)	3	2	1	—	—	13	8	4	—	1
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	10	5	3	1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	1	1	—	10	3	2	2	3
Infections of Kidney (590)	1	—	—	—	1	1	—	1	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	8	4	—	1	3
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	1	—	2	10	4	1	3	2
Symptoms and Ill-Defined Conditions (780-799)	3	—	1	2	—	3	1	—	2	—
All Other Diseases (001-799)	10	3	2	4	1	54	26	17	5	6
Accidents (E800-E949)	11	2	3	3	3	73	29	15	25	4
Motor Vehicle Traffic (E810-E819)	8	2	1	3	2	32	13	5	13	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	1	1	—	—
Falls (E880-E888)	2	—	1	—	1	5	1	4	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	10	2	—	6	2
Drowning (E910)	—	—	—	—	—	6	3	1	2	—
Firearms (E922)	—	—	—	—	—	3	3	—	—	—
Residual (E800-E949)	1	—	1	—	—	15	6	4	4	1
Suicide (E950-E959)	1	1	—	—	—	20	13	5	1	1
Firearms (E955)	—	—	—	—	—	16	10	4	1	1
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	4	3	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	2	—	15	3	2	7	3
Assault by Firearms (E965)	1	—	—	1	—	12	2	2	5	3
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	1	—	—	—
Residual (E960-E978)	1	—	—	1	—	2	—	—	2	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	ALLENDALE					ANDERSON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	116	26	15	39	36	1,102	514	404	102	82
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	13	5	4	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	1	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	1	—	7	3	1	2	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	5	2	3	—	—
Malignant Neoplasms (140-208)	14	8	—	3	3	212	100	75	18	19
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	3	1	—	2	—
Of Digestive Organs and Peritoneum (150-159)	2	1	—	—	1	41	20	15	2	4
Of Respiratory System (160-165)	4	3	—	1	—	63	44	14	4	1
Of Breast (174-175)	—	—	—	—	—	20	—	15	1	4
Of Genital Organs (179-187)	3	—	—	2	1	32	13	12	6	1
Of Urinary Organs (188-189)	—	—	—	—	—	10	5	3	—	2
Leukemia (204-208)	—	—	—	—	—	7	2	2	—	3
Of Other and Unspecified Sites (170-173, 190-199)	4	3	—	—	1	22	8	8	3	3
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	14	7	6	—	1
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	4	2	2	—	—
Diabetes Mellitus (250)	2	—	—	—	2	15	7	5	1	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	48	12	7	13	16	404	178	166	33	27
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	6	1	3	—	2
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6	—	1	2	3	8	2	1	1	4
Ischemic Heart Disease (410-414)	36	10	6	9	11	279	132	110	22	15
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	2	1	—	1	—	18	6	10	1	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	4	1	—	1	2	93	37	42	9	5
Hypertension (401, 403)	—	—	—	—	—	2	1	—	1	—
Cerebrovascular Disease (430-438)	10	—	1	4	5	119	40	58	12	9
Arteriosclerosis (440)	—	—	—	—	—	8	5	2	1	—
Other Diseases of the Circulatory System (441-459)	1	—	—	—	1	11	5	3	3	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	—	1	3	2	36	16	16	2	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	1	1	—	—	—	37	27	6	3	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	4	—	2	1	1
Emphysema (492)	—	—	—	—	—	7	7	—	—	—
Asthma (493)	—	—	—	—	—	2	2	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	1	1	—	—	—	24	18	4	2	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	5	4	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	2	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	—	1	—	13	9	—	2	2
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	7	1	5	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	2	1	2	1	7	2	3	—	2
Infections of Kidney (590)	—	—	—	—	—	2	—	2	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	5	—	3	—	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	2	1	18	8	2	3	5
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	—	1	24	9	7	7	1
All Other Diseases (001-799)	6	—	3	3	—	52	27	16	4	5
Accidents (E800-E949)	8	2	1	3	2	66	41	18	3	4
Motor Vehicle Traffic (E810-E819)	4	1	1	2	—	28	18	7	1	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	2	1	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	1	—	—	—	1	4	1	3	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	9	5	3	1	—
Drowning (E910)	1	1	—	—	—	4	1	2	—	1
Firearms (E922)	—	—	—	—	—	1	—	1	—	—
Residual (E800-E949)	2	—	—	1	1	17	14	2	—	1
Suicide (E950-E959)	2	1	—	1	—	19	12	7	—	—
Firearms (E955)	2	1	—	1	—	14	10	4	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	3	2	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	—	2	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	—	—	2	1	20	14	1	5	—
Assault by Firearms (E965)	—	—	—	—	—	15	12	—	3	—
Assault by Cutting and Piercing (E966)	2	—	—	1	1	3	1	—	2	—
Residual (E960-E978)	1	—	—	1	—	2	1	1	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	BAMBERG					BARNWELL				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	132	43	27	37	25	182	59	36	38	49
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	3	—	1	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia(038)	—	—	—	—	—	3	—	1	1	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	—	—	—	—	—
Malignant Neoplasms (140-208)	31	14	7	5	5	33	12	8	6	7
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	—	—	—	—	
Of Digestive Organs and Peritoneum (150-159)	9	5	1	3	—	8	2	3	2	1
Of Respiratory System (160-165)	5	3	—	—	2	9	8	—	—	1
Of Breast (174-175)	2	—	1	—	1	5	—	4	—	1
Of Genital Organs (179-187)	7	3	3	1	—	4	1	—	2	1
Of Urinary Organs (188-189)	1	1	—	—	—	2	—	1	—	1
Leukemia (204-208)	1	—	—	1	—	1	—	—	1	—
Of Other and Unspecified Sites (170-173, 190-199)	1	—	1	—	—	3	1	—	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	4	1	1	—	2	1	—	—	—	1
Benign and Unspecified Neoplasms (210-239)	1	—	—	—	1	1	—	1	—	—
Diabetes Mellitus (250)	8	1	1	5	1	5	—	1	2	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	31	12	5	6	8	77	22	15	16	24
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	—	—	1	1	1	—	—	—	1
Ischemic Heart Disease (410-414)	21	11	3	4	3	60	20	10	11	19
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	—	—	—	—	—	5	2	—	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	8	1	2	1	4	10	—	4	4	2
Hypertension (401, 403)	4	1	—	2	1	—	—	—	—	—
Cerebrovascular Disease (430-438)	17	2	7	5	3	19	5	2	4	8
Arteriosclerosis (440)	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Circulatory System (441-459)	3	1	1	1	—	1	—	1	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	2	—	—	2	—	1	1	—	—	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	1	1	—	2	6	4	1	1	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases(494-496)	4	1	1	—	2	6	4	1	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	2	1	1	—	—
Other Disease of the Respiratory System (510-519)	2	1	1	—	—	1	—	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	1	—	2	—	1	—	1
Infections of Kidney (590)	1	1	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	1	1	1	—	2	1	1	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	2	—	—	2	—	1	—	—	1	—
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	—	1	2	—	—	2	—
All Other Diseases (001-799)	10	2	1	4	3	8	5	—	1	2
Accidents (E800-E949)	10	5	2	3	—	14	7	2	2	3
Motor Vehicle Traffic (E810-E819)	7	4	1	2	—	3	—	1	1	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—		—	—		—
Falls (E880-E888)	1	—	1	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	1	—	—	1	—
Drowning (E910)	—	—	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	2	1	—	—	1
Residual (E800-E949)	2	1	—	1	—	8	6	1	—	1
Suicide (E950-E959)	—	—	—	—	—	2	1	1	—	—
Firearms (E955)	—	—	—	—	—	1	—	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	1	—	—	—	1
Assault by Firearms (E965)	—	—	—	—	—	1	—	—	—	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	BEAUFORT					BERKELEY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	447	140	109	113	85	495	182	140	100	73
Infectious and Parasitic Dis. (001-139)	11	3	3	1	4	10	2	1	7	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	4	—	—	4	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	7	1	2	—	4	4	1	1	2	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	4	2	1	1	—	2	1	—	1	—
Malignant Neoplasms (140-208)	110	38	33	29	10	96	35	34	20	7
Of Lip, Oral Cavity and Pharynx (140-149)	3	2	1	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	36	10	11	9	6	30	7	9	11	3
Of Respiratory System (160-165)	37	13	11	13	—	27	16	8	3	—
Of Breast (174-175)	3	—	3	—	—	8	—	8	—	—
Of Genital Organs (179-187)	16	7	—	7	2	11	1	5	4	1
Of Urinary Organs (188-189)	1	1	—	—	—	7	6	1	—	—
Leukemia (204-208)	5	2	3	—	—	1	—	—	—	1
Of Other and Unspecified Sites (170-173, 190-199)	9	3	4	—	2	6	2	2	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	6	3	1	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	8	—	1	2	5	5	1	2	—	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	129	38	37	27	27	175	68	48	29	30
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	1	1	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	1	—	2	1	3	—	3	—	—
Ischemic Heart Disease (410-414)	103	32	32	20	19	104	49	29	12	14
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	4	—	1	2	1	12	3	1	4	4
All Other Forms of Heart Disease (415-423, 425-427, 429)	16	4	3	3	6	56	16	15	13	12
Hypertension (401, 403)	4	1	—	3	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	34	7	7	9	11	33	7	8	13	5
Arteriosclerosis (440)	2	1	1	—	—	6	2	3	—	1
Other Diseases of the Circulatory System (441-459)	4	4	—	—	—	4	2	1	1	—
Acute Bronchitis and Bronchiolitis (446)	1	—	—	—	1	—	—	—	—	—
Pneumonia (480-486)	6	2	1	—	3	6	—	2	3	1
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	14	7	4	3	—	16	6	6	1	3
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	—	1	—	2	2	—	—	—
Asthma (493)	2	1	—	1	—	1	—	—	—	1
Other Chr. Obstructive Pulm. Diseases (494-496)	9	4	4	1	—	13	4	6	1	2
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	5	2	2	—	1	3	—	2	—	1
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	5	—	3	—	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	7	—	2	3	2	4	—	—	3	1
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	6	3	2	1	—	7	3	1	—	3
Certain Conditions Originating in the Perinatal Period (760-779)	10	2	3	3	2	19	9	4	3	3
Symptoms and Ill-Defined Conditions (780-799)	9	2	—	3	4	6	3	1	1	1
All Other Diseases (001-799)	35	6	8	12	9	23	6	11	3	3
Accidents (E800-E949)	41	17	4	14	6	46	22	6	11	7
Motor Vehicle Traffic (E810-E819)	27	12	4	6	5	25	10	4	5	6
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	3	2	—	1	—	2	2	—	—	—
Fire and Flames (E890-E899)	2	—	—	2	—	—	—	—	—	—
Drowning (E910)	2	—	—	2	—	4	—	—	3	1
Firearms (E922)	1	—	—	—	1	2	2	—	—	—
Residual (E800-E949)	4	1	—	3	—	13	8	2	3	—
Suicide (E950-E959)	5	5	—	—	—	13	11	1	1	—
Firearms (E955)	5	5	—	—	—	8	8	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	3	2	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	2	1	1	—	15	4	4	4	3
Assault by Firearms (E965)	3	2	1	—	—	9	3	—	4	2
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	1	—	—
Residual (E960-E978)	1	—	—	1	—	4	—	3	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	CALHOUN					CHARLESTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	108	21	18	37	32	1,939	614	535	423	367
Infectious and Parasitic Dis. (001-139)	3	—	—	1	2	34	5	4	13	12
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	2	—	1	1	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	2	—	—	2	—
Tetanus (037)	—	—	—	—	—	1	—	—	—	1
Septicemia (038)	1	—	—	—	1	22	4	2	6	10
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	7	1	1	4	1
Malignant Neoplasms (140-208)	21	8	5	3	5	437	160	119	83	75
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	—	1	1	9	3	—	2	4
Of Digestive Organs and Peritoneum (150-159)	4	1	1	1	1	121	41	28	24	28
Of Respiratory System (160-165)	5	5	—	—	—	129	66	28	27	8
Of Breast (174-175)	2	—	2	—	—	41	1	26	—	14
Of Genital Organs (179-187)	2	—	—	1	1	48	13	7	18	10
Of Urinary Organs (188-189)	3	1	1	—	1	14	9	3	1	1
Leukemia (204-208)	—	—	—	—	—	15	3	7	2	3
Of Other and Unspecified Sites (170-173, 190-199)	3	1	1	—	1	41	15	14	6	6
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	19	9	6	3	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	5	—	2	3	—
Diabetes Mellitus (250)	1	—	—	—	1	41	10	9	9	13
Meningitis (320-322)	1	—	—	1	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	31	7	8	11	5	645	189	214	115	127
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	4	—	3	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	41	2	10	14	15
Ischemic Heart Disease (410-414)	20	5	7	7	1	448	155	150	67	76
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	3	1	—	2	—	35	7	11	7	10
All Other Forms of Heart Disease (415-423, 425-427, 429)	8	1	1	2	4	117	25	40	27	25
Hypertension (401, 403)	1	—	—	1	—	9	1	2	3	3
Cerebrovascular Disease (430-438)	12	1	1	6	4	136	27	43	27	39
Arteriosclerosis (440)	1	—	—	—	1	18	2	10	1	5
Other Diseases of the Circulatory System (441-459)	4	2	—	2	—	25	12	8	3	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	1	—	1	1	54	18	12	16	8
Influenza (487)	—	—	—	—	—	1	1	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	—	—	—	—	—	40	20	14	4	2
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	3	1	2	—	—
Emphysema (492)	—	—	—	—	—	7	4	2	1	—
Asthma (493)	—	—	—	—	—	4	—	3	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	—	—	—	—	—	26	15	7	2	2
Ulcer of Stomach and Duodenum (531-533)	2	—	—	1	1	5	3	1	1	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	1	1	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	25	12	6	4	3
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	19	4	6	4	5
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	—	1	2	29	7	5	7	10
Infections of Kidney (590)	—	—	—	—	—	2	—	2	—	—
Congenital Anomalies (740-759)	1	—	1	—	—	19	6	5	6	2
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	43	7	3	17	16
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	—	2	17	7	3	2	5
All Other Diseases (001-799)	8	—	1	4	3	134	36	34	39	25
Accidents (E800-E949)	10	—	2	3	5	123	54	22	35	12
Motor Vehicle Traffic (E810-E819)	1	—	--	—	1	54	23	11	16	4
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	—	—	2	—
Railway (E800-E807)	—	—	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	6	3	1	1	1
Falls (E880-E888)	3	—	2	—	1	7	3	2	1	1
Fire and Flames (E890-E899)	2	—	—	1	1	5	3	1	1	—
Drowning (E910)	—	—	—	—	—	12	5	—	6	1
Firearms (E9a2)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	4	—	—	2	2	35	16	7	7	5
Suicide (E950-E959)	1	1	—	—	—	35	23	6	6	—
Firearms (E955)	1	1	—	—	—	27	18	4	5	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	6	4	2	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	—	1	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	39	9	3	25	2
Assault by Firearms (E965)	—	—	—	—	—	27	8	1	16	2
Assault by Cutting and Piercing (E966)	—	—	—	—	—	7	—	1	6	—
Residual (E960-E978)	—	—	—	—	—	5	1	1	3	—
Other External Causes (E980-E999)	1	—	—	1	—	1	—	1	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	CHEROKEE					CHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	365	152	129	48	36	285	103	88	56	38
Infectious and Parasitic Dis. (001-139)	2	1	—	—	1	1	—	—	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	—	1	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	—	—	—	—	—
Malignant Neoplasms (140-208)	76	24	30	9	13	70	24	23	14	9
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	1	—	—	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	23	5	10	4	4	19	2	7	8	2
Of Respiratory System (160-165)	22	13	4	4	1	22	15	5	2	—
Of Breast (174-175)	11	—	9	—	2	5	—	3	—	2
Of Genital Organs (179-187)	9	1	4	1	3	8	2	3	2	1
Of Urinary Organs (188-189)	—	—	—	—	—	2	1	—	—	1
Leukemia (204-208)	2	1	1	—	—	3	1	2	—	—
Of Other and Unspecified Sites (170-173, 190-199)	8	4	1	—	3	4	1	1	—	2
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	5	1	2	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	14	3	8	2	1	7	1	4	1	1
Meningitis (320-322)	—	—	—	—	—	2	—	1	1	—
Diseases of Heart (390-398, 402, 404-429)	134	70	44	13	7	104	39	36	17	12
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	2	—	1	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	1	—	—	1	6	—	3	1	2
Ischemic Heart Disease (410-414)	97	55	29	9	4	54	26	17	7	4
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	7	1	5	—	1	2	—	1	1	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	28	13	10	4	1	40	13	14	8	5
Hypertension (401, 403)	4	1	1	—	2	3	—	1	1	1
Cerebrovascular Disease (430-438)	28	8	15	—	5	13	4	5	1	3
Arteriosclerosis (440)	9	2	5	1	1	6	3	2	1	—
Other Diseases of the Circulatory System (441-459)	4	2	—	1	1	4	1	2	—	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	10	7	2	1	—	9	3	1	3	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	9	5	2	1	1	15	8	3	2	2
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	7	4	1	1	1	9	5	2	2	—
Asthma (493)	—	—	—	—	—	1	—	—	—	1
Other Chr. Obstructive Pulm. Diseases (494-496)	2	1	1	—	—	5	3	1	—	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	2	1	1	—	—
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	1	—	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	2	—	3	1	3	—	1	—	2
Infections of Kidney (590)	2	—	1	1	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	1	—	—	2	—	1	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	9	1	1	6	1	7	2	1	3	1
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	3	—	1	2	—
All Other Diseases (001-799)	23	12	11	—	—	12	4	2	5	1
Accidents (E800-E949)	22	11	6	5	—	15	9	2	4	—
Motor Vehicle Traffic (E810-E819)	10	6	4	—	—	7	4	1	2	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	2	1	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	—	1	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	1	1	—	—	—
Drowning (E910)	2	1	1	—	—	1	—	—	1	—
Firearms (E922)	1	—	—	1	—	—	—	—	—	—
Residual (E800-E949)	6	2	1	3	—	5	4	—	1	—
Suicide (E950-E959)	2	1	1	—	—	4	4	—	—	—
Firearms (E955)	2	1	1	—	—	4	4	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	6	—	1	4	1	2	—	1	1	—
Assault by Firearms (E965)	6	—	1	4	1	2	—	1	1	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	1	1	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	CHESTERFIELD					CLARENDON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	349	125	121	56	47	237	51	53	81	52
Infectious and Parasitic Dis. (001-139)	3	2	1	—	—	2	1	—	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	1	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	1	—	—	—	1	—	—	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	1	—	—	—	—	—	—	—
Malignant Neoplasms (140-208)	69	26	23	7	13	36	5	9	15	7
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	—	—	1	—
Of Digestive Organs and Peritoneum (150-159)	15	5	6	—	4	7	1	—	4	2
Of Respiratory System (160-165)	15	10	3	2	—	11	1	5	5	—
Of Breast (174-175)	6	—	4	—	2	1	—	1	—	—
Of Genital Organs (179-187)	13	2	4	3	4	4	2	—	—	2
Of Urinary Organs (188-189)	3	3	—	—	—	1	—	—	—	1
Leukemia (204-208)	3	2	—	1	—	2	—	1	1	—
Of Other and Unspecified Sites (170-173, 190-199)	8	1	4	1	2	8	1	1	4	2
Of Lymphatic and Hematopoietic Tissues (200-203)	6	3	2	—	1	1	—	1	—	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	1	—	—	—	—	—	—
Diabetes Mellitus (250)	5	1	1	2	1	3	—	1	—	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	119	51	44	8	16	96	25	21	30	20
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6	—	4	—	2	5	—	—	4	1
Ischemic Heart Disease (410-414)	81	37	30	4	10	69	21	17	19	12
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	9	1	5	1	2	9	2	3	1	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	23	13	5	3	2	13	2	1	6	4
Hypertension (401, 403)	—	—	—	—	—	2	1	—	—	1
Cerebrovascular Disease (430-438)	29	5	10	10	4	33	2	14	9	8
Arteriosclerosis (440)	5	—	3	1	1	1	—	1	—	—
Other Diseases of the Circulatory System (441-459)	6	1	3	1	1	—	—	—	—	—
Acute Bronchitis and Bronchiolitis (446)	1	—	1	—	—	—	—	—	—	—
Pneumonia (480-486)	8	4	3	1	—	6	2	1	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	1	2	1	—	6	5	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	1	—	—	1	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	1	—	1	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	3	1	2	—	—	4	4	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	1	1	—	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	2	1	1	—	—	2	1	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	—	1	—	3	1	—	—	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	2	—	—	—	2
Certain Conditions Originating in the Perinatal Period (760-779)	6	2	—	3	1	4	1	1	1	1
Symptoms and Ill-Defined Conditions (780-799)	20	6	3	8	3	4	—	1	1	2
All Other Diseases (001-799)	35	9	16	6	4	13	2	1	7	3
Accidents (E800-E949)	23	11	6	4	2	19	3	2	12	2
Motor Vehicle Traffic (E810-E819)	12	7	3	1	1	7	—	—	7	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	1	—	—	—	—	—	—	—
Falls (E880-E888)	3	2	1	—	—	2	1	—	1	—
Fire and Flames (E890-E899)	—	—	—	—	—	6	1	2	2	1
Drowning (E910)	3	1	—	2	—	2	—	—	1	1
Firearms (E922)	2	1	1	—	—	—	—	—	—	—
Residual (E800-E949)	2	—	—	1	1	2	1	—	1	—
Suicide (E950-E959)	6	4	2	—	—	2	2	—	—	—
Firearms (E955)	6	4	2	—	—	2	2	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	1	—	—	3	—	—	3	—
Assault by Firearms (E965)	1	—	1	—	—	3	—	—	3	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	COLLETON					DARLINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	310	82	86	72	70	585	179	187	112	107
Infectious and Parasitic Dis. (001-139)	3	—	1	1	1	10	4	1	4	1
Enteritis and Other Intestinal Dis. (008-009)	1	—	—	—	1	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	3	1	—	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	6	2	1	2	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	1	1	—	—	—
Malignant Neoplasms (140-208)	56	13	15	12	16	106	35	31	26	14
Of Lip, Oral Cavity and Pharynx (140-149)	3	1	—	1	1	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	14	2	6	2	4	32	10	9	10	3
Of Respiratory System (160-165)	9	6	—	3	—	29	11	8	10	—
Of Breast (174-175)	9	—	4	—	5	8	—	3	—	5
Of Genital Organs (179-187)	5	2	1	2	—	19	7	6	2	4
Of Urinary Organs (188-189)	1	—	—	1	—	3	1	1	1	—
Leukemia (204-208)	3	1	—	1	1	1	1	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	7	1	2	1	3	7	2	3	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	5	—	2	1	2	5	2	1	1	1
Benign and Unspecified Neoplasms (210-239)	2	1	1	—	—	—	—	—	—	—
Diabetes Mellitus (250)	7	—	1	4	2	15	—	5	1	9
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	94	27	27	20	20	241	77	84	37	43
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	—	1	3	1	2	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	8	—	2	—	6	15	2	9	—	4
Ischemic Heart Disease (410-414)	62	25	15	15	7	164	63	51	23	27
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	6	—	3	1	2	18	—	9	6	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	17	2	7	4	4	41	11	13	8	9
Hypertension (401, 403)	6	2	—	2	2	2	1	—	1	—
Cerebrovascular Disease (430-438)	57	12	20	10	15	46	10	24	3	9
Arteriosclerosis (440)	1	—	—	—	1	3	—	3	—	—
Other Diseases of the Circulatory System (441-459)	4	1	2	1	—	3	2	—	—	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	10	1	5	2	2	20	5	6	5	4
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-486)	11	4	2	2	3	13	8	2	2	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	1	—	—	—	—	—	—	—
Asthma (493)	2	—	—	—	2	1	—	1	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	7	3	1	2	1	12	8	1	2	1
Ulcer of Stomach and Duodenum (531-533)	2	1	—	1	—	2	—	1	—	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	3	2	—	1	—	7	2	2	3	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	3	3	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	1	—	1	5	—	—	—	5
Infections of Kidney (590)	1	—	1	—	—	3	—	2	—	1
Congenital Anomalies (740-759)	3	—	—	1	2	3	—	1	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	2	1	7	1	1	4	1
Symptoms and Ill-Defined Conditions (780-799)	3	—	—	3	—	6	2	1	2	1
All Other Diseases (001-799)	19	6	6	4	3	36	7	9	8	12
Accidents (E800-E949)	18	10	3	5	—	33	12	8	12	1
Motor Vehicle Traffic (E810-E819)	11	7	2	2	—	15	5	3	7	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	1	—	—	1	—	1	—	1	—	—
Falls (E880-E888)	—	—	—	—	—	5	1	3	1	—
Fire and Flames (E890-E899)	1	—	—	1	—	1	—	—	—	1
Drowning (E910)	3	2	1	—	—	2	—	—	2	—
Firearms (E922)	2	1	—	1	—	3	2	1	—	—
Residual (E800-E949)	—	—	—	—	—	5	3	—	2	—
Suicide (E950-E959)	3	2	1	—	—	10	6	2	2	—
Firearms (E955)	3	2	1	—	—	7	4	2	1	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	2	2	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	—	1	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	1	1	11	4	4	2	1
Assault by Firearms (E965)	2	—	—	1	1	9	3	4	1	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	DILLON					DORCHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	294	97	87	58	52	420	137	106	92	85
Infectious and Parasitic Dis. (001-139)	7	1	1	2	3	6	3	1	—	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	3	—	—	1	2	5	3	1	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	3	1	1	—	1	1	—	—	—	1
Malignant Neoplasms (140-208)	48	16	12	11	9	74	29	21	17	7
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	1	—	—	2	—	1	—	1
Of Digestive Organs and Peritoneum (150-159)	16	4	6	3	3	12	4	3	2	3
Of Respiratory System (160-165)	12	6	2	3	1	26	11	6	7	2
Of Breast (174-175)	2	—	1	—	1	3	—	3	—	—
Of Genital Organs (179-187)	7	2	1	2	2	13	4	2	6	1
Of Urinary Organs (188-189)	2	1	1	—	—	4	4	—	—	—
Leukemia (204-208)	2	2	—	—	—	3	2	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	3	1	—	2	—	3	1	1	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	3	—	—	1	2	8	3	4	1	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	1	—	1	—	—	—	1
Diabetes Mellitus (250)	3	—	2	—	1	6	—	—	3	3
Meningitis (320-322)	2	1	—	—	1	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	85	31	25	13	16	152	52	41	28	31
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	—	1	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	—	1	1	1	11	1	1	5	4
Ischemic Heart Disease (410-414)	57	23	15	9	10	94	36	32	11	15
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	8	3	4	1	—	4	1	1	—	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	16	5	5	2	4	42	14	6	12	10
Hypertension (401, 403)	2	1	—	1	—	2	—	—	2	—
Cerebrovascular Disease (430-438)	35	8	17	4	6	50	6	13	14	17
Arteriosclerosis (440)	—	—	—	—	—	6	2	3	1	—
Other Diseases of the Circulatory System (441-459)	5	2	2	—	1	5	2	1	—	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	8	2	3	2	1	8	3	2	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	9	4	2	3	—	11	7	2	1	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	1	—	—	1	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	8	4	2	2	—	9	5	2	1	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	1	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	1	1	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	2	1	1	—	—	3	1	1	1	—
Other Disease of the Respiratory System (510-519)	2	2	—	—	—	3	1	1	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	1	—	—	—	6	1	2	1	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	4	—	1	2	1	8	1	2	2	3
Certain Conditions Originating in the Perinatal Period (760-779)	3	1	2	—	—	12	—	4	2	6
Symptoms and Ill-Defined Conditions (780-799)	31	8	6	9	8	1	1	—	—	—
All Other Diseases (001-799)	19	2	10	4	3	17	3	4	6	4
Accidents (E800-E949)	17	11	2	3	1	34	17	6	7	4
Motor Vehicle Traffic (E810-E819)	8	4	2	2	—	17	8	3	5	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	—	—	—	—	—	2	1	1	—	—
Fire and Flames (E890-E899)	2	1	—	—	1	2	—	1	—	1
Drowning (E910)	2	1	—	1	—	—	—	—	—	—
Firearms (E922)	3	3	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	2	—	—	—	12	7	1	2	2
Suicide (E950-E959)	4	2	—	1	1	5	4	—	1	—
Firearms (E955)	1	1	—	—	—	4	3	—	1	—
Hanging, Strangulation and Suffocation (E953)	2	1	—	1	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	—	—	1	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	2	—	2	—	6	2	1	2	1
Assault by Firearms (E965)	1	1	—	—	—	5	2	—	2	1
Assault by Cutting and Piercing (E966)	2	—	—	2	—	1	—	1	—	—
Residual (E960-E978)	1	1	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	EDGEFIELD					FAIRFIELD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	157	54	37	41	25	203	52	44	66	41
Infectious and Parasitic Dis. (001-139)	3	1	—	1	1	1	1	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	—	1	1	1	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	1	—	1	—	—	—	—	—	—
Malignant Neoplasms (140-208)	26	8	10	5	3	39	12	7	10	10
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	2	2	—	—	—
Of Digestive Organs and Peritoneum (150-159)	8	2	4	—	2	13	3	3	4	3
Of Respiratory System (160-165)	9	3	1	4	1	9	5	1	3	—
Of Breast (174-175)	1	—	1	—	—	5	—	1	—	4
Of Genital Organs (179-187)	4	1	2	1	—	3	—	—	2	1
Of Urinary Organs (188-189)	—	—	—	—	—	—	—	—	—	—
Leukemia (204-208)	1	—	1	—	—	1	—	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	—	—	—	—	—	3	1	1	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	2	1	—	—	3	1	—	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	3	—	1	1	1	1	—	1	—	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	63	23	17	8	15	92	20	28	26	18
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6	1	1	—	4	1	—	1	—	—
Ischemic Heart Disease (410-414)	40	18	10	5	7	38	11	14	8	5
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	—	—	—	—	—	4	—	3	1	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	17	4	6	3	4	49	9	10	17	13
Hypertension (401, 403)	2	—	1	—	1	—	—	—	—	—
Cerebrovascular Disease (430-438)	10	3	1	4	2	14	5	2	3	4
Arteriosclerosis (440)	—	—	—	—	—	2	1	—	—	1
Other Diseases of the Circulatory System (441-459)	1	1	—	—	—	1	1	—	—	—
Acute Bronchitis and Bronchiolitis (446)	1	—	—	1	—	—	—	—	—	—
Pneumonia (480-486)	6	2	1	1	2	2	—	—	2	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	2	1	1	—	9	5	—	4	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	1	1	—	—	—	2	2	—	—	—
Asthma (493)	2	1	1	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	1	—	—	1	—	7	3	—	4	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	2	—	—	2	—
Other Disease of the Respiratory System (510-519)	3	2	1	—	—	2	1	1	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	1	—	—	2	—	1	—	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	1	1	1	—	1	—	—	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	—	4	—	2	—	—	1	1
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	2	—	—	1	1
All Other Diseases (001-799)	5	3	—	2	—	12	3	2	5	2
Accidents (E800-E949)	12	4	—	8	—	14	3	2	8	1
Motor Vehicle Traffic (E810-E819)	6	1	—	5	—	7	—	—	6	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	4	1	2	1	—
Fire and Flames (E890-E899)	2	1	—	1	—	1	1	—	—	—
Drowning (E910)	2	1	—	1	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	1	—	1	—	2	1	—	1	—
Suicide (E950-E959)	2	2	—	—	—	1	—	—	—	1
Firearms (E955)	1	1	—	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	1	—	—	—	1	—	—	—	1
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	—	1	3	—	3	—	—	3	—
Assault by Firearms (E965)	2	—	—	2	—	2	—	—	2	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	1	—	—	1	—
Residual (E960-E978)	1	—	1	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982

(Residence Data)

CAUSE OF DEATH	FLORENCE					GEORGETOWN				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	880	280	210	198	192	362	118	68	101	75
Infectious and Parasitic Dis. (001-139)	11	1	4	2	4	7	3	1	1	2
Enteritis and Other Intestinal Dis. (008-009)	2	—	1	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	—	—	1	1	3	1	—	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	6	1	3	—	2	2	1	—	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	2	1	1	—	—
Malignant Neoplasms (140-208)	152	50	36	34	32	62	15	10	27	10
Of Lip, Oral Cavity and Pharynx (140-149)	5	1	2	2	—	3	1	—	2	—
Of Digestive Organs and Peritoneum (150-159)	35	9	9	12	5	15	2	3	7	3
Of Respiratory System (160-165)	42	24	5	8	5	16	4	2	9	1
Of Breast (174-175)	13	—	7	—	6	3	—	1	—	2
Of Genital Organs (179-187)	23	6	4	8	5	5	2	—	3	—
Of Urinary Organs (188-189)	2	—	1	1	—	2	2	—	—	—
Leukemia (204-208)	7	2	3	—	2	1	1	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	18	7	2	3	6	12	3	1	5	3
Of Lymphatic and Hematopoietic Tissues (200-203)	7	1	3	—	3	5	—	3	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	1	1	—	—
Diabetes Mellitus (250)	21	3	8	3	7	10	1	3	2	4
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	401	116	109	89	87	129	44	28	29	28
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	27	2	4	8	13	8	1	—	2	5
Ischemic Heart Disease (410-414)	190	76	60	26	28	81	33	19	16	13
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	18	4	7	3	4	12	2	2	5	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	166	34	38	52	42	27	8	6	6	7
Hypertension (401, 403)	5	1	—	3	1	1	1	—	—	—
Cerebrovascular Disease (430-438)	87	19	26	16	26	54	17	12	14	11
Arteriosclerosis (440)	4	1	1	1	1	4	2	1	1	—
Other Diseases of the Circulatory System (441-459)	5	3	—	1	1	4	1	1	1	1
Acute Bronchitis and Bronchiolitis (446)	1	1	—	—	—	—	—	—	—	—
Pneumonia (480-486)	13	2	3	4	4	2	1	—	1	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	24	15	7	2	—	5	2	1	2	—
Chronic and Unqualified Bronchitis (490, 491)	3	1	2	—	—	—	—	—	—	—
Emphysema (492)	2	—	2	—	—	1	—	—	1	—
Asthma (493)	3	3	—	—	—	1	—	—	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	16	11	3	2	—	3	2	1	—	—
Ulcer of Stomach and Duodenum (531-533)	1	1	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	2	—	—	1	1
Chronic Liver Disease and Cirrhosis (571)	13	8	1	2	2	4	1	—	2	1
Other Disease of the Respiratory System (510-519)	4	2	—	2	—	4	1	—	3	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	8	4	1	2	1	13	5	—	2	6
Infections of Kidney (590)	2	—	2	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	8	4	2	1	1	1	—	—	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	16	2	—	9	5	7	—	1	4	2
Symptoms and Ill-Defined Conditions (780-799)	3	1	—	1	1	2	—	—	2	—
All Other Diseases (001-799)	35	12	5	8	10	17	3	5	3	6
Accidents (E800-E949)	45	24	3	12	6	24	15	3	5	1
Motor Vehicle Traffic (E810-E819)	18	11	1	3	3	11	8	—	2	1
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	1	1	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	2	2	—	—	—	1	—	1	—	—
Falls (E880-E888)	4	—	2	1	1	1	1	—	—	—
Fire and Flames (E890-E899)	3	—	—	3	—	—	—	—	—	—
Drowning (E910)	5	2	—	3	—	—	—	—	—	—
Firearms (E922)	2	2	—	—	—	—	—	—	—	—
Residual (E800-E949)	9	6	—	1	2	10	5	2	3	—
Suicide (E950-E959)	7	7	—	—	—	3	2	1	—	—
Firearms (E955)	7	7	—	—	—	3	2	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	10	1	1	5	3	4	3	—	1	—
Assault by Firearms (E965)	5	—	—	5	—	4	3	—	1	—
Assault by Cutting and Piercing (E966)	1	—	—	—	1	—	—	—	—	—
Residual (E960-E978)	4	1	1	—	2	—	—	—	—	—
Other External Causes (E980-E999)	2	2	—	—	—	1	—	—	—	1

Table 51-A.

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982

(Residence Data)

CAUSE OF DEATH	GREENVILLE					GREENWOOD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	2,191	974	817	206	194	523	199	156	92	76
Infectious and Parasitic Dis. (001-139)	33	8	12	7	6	6	3	1	1	1
Enteritis and Other Intestinal Dis. (008-009)	1	—	1	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	26	7	9	5	5	3	2	1	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	6	1	2	2	1	2	1	—	—	1
Malignant Neoplasms (140-208)	494	206	204	40	44	106	41	40	14	11
Of Lip, Oral Cavity and Pharynx (140-149)	13	9	2	1	1	2	—	—	1	1
Of Digestive Organs and Peritoneum (150-159)	116	45	48	8	15	15	5	6	1	3
Of Respiratory System (160-165)	148	87	38	19	4	35	18	8	7	2
Of Breast (174-175)	51	1	43	—	7	11	—	9	—	2
Of Genital Organs (179-187)	43	9	21	4	9	12	3	7	1	1
Of Urinary Organs (188-189)	29	14	10	2	3	7	4	3	—	—
Leukemia (204-208)	17	7	9	—	1	5	5	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	57	27	24	3	3	14	6	4	3	1
Of Lymphatic and Hematopcietic Tissues (200-203)	20	7	9	3	1	5	—	3	1	1
Benign and Unspecified Neoplasms (210-239)	3	—	3	—	—	—	—	—	—	—
Diabetes Mellitus (250)	26	5	11	3	7	10	6	1	1	2
Meningitis (320-322)	1	—	1	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	820	399	300	67	54	173	73	43	31	26
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	5	1	4	—	—	3	2	—	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	22	3	12	1	6	8	1	1	2	4
Ischemic Heart Disease (410-414)	567	296	208	36	27	109	57	26	12	14
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	40	21	15	1	3	11	1	4	5	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	186	78	61	29	18	42	12	12	12	6
Hypertension (401, 403)	6	2	1	1	2	3	1	1	—	1
Cerebrovascular Disease (430-438)	208	65	90	25	28	63	17	22	11	13
Arteriosclerosis (440)	16	2	11	1	2	10	3	6	1	—
Other Diseases of the Circulatory System (441-459)	20	12	5	3	—	3	1	2	—	—
Acute Bronchitis and Bronchiolitis (446)	2	—	2	—	—	—	—	—	—	—
Pneumonia (480-486)	69	28	28	9	4	18	6	6	3	3
Influenza (487)	1	1	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	47	37	8	1	1	14	10	1	2	1
Chronic and Unqualified Bronchitis (490, 491)	5	5	—	—	—	1	1	—	—	—
Emphysema (492)	1	—	—	1	—	3	3	—	—	—
Asthma (493)	1	—	—	—	1	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	40	32	8	—	—	10	6	1	2	1
Ulcer of Stomach and Duodenum (531-533)	8	4	3	1	—	5	2	2	—	1
Hernia and Intestinal Obstruction (550-553, 560)	5	3	1	—	1	4	2	1	1	—
Chronic Liver Disease and Cirrhosis (571)	29	17	6	2	4	8	4	3	1	—
Other Disease of the Respiratory System (510-519)	15	8	3	2	2	3	1	2	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	18	5	5	3	5	5	2	1	1	1
Infections of Kidney (590)	3	1	1	1	—	1	—	1	—	—
Congenital Anomalies (740-759)	19	7	8	2	2	3	1	2	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	26	11	7	1	7	10	3	—	3	4
Symptoms and Ill-Defined Conditions (780-799)	17	7	8	—	2	9	2	—	3	4
All Other Diseases (001-799)	125	49	51	7	18	33	11	13	4	5
Accidents (E800-E949)	117	63	34	16	4	22	6	6	8	2
Motor Vehicle Traffic (E810-E819)	55	29	18	6	2	13	6	4	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	1	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	8	6	2	—	—	1	—	1	—	—
Falls (E880-E888)	9	4	5	—	—	1	—	1	—	—
Fire and Flames (E890-E899)	7	5	1	1	—	2	—	—	1	1
Drowning (E910)	5	2	1	2	—	1	—	—	1	—
Firearms (E922)	1	1	—	—	—	1	—	—	1	—
Residual (E800-E949)	31	15	7	7	2	2	—	—	1	1
Suicide (E950-E959)	42	28	9	5	—	7	4	—	3	—
Firearms (E955)	31	22	5	4	—	4	3	—	1	—
Hanging, Strangulation and Suffocation (E953)	3	2	1	—	—	—	—	—	—	—
Poisoning (E950-E952)	6	4	2	—	—	1	1	—	—	—
Residual (E950-E959)	2	—	1	1	—	2	—	—	2	—
Homicide and Legal Intervention (E960-E978)	21	6	5	9	1	7	—	2	4	1
Assault by Firearms (E965)	16	5	5	6	—	3	—	—	3	—
Assault by Cutting and Piercing (E966)	4	—	—	3	1	2	—	1	1	—
Residual (E960-E978)	1	1	—	—	—	2	—	1	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	HAMPTON					HORRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	154	42	29	43	40	827	372	276	103	76
Infectious and Parasitic Dis. (001-139)	1	—	—	—	1	9	1	4	2	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	1	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	4	1	2	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelac (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	3	—	2	—	1
Malignant Neoplasms (140-208)	34	7	5	15	7	153	80	54	14	5
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	12	1	5	3	3	35	14	12	6	3
Of Respiratory System (160-165)	10	2	—	8	—	46	30	11	5	—
Of Breast (174-175)	—	—	—	—	—	10	—	10	—	—
Of Genital Organs (179-187)	8	1	—	3	4	11	6	4	—	1
Of Urinary Organs (188-189)	—	—	—	—	—	13	10	2	1	—
Leukemia (204-208)	2	2	—	—	—	4	3	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	—	—	—	—	—	23	12	8	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	—	1	—	10	5	5	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	4	—	—	1	3	9	—	1	3	5
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	55	18	11	9	17	320	145	110	38	27
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	—	1	—	3	—	3	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	1	—	1	2	10	—	4	5	1
Ischemic Heart Disease (410-414)	40	15	7	6	12	171	97	54	8	12
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	5	2	2	—	1	18	6	11	1	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	5	—	2	1	2	118	42	38	24	14
Hypertension (401, 403)	1	—	1	—	—	1	1	—	—	—
Cerebrovascular Disease (430-438)	11	5	3	1	2	70	22	24	12	12
Arteriosclerosis (440)	2	—	—	—	2	8	2	5	—	1
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	10	8	2	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	1	—	1	—	—
Pneumonia (480-486)	1	—	—	1	—	14	9	5	—	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	5	2	2	—	1	20	15	4	1	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	1	—	1	—	—	2	1	1	—	—
Asthma (493)	1	—	—	—	1	1	—	—	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	2	1	1	—	—	17	14	3	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	3	1	2	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	—	1	—	8	5	3	—	—
Other Disease of the Respiratory System (510-519)	2	1	—	1	—	7	3	4	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	1	—	10	3	4	—	3
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	1	—	—	1	—	7	3	3	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	2	1	12	—	5	1	6
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	18	5	5	2	6
All Other Diseases (001-799)	14	2	5	3	4	42	15	16	7	4
Accidents (E800-E949)	14	6	1	6	1	66	35	18	13	—
Motor Vehicle Traffic (E810-E819)	9	4	—	4	1	38	20	12	6	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	—	1	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	—	—	—	—	—	2	1	1	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	5	2	2	1	—
Drowning (E910)	—	—	—	—	—	5	3	1	1	—
Firearms (E922)	1	1	—	—	—	1	1	—	—	—
Residual (E800-E949)	4	1	1	2	—	12	8	—	4	1
Suicide (E950-E959)	2	1	—	1	—	16	11	2	3	—
Firearms (E955)	2	1	—	1	—	12	9	1	2	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	3	2	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	—	1	17	7	3	6	1
Assault by Firearms (E965)	1	—	—	—	1	12	5	2	5	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	4	1	1	1	1
Residual (E960-E978)	—	—	—	—	—	1	1	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	3	—	—	—	3

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	JASPER					KERSHAW				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	141	28	34	50	29	314	109	92	63	50
Infectious and Parasitic Dis. (001-139)	2	—	—	2	—	3	3	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	1	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	1	—	1	1	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	1	—	1	1	—	—	—
Malignant Neoplasms (140-208)	28	3	8	13	4	60	24	18	9	9
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	3	2	—	1	—
Of Digestive Organs and Peritoneum (150-159)	7	—	3	2	2	12	1	6	1	4
Of Respiratory System (160-165)	13	3	3	6	1	15	8	3	3	1
Of Breast (174-175)	2	—	1	—	1	5	—	4	—	1
Of Genital Organs (179-187)	2	—	—	2	—	5	2	1	1	1
Of Urinary Organs (188-189)	—	—	—	—	—	3	1	1	1	—
Leukemia (204-208)	—	—	—	—	—	1	1	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	3	—	1	2	—	12	5	3	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	4	4	—	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	2	—	—	—	2	12	—	3	4	5
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	52	14	12	13	13	103	37	30	22	14
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	2	—	—	1	1	8	1	4	3	—
Ischemic Heart Disease (410-414)	38	11	6	11	10	57	26	19	5	7
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	4	1	3	—	—	6	1	2	2	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	8	2	3	1	2	31	9	4	12	6
Hypertension (401, 403)	—	—	—	—	—	5	2	1	—	2
Cerebrovascular Disease (430-438)	18	4	5	4	5	30	5	11	6	8
Arteriosclerosis (440)	—	—	—	—	—	6	—	2	1	3
Other Diseases of the Circulatory System (441-459)	3	—	—	3	—	5	2	3	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	2	—	1	1	—	6	2	1	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	3	1	—	—	4	3	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	1	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	1	1	—	—	—	3	2	1	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	5	1	2	2	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	2	—	1	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	1	—	—	1	1	—	—	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	6	2	1	3	—	3	2	—	1	—
Symptoms and Ill-Defined Conditions (780-799)	2	1	—	1	—	21	6	4	6	5
All Other Diseases (001-799)	7	—	2	2	3	23	6	11	4	2
Accidents (E800-E949)	11	1	2	6	2	16	8	3	5	—
Motor Vehicle Traffic (E810-E819)	4	—	1	2	1	5	3	—	2	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	1	—	—	—	2	1	1	—	—
Fire and Flames (E890-E899)	2	—	1	1	—	2	1	—	1	—
Drowning (E910)	2	—	—	2	—	2	1	1	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	—	—	1	1	5	2	1	2	—
Suicide (E950-E959)	2	—	1	1	—	3	2	1	—	—
Firearms (E955)	1	—	—	1	—	3	2	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	1	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	3	2	—	—	1
Assault by Firearms (E965)	1	—	—	1	—	3	2	—	—	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 51-A.

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982

(Residence Data)

CAUSE OF DEATH	LANCASTER					LAURENS				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	401	162	129	67	43	460	174	158	70	58
Infectious and Parasitic Dis. (001-139)	1	—	—	—	1	2	1	1	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	1	—	1	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	1	1	—	—	—
Malignant Neoplasms (140-208)	68	29	23	8	8	77	27	27	15	8
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	1	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	19	9	7	2	1	16	5	9	—	2
Of Respiratory System (160-165)	18	12	1	5	—	26	11	5	8	2
Of Breast (174-175)	2	—	1	—	1	6	—	4	—	2
Of Genital Organs (179-187)	10	1	5	—	4	7	1	2	4	—
Of Urinary Organs (188-189)	3	2	—	—	1	6	3	1	2	—
Leukemia (204-208)	7	2	5	—	—	1	—	—	—	1
Of Other and Unspecified Sites (170-173, 190-199)	6	2	3	—	1	7	3	3	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	—	1	—	7	4	2	—	1
Benign and Unspecified Neoplasms (210-239)	2	1	1	—	—	—	—	—	—	—
Diabetes Mellitus (250)	6	4	—	1	1	10	—	3	2	5
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	185	78	65	29	13	169	68	59	20	22
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	1	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	1	1	2	1	6	1	—	2	3
Ischemic Heart Disease (410-414)	120	58	39	16	7	120	48	46	10	16
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	10	2	6	—	2	13	6	3	4	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	49	16	19	11	3	30	13	10	4	3
Hypertension (401, 403)	4	—	1	3	—	1	—	—	1	—
Cerebrovascular Disease (430-438)	32	6	7	9	10	58	17	22	11	8
Arteriosclerosis (440)	5	2	2	1	—	5	—	3	1	1
Other Diseases of the Circulatory System (441-459)	5	1	2	1	1	6	4	1	1	—
Acute Bronchitis and Bronchiolitis (446)	1	—	—	1	—	—	—	—	—	—
Pneumonia (480-486)	8	2	4	2	—	11	2	4	3	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Puomonary Dis. & Allied Cond. (490-496)	8	7	—	1	—	10	6	2	1	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	2	—	—	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Pulm. Diseases (494-496)	6	5	—	1	—	10	6	2	1	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	1	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	2	2	—	—	—	9	7	1	1	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	2	1	1	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	—	—	2	3	1	—	1	1
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	5	1	3	—	1	4	—	2	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	2	—	—	—	4	2	—	1	1
Symptoms and Ill-Defined Conditions (780-799)	5	3	—	1	1	2	1	1	—	—
All Other Diseases (001-799)	24	6	11	4	3	34	11	17	1	5
Accidents (E800-E949)	23	14	7	2	—	32	14	9	8	1
Motor Vehicle Traffic (E810-E819)	13	7	5	1	—	16	8	3	4	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	2	—	2	—	—	2	1	1	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	2	—	1	1	—
Drowning (E910)	1	1	—	—	—	2	1	—	1	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	6	5	—	1	—	10	4	4	2	—
Suicide (E950-E959)	6	2	3	1	—	10	8	2	—	—
Firearms (E955)	3	2	1	—	—	8	8	—	—	—
Hanging, Strangulation and Suffocation (E953)	2	—	1	1	—	—	—	—	—	—
Poisoning (E950-E952)	1	—	1	—	—	2	—	2	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	6	2	—	2	2	6	2	1	2	1
Assault by Firearms (E965)	3	1	—	1	1	4	2	1	1	—
Assault by Cutting and Piercing (E966)	2	1	—	—	1	1	—	—	1	—
Residual (E960-E978)	1	—	—	1	—	1	—	—	—	1
Other External Causes (E980-E999)	1	—	—	1	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	LEE					LEXINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	143	35	23	52	33	885	435	332	68	50
Infectious and Parasitic Dis. (001-139)	2	1	—	1	—	10	3	5	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	1	—	—
Tuberculosis, All Forms (010-018)	1	1	—	—	—	3	—	1	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	1	—	3	1	2	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	3	2	1	—	—
Malignant Neoplasms (140-208)	29	8	5	12	4	198	102	73	15	8
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	4	1	1	2	—
Of Digestive Organs and Peritoneum (150-159)	3	—	3	—	—	35	19	9	5	2
Of Respiratory System (160-165)	11	4	—	6	1	68	44	16	7	1
Of Breast (174-175)	2	—	1	—	1	16	—	13	—	3
Of Genital Organs (179-187)	8	3	1	4	—	23	13	8	1	1
Of Urinary Organs (188-189)	1	—	—	—	1	9	7	2	—	—
Leukemia (204-208)	—	—	—	—	—	4	3	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	2	1	—	—	1	26	8	18	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	—	2	—	13	7	5	—	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	1	1	—	—
Diabetes Mellitus (250)	4	1	—	—	3	16	6	8	1	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	60	16	12	18	14	359	171	142	23	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	4	3	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	4	—	—	4	—	12	5	6	—	1
Ischemic Heart Disease (410-414)	42	14	8	12	8	277	132	112	17	16
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	4	1	—	1	2	15	9	3	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	10	1	4	1	4	51	22	20	5	4
Hypertension (401, 403)	—	—	—	—	—	4	1	3	—	—
Cerebrovascular Disease (430-438)	18	4	1	6	7	45	21	19	3	2
Arteriosclerosis (440)	1	—	1	—	—	5	2	1	1	1
Other Diseases of the Circulatory System (441-459)	2	1	—	1	—	11	5	6	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	1	—	1	—	—
Pneumonia (480-486)	1	—	1	—	—	13	6	5	2	—
Influenza (487)	—	—	—	—	—	1	—	—	—	1
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	3	—	1	—	25	15	9	1	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	1	—	—
Emphysema (492)	1	—	—	1	—	4	4	—	—	—
Asthma (493)	—	—	—	—	—	3	1	1	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	3	3	—	—	—	17	10	7	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	5	3	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	3	1	2	—	—
Chronic Liver Disease and Cirrhosis (571)	1	—	—	1	—	14	10	4	—	—
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	7	4	1	2	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	1	—	—	4	1	3	—	—
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	1	1	—	—	—	4	3	—	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	4	—	—	1	3	12	5	3	2	2
Symptoms and Ill-Defined Conditions (780-799)	3	—	1	2	—	6	2	2	2	—
All Other Diseases (001-799)	3	—	—	2	1	55	24	18	7	6
Accidents (E800-E949)	7	—	1	6	—	54	35	11	6	2
Motor Vehicle Traffic (E810-E819)	6	—	1	5	—	33	23	6	3	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	2	—	—	—
Falls (E880-E888)	—	—	—	—	—	3	1	2	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	5	2	1	1	1
Drowning (E910)	—	—	—	—	—	3	1	1	1	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	1	—	—	1	—	6	4	1	1	—
Suicide (E950-E959)	—	—	—	—	—	22	12	9	1	—
Firearms (E955)	—	—	—	—	—	12	9	2	1	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	—	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	8	3	5	—	—
Residual (E950-E959)	—	—	—	—	—	1	—	1	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	—	1	8	2	3	1	2
Assault by Firearms (E965)	1	—	—	—	1	5	1	2	1	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	—	—	1
Residual (E960-E978)	—	—	—	—	—	1	—	—	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	McCORMICK					MARION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	52	9	10	17	16	303	82	51	94	76
Infectious and Parasitic Dis. (001-139)	—	—	—	—	—	3	1	—	2	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	3	1	—	2	—
Malignant Neoplasms (140-208)	14	2	4	6	2	65	20	13	17	15
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	2	1	—	1	—
Of Digestive Organs and Peritoneum (150-159)	1	—	—	1	—	16	1	2	9	4
Of Respiratory System (160-165)	5	2	1	2	—	19	12	2	4	1
Of Breast (174-175)	1	—	—	—	1	6	—	3	—	3
Of Genital Organs (179-187)	2	—	1	1	—	9	1	4	1	3
Of Urinary Organs (188-189)	1	—	—	1	—	5	1	—	1	3
Leukemia (204-208)	1	—	1	—	—	—	—	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	1	—	—	1	—	6	3	2	—	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	1	—	1	2	1	—	1	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	—	1	1	—
Diabetes Mellitus (250)	1	—	—	—	1	6	—	—	1	5
Meningitis (320-322)	—	—	—	—	—	1	—	—	1	—
Diseases of Heart (390-398, 402, 404-429)	18	4	4	5	5	93	28	19	23	23
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	5	—	1	3	1
Ischemic Heart Disease (410-414)	12	3	1	4	4	65	24	15	14	12
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	1	—	1	—	—	4	—	1	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	5	1	2	1	1	19	4	2	5	8
Hypertension (401, 403)	—	—	—	—	—	8	4	1	1	2
Cerebrovascular Disease (430-438)	3	1	—	—	2	34	3	11	6	14
Arteriosclerosis (440)	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Circulatory System (441-459)	—	—	—	—	—	3	3	—	—	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	—	—	—	—	—	3	2	—	—	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	—	—	—	—	—	5	3	1	1	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	—	—	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	—	—	—	—	—	5	3	1	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	2	1	—	1	—	3	1	—	1	1
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	5	1	1	3	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	9	1	1	5	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	2	—	—	—	2
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	8	—	—	5	3
All Other Diseases (001-799)	3	—	1	—	2	21	5	2	10	4
Accidents (E800-E949)	6	1	1	2	2	20	6	—	11	3
Motor Vehicle Traffic (E810-E819)	—	—	—	—	—	10	4	—	6	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	1	—	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	4	1	—	2	1
Drowning (E910)	3	—	—	2	1	1	—	—	1	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	—	1	—	1	5	1	—	2	2
Suicide (E950-E959)	—	—	—	—	—	3	2	—	1	—
Firearms (E955)	—	—	—	—	—	2	2	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	—	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	8	2	1	4	1
Assault by Firearms (E965)	1	—	—	1	—	6	2	1	2	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	—	—	2	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	MARLBORO					NEWBERRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	310	93	80	80	57	312	111	108	50	43
Infectious and Parasitic Dis. (001-139)	4	—	1	3	—	4	2	1	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	3	—	1	2	—	3	2	—	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	1	—	1	—	—
Malignant Neoplasms (140-208)	50	15	16	10	9	76	25	28	14	9
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	2	1	1	—	—
Of Digestive Organs and Peritoneum (150-159)	16	4	6	3	3	27	8	13	3	3
Of Respiratory System (160-165)	15	6	3	5	1	15	7	2	6	—
Of Breast (174-175)	2	—	1	—	1	8	—	6	—	2
Of Genital Organs (179-187)	5	—	3	1	1	8	1	3	1	3
Of Urinary Organs (188-189)	2	1	1	—	—	3	2	—	1	—
Leukemia (204-208)	1	—	—	—	1	1	1	—	—	—
Of Other and Unspecified Sites (170-173, 190-199)	6	3	2	—	1	6	3	1	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	—	—	1	6	2	2	2	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	—	1	2	1	1	—	—
Diabetes Mellitus (250)	3	—	1	1	1	6	1	1	—	4
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	123	50	31	26	16	117	41	49	14	13
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	1	—	1	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	3	1	1	—	1	4	1	1	1	1
Ischemic Heart Disease (410-414)	93	42	24	19	8	56	22	26	3	5
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	5	1	—	2	2	28	7	10	7	4
All Other Forms of Heart Disease (415-423, 425-427, 429)	21	6	5	5	5	29	11	12	3	3
Hypertension (401, 403)	—	—	—	—	—	2	—	—	1	1
Cerebrovascular Disease (430-438)	51	7	13	14	17	24	9	6	2	7
Arteriosclerosis (440)	1	—	—	—	1	3	1	2	—	—
Other Diseases of the Circulatory System (441-459)	5	—	3	2	—	1	—	—	1	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	3	4	1	1	5	3	2	—	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	1	2	1	—	13	4	5	4	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	1	1	—	—	—	1	—	1	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	3	—	2	1	—	11	3	4	4	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	—	—	2	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	2	2	—	—	—	4	2	1	1	—
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	1	—	1	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	—	1	3	2	7	2	—	3	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	1	—	2	—	2	1	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	4	1	—	1	2	3	1	—	2	—
Symptoms and Ill-Defined Conditions (780-799)	4	1	—	1	2	5	4	1	—	—
All Other Diseases (001-799)	19	7	4	3	5	14	4	4	2	4
Accidents (E800-E949)	9	2	2	5	—	19	10	3	4	2
Motor Vehicle Traffic (E810-E819)	5	2	1	2	—	8	5	—	2	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	—	—	1	—	4	1	3	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	1	—	—	—	1
Drowning (E910)	—	—	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	3	—	1	2	—	5	3	—	2	—
Suicide (E950-E959)	3	2	1	—	—	1	—	1	—	—
Firearms (E955)	2	2	—	—	—	—	—	—	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	—	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	3	—	2	—	1	1	—
Assault by Firearms (E965)	3	1	—	2	—	—	—	—	—	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	1	—	—	1	—	2	—	1	1	—
Other External Causes (E980-E999)	1	—	—	1	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	OCONEE					ORANGEBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	435	215	164	32	24	722	196	161	195	170
Infectious and Parasitic Dis. (001-139)	2	2	—	—	—	12	1	2	3	6
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	1	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	1	—	—	—	5	—	1	1	3
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	4	1	—	1	2
Malignant Neoplasms (140-208)	85	41	30	10	4	113	30	23	33	27
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	1	1	—	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	21	9	9	2	1	39	8	10	15	6
Of Respiratory System (160-165)	24	17	5	2	—	28	11	5	9	3
Of Breast (174-175)	6	—	4	—	2	5	—	1	—	4
Of Genital Organs (179-187)	11	5	3	2	1	15	4	2	5	4
Of Urinary Organs (188-189)	4	2	1	1	—	5	—	—	1	4
Leukemia (204-208)	3	1	2	—	—	3	—	2	1	—
Of Other and Unspecified Sites (170-173, 190-199)	8	3	3	2	—	11	3	3	1	4
Of Lymphatic and Hematopoietic Tissues (200-203)	6	4	2	—	—	6	3	—	1	2
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	3	1	1	—	1
Diabetes Mellitus (250)	14	2	11	—	1	13	2	3	3	5
Meningitis (320-322)	—	—	—	—	—	1	—	—	—	1
Diseases of Heart (390-398, 402, 404-429)	151	85	47	9	10	255	74	73	59	49
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	3	—	3	—	—	—	—	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	9	5	3	—	1	12	1	2	6	3
Ischemic Heart Disease (410-414)	87	52	25	4	6	151	55	51	20	25
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	8	3	5	—	—	17	2	5	5	5
All Other Forms of Heart Disease (415-423, 425-427, 429)	44	25	11	5	3	75	16	15	28	16
Hypertension (401, 403)	3	—	2	—	1	7	1	2	2	2
Cerebrovascular Disease (430-438)	41	11	25	3	2	96	19	22	29	26
Arteriosclerosis (440)	10	1	7	1	1	4	—	1	1	2
Other Diseases of the Circulatory System (441-459)	3	—	3	—	—	9	3	3	2	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	15	10	5	—	—	11	6	2	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	12	7	3	2	—	14	4	6	2	2
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	1	—	1	—	—
Emphysema (492)	3	2	1	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	8	4	2	2	—	12	3	5	2	2
Ulcer of Stomach and Duodenum (531-533)	5	5	—	—	—	1	—	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	3	2	1	—	—	10	2	3	5	—
Other Disease of the Respiratory System (510-519)	3	—	1	1	1	8	1	4	—	3
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	2	3	—	1	6	1	1	—	4
Infections of Kidney (590)	2	1	1	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	2	—	1	—	3	—	1	—	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	2	1	—	—	14	2	3	5	4
Symptoms and Ill-Defined Conditions (780-799)	3	1	1	1	—	32	8	2	10	12
All Other Diseases (001-799)	29	10	16	2	1	40	14	4	11	11
Accidents (E800-E949)	25	17	6	1	1	45	17	3	19	6
Motor Vehicle Traffic (E810-E819)	14	9	3	1	1	20	10	2	6	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	—	—	1
Falls (E880-E888)	1	—	1	—	—	4	2	—	1	1
Fire and Flames (E890-E899)	2	2	—	—	—	6	—	—	4	2
Drowning (E910)	—	—	—	—	—	2	1	—	1	—
Firearms (E922)	2	1	1	—	—	1	—	—	1	—
Residual (E800-E949)	6	5	1	—	—	10	3	1	6	—
Suicide (E950-E959)	6	6	—	—	—	5	4	—	1	—
Firearms (E955)	4	4	—	—	—	4	4	—	—	—
Hanging, Strangulation and Suffocation (E953)	1	1	—	—	—	1	—	—	1	—
Poisoning (E950-E952)	1	1	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	10	7	1	1	1	19	6	1	8	4
Assault by Firearms (E965)	7	5	—	1	1	9	5	—	2	2
Assault by Cutting and Piercing (E966)	2	1	1	—	—	5	1	—	4	—
Residual (E960-E978)	1	1	—	—	—	5	—	1	2	2
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	PICKENS					RICHLAND				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	548	272	215	37	24	2,192	673	638	502	379
Infectious and Parasitic Dis. (001-139)	10	3	4	3	—	39	10	7	14	8
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	5	1	2	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	1	2	2	—	24	6	4	9	5
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	1	—	—	1	—
Remainder of (001-139)	5	2	2	1	—	9	3	1	2	3
Malignant Neoplasms (140-208)	116	44	51	14	7	438	134	126	108	70
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	14	3	3	8	—
Of Digestive Organs and Peritoneum (150-159)	35	12	13	6	4	100	31	28	22	19
Of Respiratory System (160-165)	31	20	7	4	—	141	56	33	40	12
Of Breast (174-175)	10	—	9	—	1	35	—	23	—	12
Of Genital Organs (179-187)	12	2	7	2	1	38	9	11	13	5
Of Urinary Organs (188-189)	5	2	2	1	—	15	7	1	5	2
Leukemia (204-208)	6	2	4	—	—	9	4	2	2	1
Of Other and Unspecified Sites (170-173, 190-199)	10	3	6	—	1	57	15	15	14	13
Of Lymphatic and Hematopoietic Tissues (200-203)	6	3	3	—	—	29	9	10	4	6
Benign and Unspecified Neoplasms (210-239)	3	1	1	1	—	5	—	3	1	1
Diabetes Mellitus (250)	8	2	5	—	1	52	7	16	10	19
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	192	118	64	6	4	697	240	227	121	109
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	2	1	1	—	—	2	—	1	—	1
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	6	1	5	—	—	39	6	13	9	11
Ischemic Heart Disease (410-414)	150	99	44	6	1	445	166	152	70	57
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	8	3	4	—	1	47	13	12	9	13
All Other Forms of Heart Disease (415-423, 425-427, 429)	26	14	10	—	2	164	55	49	33	27
Hypertension (401, 403)	4	3	—	—	1	11	1	5	1	4
Cerebrovascular Disease (430-438)	58	15	32	4	7	196	43	73	36	44
Arteriosclerosis (440)	7	3	4	—	—	28	6	11	4	7
Other Diseases of the Circulatory System (441-459)	8	4	3	—	1	22	9	7	4	2
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	2	—	—	1	1
Pneumonia (480-486)	13	9	3	1	—	83	26	21	26	10
Influenza (487)	—	—	—	—	—	1	—	—	—	1
Chr. Obstructive Pulmonary & Allied Cond. (490-496)	12	7	4	1	—	63	37	17	7	2
Chronic and Unqualified Bronchitis (490, 491)	2	1	1	—	—	4	3	1	—	—
Emphysema (492)	1	1	—	—	—	15	8	5	2	—
Asthma (493)	1	—	—	1	—	3	1	—	1	1
Other Chr. Obstructive Pulm. Diseases (494-486)	8	5	3	—	—	41	25	11	4	1
Ulcer of Stomach and Duodenum (531-533)	3	2	1	—	—	6	3	2	—	1
Hernia and Intestinal Obstruction (550-553, 560)	2	—	2	—	—	3	—	2	—	1
Chronic Liver Disease and Cirrhosis (571)	11	10	1	—	—	24	9	6	6	3
Other Disease of the Respiratory System (510-519)	5	3	1	1	—	19	6	8	5	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	1	1	—	—	21	6	3	5	7
Infections of Kidney (590)	—	—	—	—	—	3	—	1	1	1
Congenital Anomalies (740-759)	6	5	1	—	—	28	5	6	4	13
Certain Conditions Originating in the Perinatal Period (760-779)	8	4	4	—	—	32	4	3	14	11
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	25	8	3	11	3
All Other Diseases (001-799)	36	11	19	3	3	194	45	57	48	44
Accidents (E800-E949)	29	20	7	2	—	115	40	25	41	9
Motor Vehicle Traffic (E810-E819)	14	13	1	—	—	53	18	14	15	6
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	—	—	1	—
Railway (E800-E807)	—	—	—	—	—	2	1	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	3	1	—	2	—
Falls (E880-E888)	5	1	4	—	—	11	2	5	4	—
Fire and Flames (E890-E899)	3	2	—	1	—	10	1	1	6	2
Drowning (E910)	—	—	—	—	—	10	6	—	3	1
Firearms (E922)	2	1	—	1	—	3	1	—	2	—
Residual (E800-E949)	5	3	2	—	—	22	10	5	7	—
Suicide (E950-E959)	9	5	4	—	—	34	20	7	6	1
Firearms (E955)	7	5	2	—	—	20	10	5	4	1
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	7	6	—	1	—
Poisoning (E950-E952)	1	—	1	—	—	4	3	1	—	—
Residual (E950-E959)	1	—	1	—	—	3	1	1	1	—
Homicide and Legal Intervention (E960-E978)	6	2	3	1	—	48	12	2	27	7
Assault by Firearms (E965)	5	2	2	1	—	23	5	1	14	3
Assault by Cutting and Piercing (E966)	—	—	—	—	—	13	2	1	8	2
Residual (E960-E978)	1	—	1	—	—	12	5	—	5	2
Other External Causes (E980-E999)	—	—	—	—	—	3	2	—	1	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	SALUDA					SPARTANBURG				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	164	64	58	24	18	1,726	745	608	219	148
Infectious and Parasitic Dis. (001-139)	1	—	1	—	—	23	6	10	3	4
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	2	1	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	1	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	13	4	6	1	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	6	1	3	1	1
Malignant Neoplasms (140-208)	23	9	11	1	2	392	160	147	62	23
Of Lip, Oral Cavity and Pharynx (140-149)	2	2	—	—	—	9	3	2	2	2
Of Digestive Organs and Peritoneum (150-159)	2	—	2	—	—	104	36	50	13	5
Of Respiratory System (160-165)	6	3	3	—	—	114	68	19	25	2
Of Breast (174-175)	2	—	—	—	2	30	—	26	—	4
Of Genital Organs (179-187)	3	1	1	1	—	41	14	15	10	2
Of Urinary Organs (188-189)	2	1	1	—	—	13	10	2	1	—
Leukemia (204-208)	—	—	—	—	—	7	2	5	—	—
Of Other and Unspecified Sites (170-173, 190-199)	4	2	2	—	—	59	20	24	9	6
Of Lymphatic and Hematopoietic Tissues (200-203)	2	—	2	—	—	15	7	4	2	2
Benign and Unspecified Neoplasms (210-239)	2	2	—	—	—	3	2	1	—	—
Diabetes Mellitus (250)	4	1	—	1	2	25	6	11	4	4
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	59	32	21	3	3	641	289	232	74	46
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	10	4	6	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	—	—	—	—	—	26	5	13	3	5
Ischemic Heart Disease (410-414)	51	27	18	3	3	440	225	142	49	24
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	4	2	2	—	—	45	10	25	6	4
All Other Forms of Heart Disease (415-423, 425-427, 429)	4	3	1	—	—	120	45	46	16	13
Hypertension (401, 403)	1	—	—	1	—	10	5	2	1	2
Cerebrovascular Disease (430-438)	17	1	7	3	6	123	36	55	13	19
Arteriosclerosis (440)	4	1	2	1	—	16	5	5	3	3
Other Diseases of the Circulatory System (441-459)	2	—	1	1	—	24	13	7	1	3
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	5	3	1	1	—	35	13	12	5	5
Influenza (487)	—	—	—	—	—	2	1	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	7	3	1	2	1	51	36	11	3	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	5	4	1	—	—
Emphysema (492)	—	—	—	—	—	10	5	4	—	1
Asthma (493)	2	—	—	1	1	2	1	1	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	5	3	1	1	—	34	26	5	3	—
Ulcer of Stomach and Duodenum (531-533)	2	—	2	—	—	8	3	2	2	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	18	13	3	1	1
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	16	9	4	2	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	21	5	5	6	5
Infections of Kidney (590)	—	—	—	—	—	2	1	1	—	—
Congenital Anomalies (740-759)	2	1	1	—	—	15	7	2	4	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	2	—	—	1	28	12	8	3	5
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	8	2	4	1	1
All Other Diseases (001-799)	12	—	8	2	2	109	37	47	14	11
Accidents (E800-E949)	13	6	1	5	1	102	57	27	8	10
Motor Vehicle Traffic (E810-E819)	7	4	—	3	—	43	24	12	5	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	2	2	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	3	1	1	—	1
Falls (E880-E888)	2	1	1	—	—	10	4	6	—	—
Fire and Flames (E890-E899)	1	—	—	1	—	14	9	2	1	2
Drowning (E910)	—	—	—	—	—	6	3	2	1	—
Firearms (E922)	1	—	—	—	1	2	2	—	—	—
Residual (E800-E949)	2	1	—	1	—	21	11	4	1	5
Suicide (E950-E959)	2	2	—	—	—	21	14	5	2	—
Firearms (E955)	2	2	—	—	—	16	9	5	2	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	2	2	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	3	3	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	—	1	2	—	25	12	5	7	1
Assault by Firearms (E965)	2	—	1	1	—	16	10	3	3	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	4	—	—	3	1
Residual (E960-E978)	—	—	—	—	—	5	2	2	1	—
Other External Causes (E980-E999)	1	1	—	—	—	1	—	1	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	SUMTER					UNION				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	644	193	145	163	143	330	129	111	48	42
Infectious and Parasitic Dis. (001-139)	3	2	1	—	—	4	1	—	1	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	1	1	—	—	2	—	—	—	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	2	1	—	1	—
Malignant Neoplasms (140-208)	133	36	39	31	27	64	26	24	6	8
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	34	12	7	7	8	13	7	5	1	—
Of Respiratory System (160-165)	31	12	7	10	2	15	10	2	—	3
Of Breast (174-175)	7	—	4	—	3	12	—	9	—	3
Of Genital Organs (179-187)	22	3	10	5	4	12	2	4	4	2
Of Urinary Organs (188-189)	2	1	—	1	—	2	2	—	—	—
Leukemia (204-208)	8	3	2	1	2	3	2	1	—	—
Of Other and Unspecified Sites (170-173, 190-199)	22	4	7	5	6	6	3	2	1	—
Of Lymphatic and Hematopoietic Tissues (200-203)	6	—	2	2	2	1	—	1	—	—
Benign and Unspecified Neoplasms (210-239)	1	—	—	—	1	—	—	—	—	—
Diabetes Mellitus (250)	13	1	4	2	6	8	3	4	—	1
Meningitis (320-322)	1	—	—	—	1	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	230	73	54	54	49	141	63	48	17	13
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	1	—	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	7	1	2	—	4	12	3	6	1	2
Ischemic Heart Disease (410-414)	105	44	34	10	17	89	50	29	5	5
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	14	6	3	4	1	5	—	3	1	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	104	22	15	40	27	34	9	10	10	5
Hypertension (401, 403)	2	—	—	1	1	2	—	1	1	—
Cerebrovascular Disease (430-438)	63	10	14	17	22	37	7	17	4	9
Arteriosclerosis (440)	1	—	—	1	—	3	—	3	—	—
Other Diseases of the Circulatory System (441-459)	13	4	2	4	3	6	2	3	1	—
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	17	3	4	8	2	5	2	—	1	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	14	10	3	—	1	3	2	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	1	—	—	1	1	—	—	—
Asthma (493)	1	—	—	—	1	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	11	9	2	—	—	2	1	1	—	—
Ulcer of Stomach and Duodenum (531-533)	4	1	—	1	2	2	2	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	2	—	—	1	1	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	9	6	1	2	—	1	—	1	—	—
Other Disease of the Respiratory System (510-519)	6	1	—	3	2	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	1	1	—	1	2	—	—	—	2
Infections of Kidney (590)	2	—	—	—	2	—	—	—	—	—
Congenital Anomalies (740-759)	5	2	1	1	1	4	2	1	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	16	3	4	2	7	7	2	1	3	1
Symptoms and Ill-Defined Conditions (780-799)	10	2	2	4	2	4	1	—	2	1
All Other Diseases (001-799)	35	12	8	9	6	17	4	5	7	1
Accidents (E800-E949)	50	19	7	19	5	8	4	—	4	—
Motor Vehicle Traffic (E810-E819)	24	13	2	9	—	2	1	—	1	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	—	—	1	—
Poisoning by Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	6	1	3	1	1	1	—	—	1	—
Fire and Flames (E890-E899)	7	2	—	3	2	1	1	—	—	—
Drowning (E910)	1	—	—	1	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	12	3	2	5	2	3	2	—	1	—
Suicide (E950-E959)	4	4	—	—	—	5	4	1	—	—
Firearms (E955)	4	4	—	—	—	4	3	1	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	6	2	—	3	1	6	3	1	1	1
Assault by Firearms (E965)	3	1	—	1	1	2	2	—	—	—
Assault by Cutting and Piercing (E966)	2	—	—	2	—	2	1	—	1	—
Residual (E960-E978)	1	1	—	—	—	2	—	1	—	1
Other External Causes (E980-E999)	1	1	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1982
(Residence Data)

CAUSE OF DEATH	WILLIAMSBURG					YORK				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	305	66	44	104	91	898	370	318	111	99
Infectious and Parasitic Dis. (001-139)	5	—	1	2	2	11	5	3	2	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	1	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	3	—	—	1	2	6	3	3	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	1	—	—	4	2	—	1	1
Malignant Neoplasms (140-208)	58	15	9	22	12	179	63	76	26	14
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	5	1	2	1	1
Of Digestive Organs and Peritoneum (150-159)	17	6	1	6	4	50	16	24	7	3
Of Respiratory System (160-165)	12	4	2	6	—	43	22	14	5	2
Of Breast (174-175)	2	—	1	—	1	11	1	7	—	3
Of Genital Organs (179-187)	9	1	4	1	3	26	8	11	6	1
Of Urinary Organs (188-189)	1	1	—	—	—	5	2	2	1	—
Leukemia (204-208)	1	1	—	—	—	9	2	3	2	2
Of Other and Unspecified Sites (170-173, 190-199)	12	1	1	7	3	20	6	10	3	1
Of Lymphatic and Hematopoietic Tissues (200-203)	3	1	—	1	1	10	5	3	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	1	—	—	—
Diabetes Mellitus (250)	7	1	1	—	5	19	7	5	1	6
Meningitis (320-322)	—	—	—	—	—	1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	105	26	20	29	30	321	157	96	32	36
Rheumatic Fever and Chr. Rheumatic Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hypertensive Heart-Renal (402, 404)	5	—	—	1	4	11	1	7	1	2
Ischemic Heart Disease (410-414)	74	19	13	20	22	222	121	62	16	23
Chr. Dis. of Endocardium and Other Myocard. Insuff. (424, 428)	4	2	1	—	1	17	5	8	3	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	22	5	6	8	3	70	30	18	12	10
Hypertension (401, 403)	—	—	—	—	—	5	1	—	2	2
Cerebrovascular Disease (430-438)	50	11	6	14	19	87	21	41	11	14
Arteriosclerosis (440)	—	—	—	—	—	40	11	17	3	9
Other Diseases of the Circulatory System (441-459)	1	—	—	—	1	7	—	3	3	1
Acute Bronchitis and Bronchiolitis (446)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	6	1	2	2	1	18	8	6	4	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	2	1	1	—	24	12	7	4	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	5	4	1	—	—
Asthma (493)	—	—	—	—	—	2	—	1	—	1
Other Chr. Obstructive Pulm. Diseases (494-496)	4	2	1	1	—	17	8	5	4	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	4	1	2	—	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	1	—	1
Chronic Liver Disease and Cirrhosis (571)	5	2	—	1	2	14	8	5	1	—
Other Disease of the Respiratory System (510-519)	2	—	—	2	—	7	2	4	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	7	1	1	2	3	10	3	6	—	1
Infections of Kidney (590)	—	—	—	—	—	2	—	2	—	—
Congenital Anomalies (740-759)	3	—	—	2	1	11	4	3	3	1
Certain Conditions Originating in the Perinatal Period (760-779)	7	1	—	5	1	15	7	3	3	2
Symptoms and Ill-Defined Conditions (780-799)	16	—	—	8	8	9	3	3	3	—
All Other Diseases (001-799)	9	1	1	5	2	32	11	13	4	4
Accidents (E800-E949)	15	3	2	8	2	52	30	14	7	1
Motor Vehicle Traffic (E810-E819)	3	—	—	3	—	27	17	5	5	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning by Drugs & Medicaments (E850-E858)	2	1	1	—	—	2	—	2	—	—
Falls (E880-E888)	—	—	—	—	—	9	3	4	2	—
Fire and Flames (E890-E899)	2	1	—	1	—	2	1	—	—	1
Drowning (E910)	3	—	—	2	1	1	1	—	—	—
Firearms (E922)	1	—	—	1	—	—	—	—	—	—
Residual (E800-E949)	4	1	1	1	1	10	7	3	—	—
Suicide (E950-E959)	2	1	—	1	—	14	8	6	—	—
Firearms (E955)	1	1	—	—	—	10	6	4	—	—
Hanging, Strangulation and Suffocation (E953)	—	—	—	—	—	2	1	1	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	1	—	—	1	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	—	2	13	6	2	2	3
Assault by Firearms (E965)	2	—	—	—	2	9	4	2	1	2
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	2	—	—	—
Residual (E960-E978)	—	—	—	—	—	2	—	—	1	1
Other External Causes (E980-E999)	1	1	—	—	—	—	—	—	—	—

Table 52.
Deaths From Selected Causes, by Age, Race and Sex: South Carolina, 1982
(Residence Data)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
ALL CAUSES	Total	25,066	832	120	56	100	272	365	804	1,058	1,991	4,452	6,496	8,520	-
	MW	9,196	222	36	19	39	139	168	328	396	797	1,848	2,568	2,636	-
	FW	7,627	145	30	8	20	51	50	118	178	420	995	1,721	3,891	-
	M Nw	4,537	254	31	19	24	58	109	248	316	481	935	1,231	831	-
	F Nw	3,706	211	23	10	17	24	38	110	168	293	674	976	1,162	-
INFECTIOUS AND PARASITIC DISEASES (001-139)	Total	331	22	4	2	2	6	4	13	14	30	63	74	97	-
	MW	88	7	1	-	1	-	1	1	2	10	12	27	26	-
	FW	81	2	2	1	-	1	-	1	4	3	16	17	34	-
	M NW	88	8	-	-	-	4	1	7	5	12	21	17	13	-
	F NW	74	5	1	1	1	1	2	4	3	5	14	13	24	-
1. Enteritis and other Intestinal Diseases (008-009)	Total	14	8	-	1	-	-	-	-	2	1	-	-	2	-
	MW	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	FW	5	1	-	1	-	-	-	-	1	1	-	-	1	-
	M Nw	5	4	-	-	-	-	-	-	1	-	-	-	-	-
	F Nw	3	2	-	-	-	-	-	-	-	-	-	-	1	-
2. Tuberculosis, all forms (010-018)	Total	40	-	-	-	-	-	-	-	4	3	13	12	8	-
	MW	7	-	-	-	-	-	-	-	-	1	-	4	2	-
	FW	4	-	-	-	-	-	-	-	-	-	1	2	1	-
	M Nw	24	-	-	-	-	-	-	-	3	2	11	5	3	-
	F Nw	5	-	-	-	-	-	-	-	1	-	1	1	2	-
3. Tetanus (037)	Total	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	1	-	-	-	-	-	-	-	-	-	-	1	-	-
4. Septicemia (038)	Total	185	8	-	-	-	2	1	5	2	15	29	49	74	-
	MW	49	1	-	-	-	-	-	-	1	3	5	16	23	-
	FW	50	1	-	-	-	-	-	1	-	1	10	13	24	-
	M Nw	38	3	-	-	-	1	1	1	-	7	8	9	8	-
	F Nw	48	3	-	-	-	1	-	3	1	4	6	11	19	-
5. Measles (055)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
6. Syphilis and its Sequelae (090-097)	Total	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. Remainder of (001-139)	Total	90	6	4	1	2	4	3	8	5	11	21	12	13	-
	MW	31	5	1	-	1	-	1	1	1	6	7	7	1	-
	FW	22	-	2	-	-	1	-	-	3	1	5	2	8	-
	M NW	20	1	-	-	-	3	-	6	-	3	2	3	2	-
	F NW	17	-	1	1	1	-	2	1	1	1	7	-	2	-
MALIGNANT NEOPLASMS (140-208)	Total	5,059	1	5	9	12	16	19	70	187	529	1,230	1,658	1,323	
	MW	1,870	-	2	6	4	4	10	19	61	165	484	672	443	-
	FW	1,653	1	2	-	2	7	4	20	54	175	372	472	544	-
	M Nw	896	-	1	1	2	2	2	11	32	99	233	326	187	-
	F Nw	640	-	-	2	4	3	3	20	40	90	141	188	149	-
1. Of lip, oral cavity and pharynx (140-149)	Total	111	-	-	-	-	-	-	-	9	21	36	26	19	-
	MW	42	-	-	-	-	-	-	-	1	5	14	16	6	-
	FW	21	-	-	-	-	-	-	-	-	3	8	2	8	-
	M Nw	36	-	-	-	-	-	-	-	7	10	10	8	1	-
	F Nw	12	-	-	-	-	-	-	-	1	3	4	-	4	-
2. Of digestive organs and peritoneum (150-159)	Total	1,257	-	-	-	-	-	2	8	33	107	268	428	411	-
	MW	403	-	-	-	-	-	-	1	12	38	90	147	115	-
	FW	429	-	-	-	-	-	-	3	2	29	71	128	196	-
	M Nw	240	-	-	-	-	-	1	2	11	24	67	86	49	-
	F Nw	185	-	-	-	-	-	1	2	8	16	40	67	51	-
3. Of respiratory system (160-165)	Total	1,465	1	-	-	-	-	-	5	37	196	458	538	230	-
	MW	778	-	-	-	-	-	-	3	17	84	245	297	132	-
	FW	315	1	-	-	-	-	-	-	9	57	102	93	53	-
	M Nw	309	-	-	-	-	-	-	-	7	45	92	129	36	-
	F Nw	63	-	-	-	-	-	-	2	4	10	19	19	9	-
4. Of breast (174-175)	Total	405	-	-	-	-	-	-	8	35	61	100	103	98	-
	MW	3	-	-	-	-	-	-	-	-	-	-	1	2	-
	FW	289	-	-	-	-	-	-	3	21	42	74	75	74	-
	M Nw	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	F Nw	112	-	-	-	-	-	-	5	14	19	26	27	21	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
5. Of genital organs (179-187)	Total	611	-	-	-	-	-	2	12.	17	38	120	203	219	-
	MW	169	-	-	-	-	-	-	1	3	2	22	60	81	-
	FW	198	-	-	-	-	-	1	8	8	20	46	67	48	-
	M Nw	148	-	-	-	-	-	-	-	-	4	28	52	64	-
	F Nw	96	-	-	-	-	-	1	3	6	12	24	24	26	-
6. Of urinary organs (188-189)	Total	203	-	-	-	1	-	-	2	3	11	42	76	68	-
	MW	113	-	-	-	-	-	-	-	2	3	25	43	40	-
	FW	44	-	-	-	-	-	-	-	-	2	6	18	18	-
	M NW	24	-	-	-	1	-	-	1	-	2	9	8	3	-
	F NW	22	-	-	-	-	-	-	1	1	4	2	7	7	-
7. Leukemia (204-208)	Total	160	-	-	4	9	4	3	4	4	11	31	40	50	-
	MW	63	-	-	1	3	1	3	1	3	4	15	18	14	-
	FW	62	-	-	-	1	2	-	1	1	3	10	13	31	-
	M Nw	14	-	-	1	1	1	-	1	-	1	1	5	3	-
	F Nw	21	-	-	2	4	-	-	1	-	3	5	4	2	-
8. Of other and unspecified sites (170-173, 190-199)	Total	581	-	5	4	2	10	9	18	34	64	122	162	151	-
	MW	200	-	2	4	1	2	5	7	13	22	48	63	33	-
	FW	201	-	2	-	1	5	2	4	11	13	41	48	74	-
	M Nw	90	-	1	-	-	1	1	3	5	9	20	27	23	-
	F Nw	90	-	-	-	-	2	1	4	5	20	13	24	21	-
9. Of lymphatic and hematopoietic tissue (200-203)	Total	266	-	-	1	-	2	3	13	15	20	53	82	77	-
	MW	99	-	-	1	-	1	2	6	10	7	25	27	20	-
	FW	94	-	-	-	-	-	1	1	2	6	14	28	42	-
	M Nw	34	-	-	-	-	-	-	4	2	4	6	11	7	-
	F Nw	39	-	-	-	-	1	-	2	1	3	8	16	8	-
BENIGN AND UNSPECIFIED NEOPLASMS (210-239)	Total	55	1	-	-	-	-	-	-	2	4	13	17	18	-
	MW	17	-	-	-	-	-	-	-	1	-	4	5	7	-
	FW	23	-	-	-	-	-	-	-	-	1	3	10	9	-
	M Nw	9	1	-	-	-	-	-	-	1	2	4	1	-	-
	F Nw	6	-	-	-	-	-	-	-	-	1	2	1	2	-
DIABETES MELLITUS (250)	Total	476	1	-	-	-	1	1	12	19	40	82	170	150	-
	MW	88	-	-	-	-	1	-	4	7	9	16	27	24	-
	FW	152	-	-	-	-	-	-	2	1	16	16	44	73	-
	M Nw	79	1	-	-	-	-	1	4	7	8	14	26	18	-
	F Nw	157	-	-	-	-	-	-	2	4	7	36	73	35	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
MENINGITIS (320-322)	Total	14	5	1	-	1	1	-	1	1	-	2	2	-	-
	MW	2	-	-	-	1	-	-	-	-	-	1	-	-	-
	FW	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	M Nw	5	2	-	-	-	1	-	1	-	-	-	1	-	-
	F Nw	5	2	-	-	-	-	-	-	1	-	1	1	-	-
DISEASES OF HEART (390-398, 402, 404-429)	Total	9,083	26	9	1	2	5	13	71	228	677	1,694	2,643	3,714	-
	MW	3,557	5	3	-	-	2	1	19	96	356	799	1,132	1,144	-
	FW	2,900	6	-	-	1	1	2	10	21	85	298	664	1,812	-
	M NW	1,360	8	3	1	-	1	6	25	77	154	339	460	286	-
	F NW	1,266	7	3	-	1	1	4	17	34	82	258	387	472	-
1. Rheumatic fever and chr. rheumatic heart diseases (390-398)	Total	61	-	-	-	-	-	-	2	5	6	18	18	12	-
	MW	17	-	-	-	-	-	-	1	2	3	3	5	3	-
	FW	35	-	-	-	-	-	-	1	1	2	11	12	8	-
	M Nw	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	F Nw	8	-	-	-	-	-	-	-	2	1	3	1	1	-
2. Hypertensive heart and hypertensive heart-renal (402-404)	Total	412	-	-	-	-	-	-	2	9	27	67	112	195	-
	MW	58	-	-	-	-	-	-	-	-	2	3	18	35	-
	FW	134	-	-	-	-	-	-	-	-	5	9	26	94	-
	M Nw	91	-	-	-	-	-	-	2	5	13	24	31	16	-
	F Nw	129	-	-	-	-	-	-	-	4	7	31	37	50	-
3. Ischemic heart disease (410-414)	Total	5,926	-	-	-	-	1	1	27	128	453	1,139	1,788	2,389	-
	MW	2,650	-	-	-	-	1	-	12	68	282	624	868	795	-
	FW	1,893	-	-	-	-	-	-	2	13	50	186	457	1,185	-
	M Nw	705	-	-	-	-	-	-	8	37	74	186	238	162	-
	F Nw	678	-	-	-	-	-	1	5	10	47	143	225	247	-
4. Chronic disease of endocardium and other insuff. (424, 428)	Total	520	2	1	-	-	1	-	5	7	32	87	141	244	-
	MW	140	-	-	-	-	-	-	1	2	8	26	40	63	-
	FW	203	1	-	-	-	-	-	1	1	6	19	46	129	-
	M Nw	91	1	-	-	-	-	-	2	2	14	23	31	18	-
	F Nw	86	-	1	-	-	1	-	1	2	4	19	24	34	-
5. All other forms of heart disease (415-423, 425-427, 429)	Total	2,164	24	8	1	2	3	12	35	79	159	383	584	874	-
	MW	692	5	3	-	-	1	1	5	24	61	143	201	248	-
	FW	635	5	-	-	1	1	2	6	6	22	73	123	396	-
	M Nw	472	7	3	1	-	1	6	13	33	53	105	160	90	-
	F Nw	365	7	2	-	1	-	3	11	16	23	62	100	140	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
HYPERTENSION (401, 403)	Total	132	-	-	-	-	-	1	4	6	6	34	32	49	-
	MW	36	-	-	-	-	-	1	-	2	3	9	8	13	-
	FW	26	-	-	-	-	-	-	-	-	-	3	6	17	-
	M Nw	35	-	-	-	-	-	-	3	4	2	11	7	8	-
	F Nw	35	-	-	-	-	-	-	1	-	1	11	11	11	-
CEREBROVASCULAR DISEASES (430-438)	Total	2,378	2	1	-	-	2	6	19	65	128	327	582	1,246	-
	MW	579	-	-	-	-	1	-	5	12	29	74	147	311	-
	FW	850	-	-	-	-	1	1	3	10	21	68	160	586	-
	M NW	431	1	-	-	-	-	3	5	28	46	90	130	128	-
	F NW	518	1	1	-	-	-	2	6	15	32	95	145	221	-
ARTERIOSCLEROSIS (440)	Total	266	-	-	-	-	-	-	1	1	4	13	47	200	-
	MW	61	-	-	-	-	-	-	1	-	2	3	11	44	-
	FW	126	-	-	-	-	-	-	-	-	-	4	15	107	-
	M Nw	30	-	-	-	-	-	-	-	-	-	-	14	16	-
	F Nw	49	-	-	-	-	-	-	-	1	2	6	7	33	-
OTHER DISEASES OF THE CIRCULATORY SYSTEM (441-459)	Total	284	-	-	-	1	-	-	3	5	15	41	108	111	-
	MW	120	-	-	-	-	-	-	2	1	10	22	53	32	-
	FW	88	-	-	-	-	-	-	-	-	1	6	23	58	-
	M Nw	47	-	-	-	1	-	-	-	4	2	11	16	13	-
	F Nw	29	-	-	-	-	-	-	1	-	2	2	16	8	-
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)	Total	11	5	1	-	-	-	-	-	-	-	2	-	3	-
	MW	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	FW	5	2	-	-	-	-	-	-	-	-	2	-	1	-
	M Nw	3	1	1	-	-	-	-	-	-	-	-	-	1	-
	F Nw	2	1	-	-	-	-	-	-	-	-	-	-	1	-
PNEUMONIA (480-486)	Total	611	18	2	4	5	3	3	8	22	27	77	120	322	-
	MW	223	4	1	1	1	1	2	2	7	9	33	42	120	-
	FW	187	3	1	-	3	1	-	1	3	2	6	31	136	-
	M Nw	132	6	-	2	1	1	-	3	8	12	27	34	38	-
	F Nw	69	5	-	1	-	-	1	2	4	4	11	13	28	-
INFLUENZA (487)	Total	7	5	-	-	-	-	-	1	1	-	2	1	2	-
	MW	3	-	-	-	-	-	-	-	-	-	1	1	1	-
	FW	2	-	-	-	-	-	-	1	-	-	1	-	-	-
	M Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	2	-	-	-	-	-	-	-	1	-	-	-	1	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
CHR. OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS (490-496)	Total	629	1	2	-	-	-	3	8	12	31	128	222	222	-
	MW	370	-	-	-	-	-	1	2	2	13	69	133	150	-
	FW	158	-	-	-	-	-	1	1	5	12	38	48	53	-
	M Nw	72	1	1	-	-	-	1	3	3	5	13	32	13	-
	F Nw	29	-	1	-	-	-	-	2	2	1	8	9	6	-
1. Chronic and unqualified bronchitis (490-491)	Total	36	-	-	-	-	-	-	1	1	1	5	10	18	-
	MW	23	-	-	-	-	-	-	-	-	-	4	8	11	-
	FW	11	-	-	-	-	-	-	1	-	1	1	2	6	-
	M NW	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F NW	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2. Emphysema (492)	Total	110	-	-	-	-	-	-	-	6	7	22	41	34	-
	MW	69	-	-	-	-	-	-	-	1	3	11	27	27	-
	FW	27	-	-	-	-	-	-	-	3	3	10	6	5	-
	M Nw	12	-	-	-	-	-	-	-	1	1	1	7	2	-
	F Nw	2	-	-	-	-	-	-	-	1	-	-	1	-	-
3. Asthma (493)	Total	39	-	2	-	-	-	3	7	3	2	12	3	7	-
	MW	10	-	-	-	-	-	1	2	-	-	2	1	4	-
	FW	10	-	-	-	-	-	1	-	1	1	5	-	2	-
	M Nw	9	-	1	-	-	-	1	3	1	1	1	1	-	-
	F Nw	10	-	1	-	-	-	-	2	1	-	4	1	1	-
4. Other chr. obstructive pulmonary diseases (494-496)	Total	444	1	-	-	-	-	-	-	2	21	89	168	163	-
	MW	268	-	-	-	-	-	-	-	1	10	52	97	108	-
	FW	110	-	-	-	-	-	-	-	1	7	22	40	40	-
	M Nw	50	1	-	-	-	-	-	-	-	3	11	24	11	-
	F Nw	16	-	-	-	-	-	-	-	-	1	4	7	4	-
ULCER OF STOMACH AND DUODENUM (531-533)	Total	84	-	-	-	-	1	-	3	1	12	15	16	36	-
	MW	40	-	-	-	-	-	-	1	-	6	7	9	17	-
	FW	25	-	-	-	-	1	-	1	-	3	5	1	14	-
	M Nw	9	-	-	-	-	-	-	1	1	3	1	3	-	-
	F Nw	10	-	-	-	-	-	-	-	-	-	2	3	5	-
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	Total	48	4	-	-	-	-	-	1	-	2	5	11	25	-
	MW	13	1	-	-	-	-	-	-	-	1	-	6	5	-
	FW	18	1	-	-	-	-	-	-	-	-	3	2	12	-
	M Nw	11	2	-	-	-	-	-	1	-	-	1	3	4	-
	F Nw	6	-	-	-	-	-	-	-	-	1	1	-	4	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	Total	288	1	-	-	1	-	-	9	50	61	92	57	17	-
	MW	156	-	-	-	-	-	-	1	27	36	55	30	7	-
	FW	64	-	-	-	-	-	-	1	3	12	19	21	8	-
	M Nw	46	1	-	-	1	-	-	4	12	9	14	5	-	-
	F Nw	22	-	-	-	-	-	-	3	8	4	4	1	2	-
OTHER DISEASES OF THE RESPIRATORY SYSTEM (510-519)	Total	187	6	1	1	-	3	1	5	5	18	35	48	64	-
	MW	68	3	-	-	-	1	-	2	2	2	13	21	24	-
	FW	60	1	-	-	-	2	-	1	2	5	10	13	26	-
	M NW	40	1	-	-	-	-	1	1	1	8	9	11	8	-
	F NW	19	1	1	1	-	-	-	1	-	3	3	3	6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (580-589)	Total	270	2	-	-	-	-	1	3	1	11	60	87	105	-
	MW	65	1	-	-	-	-	1	1	-	-	13	19	30	-
	FW	60	-	-	-	-	-	-	1	-	1	9	19	30	-
	M Nw	59	1	-	-	-	-	-	1	-	4	17	19	17	-
	F Nw	86	-	-	-	-	-	-	-	1	6	21	30	28	-
INFECTIONS OF KIDNEY (590)	Total	34	-	-	-	-	-	-	1	-	3	2	11	17	-
	MW	4	-	-	-	-	-	-	-	-	-	-	1	3	-
	FW	22	-	-	-	-	-	-	1	-	2	1	7	11	-
	M Nw	3	-	-	-	-	-	-	-	-	1	-	-	2	-
	F Nw	5	-	-	-	-	-	-	-	-	-	1	3	1	-
CONGENITAL ANOMALIES (740-759)	Total	219	154	19	1	4	8	2	9	2	6	4	9	1	-
	MW	70	50	7	-	1	2	-	2	-	1	3	4	-	-
	FW	57	39	4	-	1	1	1	2	1	2	1	4	1	-
	M Nw	40	32	3	-	1	2	-	2	-	-	-	-	-	-
	F Nw	52	33	5	1	1	3	1	3	1	3	-	1	-	-
CERTAIN CONDITIONS ORGINATING IN THE PERINATAL PERIOD (760-799)	Total	416	416	-	-	-	-	-	-	-	-	-	-	-	-
	MW	109	109	-	-	-	-	-	-	-	-	-	-	-	-
	FW	68	68	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	128	128	-	-	-	-	-	-	-	-	-	-	-	-
	F Nw	111	111	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS AND ILL-DEFINED CONDITIONS (780-799)	Total	356	103	4	1	1	2	5	8	20	14	44	71	83	-
	MW	97	32	-	1	-	-	3	2	6	1	11	25	16	-
	FW	61	11	1	-	-	1	-	-	2	1	10	12	23	-
	M Nw	115	36	2	-	-	1	2	3	9	9	16	21	16	-
	F Nw	83	24	1	-	1	-	-	3	3	3	7	13	28	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
ALL OTHER DISEASES (001-799)	Total	1,513	37	17	7	12	21	20	69	79	134	229	351	537	-
	MW	462	1	4	3	4	7	7	15	19	38	84	128	152	-
	FW	497	7	8	-	2	3	5	12	14	24	53	105	264	-
	M Nw	298	16	3	3	2	5	3	24	24	42	55	76	45	-
	F Nw	256	13	2	1	4	6	5	18	22	30	37	42	76	-
ACCIDENTS (E800-E949)	Total	1,548	20	48	30	53	162	184	288	184	150	160	114	155	-
	MW	723	8	18	8	24	94	97	165	78	61	79	41	50	-
	FW	308	3	11	7	9	27	25	33	29	34	27	35	68	-
	M NW	399	4	13	12	16	34	52	83	62	40	42	25	16	-
	F NW	118	5	6	3	4	7	10	7	15	15	12	13	21	-
1. Motor vehicle traffic (E810-E819)	Total	740	1	9	15	27	116	127	168	97	63	56	38	23	-
	MW	364	1	4	2	14	65	67	96	39	26	26	10	14	-
	FW	144	-	3	4	7	24	21	19	16	18	13	15	4	-
	M Nw	185	-	1	7	4	20	30	49	35	16	11	9	3	-
	F Nw	47	-	1	2	2	7	9	4	7	3	6	4	2	-
2. Motor vehicle non-traffic (E820-E825)	Total	13	-	4	1	2	1	2	-	1	1	1	-	-	-
	MW	8	-	1	1	2	1	1	-	1	-	1	-	-	-
	FW	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	M Nw	4	-	3	-	-	-	1	-	-	-	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Railway (E800-E807)	Total	14	-	-	-	-	-	2	5	2	2	3	-	-	-
	MW	7	-	-	-	-	-	-	3	-	1	3	-	-	-
	FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M Nw	7	-	-	-	-	-	2	2	2	1	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Poisoning by drugs and medicaments (E850-E858)	Total	40	-	-	1	-	-	3	13	9	5	5	3	1	-
	MW	20	-	-	-	-	-	2	8	3	2	3	1	1	-
	FW	13	-	-	1	-	-	-	2	5	3	1	1	-	-
	M Nw	4	-	-	-	-	-	-	3	-	-	1	-	-	-
	F Nw	3	-	-	-	-	-	1	-	1	-	-	1	-	-
5. Falls (E880-E888)	Total	127	1	3	-	1	4	2	8	7	7	11	16	67	-
	MW	41	1	1	-	1	3	1	6	2	3	5	4	14	-
	FW	63	-	1	-	-	-	-	-	3	-	3	9	47	-
	M Nw	16	-	1	-	-	1	1	2	2	3	3	2	1	-
	F Nw	7	-	-	-	-	-	-	-	-	1	-	1	5	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
6. Fire and flames (E890-E899)	Total	128	5	11	3	3	4	6	18	11	17	16	22	12	-
	MW	47	1	2	-	2	3	2	6	6	3	6	12	4	-
	FW	16	2	2	-	-	-	1	4	-	2	2	2	1	-
	M Nw	45	-	3	3	-	1	3	8	4	8	6	5	4	-
	F Nw	20	2	4	-	1	-	-	-	1	4	2	3	3	-
7. Drowning (E910)	Total	99	-	9	7	12	17	11	14	10	7	7	4	1	-
	MW	38	-	4	2	-	6	3	8	4	4	5	1	1	-
	FW	11	-	1	2	-	1	1	2	1	2	-	1	-	-
	M NW	43	-	3	2	11	10	7	4	3	1	2	-	-	-
	F NW	7	-	1	1	1	-	-	-	2	-	-	2	-	-
8. Firearms (E922)	Total	40	-	1	1	5	7	4	11	5	2	2	-	2	-
	MW	25	-	-	1	5	6	3	6	2	1	1	-	-	-
	FW	4	-	-	-	-	-	-	1	1	1	-	-	1	-
	M Nw	8	-	1	-	-	1	1	3	-	-	1	-	1	-
	F Nw	3	-	-	-	-	-	-	1	2	-	-	-	-	-
9. Residual (E800-E949)	Total	347	13	11	2	3	13	27	51	42	46	59	31	49	-
	MW	173	5	6	2	-	10	18	32	21	21	29	13	16	-
	FW	56	1	4	-	2	2	2	5	3	7	8	7	15	-
	M Nw	87	4	1	-	1	1	7	12	16	11	18	9	7	-
	F Nw	31	3	-	-	-	-	-	2	2	7	4	2	11	-
SUICIDE (E950-E959)	Total	366	-	-	-	4	27	37	76	71	37	67	29	18	-
	MW	244	-	-	-	3	19	29	46	44	19	47	22	15	-
	FW	79	-	-	-	1	5	3	15	20	12	16	5	2	-
	M Nw	39	-	-	-	-	2	5	14	6	6	4	1	1	-
	F Nw	4	-	-	-	-	1	-	1	1	-	-	1	-	-
1. Firearms (E955)	Total	266	-	-	-	3	15	27	52	51	24	56	22	16	-
	MW	192	-	-	-	2	11	23	33	32	16	41	20	14	-
	FW	47	-	-	-	1	4	1	10	13	5	11	1	1	-
	M Nw	25	-	-	-	-	-	3	9	5	3	4	-	1	-
	F Nw	2	-	-	-	-	-	-	-	1	-	-	1	-	-
2. Hanging, strangulation and suffocation (E953)	Total	37	-	-	-	1	8	5	9	5	5	3	1	-	-
	MW	24	-	-	-	1	5	5	4	4	2	2	1	-	-
	FW	6	-	-	-	-	1	-	2	1	1	1	-	-	-
	M Nw	7	-	-	-	-	2	-	3	-	2	-	-	-	-
	F Nw	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 52 (Cont.)

Cause of Death	Sex/ Color	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
3. Poisoning (E950-E952)	Total	49	-	-	-	-	3	3	11	14	7	6	4	1	-
	MW	25	-	-	-	-	2	1	8	8	1	3	1	1	-
	FW	21	-	-	-	-	-	2	2	6	5	3	3	-	-
	M Nw	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F Nw	2	-	-	-	-	1	-	1	-	-	-	-	-	-
4. Residual (E950-E959)	Total	14	-	-	-	-	1	2	4	1	1	2	2	1	-
	MW	3	-	-	-	-	1	-	1	-	-	1	-	-	-
	FW	5	-	-	-	-	-	-	1	-	1	1	1	1	-
	M NW	6	-	-	-	-	-	2	2	1	-	-	1	-	-
	F NW	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HOMICIDE AND LEGAL INTERVENTION (E960-E978)	Total	379	7	6	-	2	14	58	113	79	51	29	16	4	-
	MW	118	-	-	-	-	7	13	33	27	25	8	4	1	-
	FW	53	-	-	-	1	-	8	11	8	8	8	7	2	-
	M Nw	159	4	4	-	-	5	30	51	32	17	12	3	1	-
	F Nw	49	3	2	-	1	2	7	18	12	1	1	2	-	-
1. Assault by firearms (E965)	Total	247	1	1	-	1	9	35	82	57	32	19	8	2	-
	MW	89	-	-	-	-	4	11	27	21	17	6	2	1	-
	FW	31	-	-	-	1	-	3	7	6	6	6	2	-	-
	M Nw	98	1	-	-	-	3	19	35	22	8	6	3	1	-
	F Nw	29	-	1	-	-	2	2	13	8	1	1	1	-	-
2. Assault by cutting and piercing (E966)	Total	70	-	-	-	-	4	18	20	11	11	4	2	-	-
	MW	13	-	-	-	-	3	2	3	1	3	1	-	-	-
	FW	7	-	-	-	-	-	3	1	-	2	-	1	-	-
	M Nw	41	-	-	-	-	1	10	14	7	6	3	-	-	-
	F Nw	9	-	-	-	-	-	3	2	3	-	-	1	-	-
3. Residual (E960-E978)	Total	62	6	5	-	1	1	5	11	11	8	6	6	2	-
	MW	16	-	-	-	-	-	-	3	5	5	1	2	-	-
	FW	15	-	-	-	-	-	2	3	2	-	2	4	2	-
	M Nw	20	3	4	-	-	1	1	2	3	3	3	-	-	-
	F Nw	11	3	1	-	1	-	2	3	1	-	-	-	-	-
OTHER EXTERNAL CAUSES (E980-E999)	Total	22	-	-	-	-	-	7	8	3	1	2	-	1	-
	MW	12	-	-	-	-	-	2	5	2	1	1	-	1	-
	FW	2	-	-	-	-	-	-	1	1	-	-	-	-	-
	M Nw	4	-	-	-	-	-	2	1	-	-	1	-	-	-
	F Nw	4	-	-	-	-	-	3	1	-	-	-	-	-	-

Table 53.
Deaths by Burial Disposition:
South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence*	Total				
	Total	Burial	Cremation	Removal	Other
SOUTH CAROLINA	24,266	23,026	597	355	288
Abbeville	163	161	1	-	1
Aiken	585	555	24	-	6
Allendale	107	104	1	1	1
Anderson	1,076	1,044	16	5	11
Bamberg	106	105	-	-	1
Barnwell	143	141	1	1	-
Beaufort	397	331	50	12	4
Berkeley	189	172	9	8	-
Calhoun	50	50	-	-	-
Charleston	2,889	2,555	114	139	81
Cherokee	309	305	4	-	-
Chester	210	208	1	1	-
Chesterfield	236	233	-	1	2
Clarendon	192	188	3	1	-
Colleton	263	249	2	10	2
Darlington	492	481	5	1	5
Dillon	219	217	2	-	-
Dorchester	186	171	9	5	1
Edgefield	111	109	-	1	1
Fairfield	117	117	-	-	-
Florence	1,147	1,110	10	15	12
Georgetown	319	295	5	11	8
Greenville	2,380	2,295	62	1	22
Greenwood	659	649	8	2	-
Hampton	108	105	2	1	-
Horry	848	782	55	-	11
Jasper	91	85	-	6	-
Kershaw	238	232	5	-	1
Lancaster	341	335	2	2	2
Laurens	314	314	-	-	-
Lee	81	81	-	-	-
Lexington	693	648	28	15	2
McCormick	21	21	-	-	-
Marion	333	331	2	-	-
Marlboro	247	238	4	5	-
Newberry	230	229	1	-	-
Oconee	374	359	13	-	2
Orangeburg	718	703	8	1	6
Pickens	423	407	13	-	3
Richland	3,096	2,838	88	105	65
Saluda	85	85	-	-	-
Spartanburg	1,737	1,686	29	2	20
Sumter	563	544	6	1	12
Union	263	262	1	-	-
Williamsburg	221	220	-	1	-
York	696	676	13	1	6

* by county where death occurred

Table 54.
Deaths by Burial Disposition by Race: South Carolina and Each County, 1982 (Occurrence Data)

County of Occurrence*	White					Nonwhite				
	Total	Burial	Cre-mation	Re-moval	Other	Total	Burial	Cre-mation	Re-moval	Other
SOUTH CAROLINA	16,262	15,226	562	328	146	8,004	7,800	35	27	142
Abbeville	107	105	1	-	1	56	56	-	-	-
Aiken	396	369	21	-	6	189	186	3	-	-
Allendale	43	41	1	-	1	64	63	-	1	-
Anderson	890	865	15	5	5	186	179	1	-	6
Bamberg	46	45	-	-	1	60	60	-	-	-
Barnwell	70	69	1	-	-	73	72	-	1	-
Beaufort	226	164	48	10	4	171	167	2	2	-
Berkeley	115	98	9	8	-	74	74	-	-	-
Calhoun	21	21	-	-	-	29	29	-	-	-
Charleston	1,731	1,451	108	134	38	1,158	1,104	6	5	43
Cherokee	235	233	2	-	-	74	72	2	-	-
Chester	143	141	1	1	-	67	67	-	-	-
Chesterfield	160	159	-	1	-	76	74	-	-	2
Clarendon	82	78	3	1	-	110	110	-	-	-
Colleton	142	130	1	9	2	121	119	1	1	-
Darlington	311	303	5	1	2	181	178	-	-	3
Dillon	132	130	2	-	-	87	87	-	-	-
Dorchester	105	92	8	4	1	81	79	1	1	-
Edgefield	66	65	-	1	-	45	44	-	-	1
Fairfield	61	61	-	-	-	56	56	-	-	-
Florence	658	633	9	15	1	489	477	1	-	11
Georgetown	165	146	5	11	3	154	149	-	-	5
Greenville	1,954	1,882	57	1	14	426	413	5	-	8
Greenwood	458	448	8	2	-	201	201	-	-	-
Hampton	43	40	2	1	-	65	65	-	-	-
Horry	666	604	54	-	8	182	178	1	-	3
Jasper	38	33	-	5	-	53	52	-	1	-
Kershaw	154	148	5	-	1	84	84	-	-	-
Lancaster	246	240	2	2	2	95	95	-	-	-
Laurens	218	218	-	-	-	96	96	-	-	-
Lee	29	29	-	-	-	52	52	-	-	-
Lexington	591	548	26	15	2	102	100	2	-	-
McCormick	8	8	-	-	-	13	13	-	-	-
Marion	167	165	2	-	-	166	166	-	-	-
Marlboro	131	122	4	5	-	116	116	-	-	-
Newberry	157	156	1	-	-	73	73	-	-	-
Oconee	327	312	13	-	2	47	47	-	-	-
Orangeburg	348	333	8	1	6	370	370	-	-	-
Pickens	378	362	13	-	3	45	45	-	-	-
Richland	1,946	1,745	80	91	30	1,150	1,093	8	14	35
Saluda	61	61	-	-	-	24	24	-	-	-
Spartanburg	1,353	1,316	28	2	7	384	370	1	-	13
Sumter	288	278	6	1	3	275	266	-	-	9
Union	190	189	1	-	-	73	73	-	-	-
Williamsburg	75	75	-	-	-	146	145	-	1	-
York	531	515	12	1	3	165	161	1	-	3

* by county where death occurred

Table 55.
Major Causes of Accidental Death: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Cause of Accidental Death							
	Total	Transportation	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E858	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,548	821	77	127	128	40	99	256
Abbeville	11	8	–	2	–	–	–	1
Aiken	73	35	2	5	10	3	6	12
Allendale	8	4	1	1	–	–	1	1
Anderson	66	32	3	4	9	1	4	13
Bamberg	10	7	–	1	–	–	–	2
Barnwell	14	3	5	–	1	2	–	3
Beaufort	41	31	1	3	2	1	2	1
Berkeley	46	27	2	2	–	2	4	9
Calhoun	10	3	1	3	2	–	–	1
Charleston	123	65	9	7	5	1	12	24
Cherokee	22	12	1	–	1	1	2	5
Chester	15	7	–	1	1	–	1	5
Chesterfield	23	12	1	3	–	2	3	2
Clarendon	19	7	–	2	6	–	2	2
Colleton	18	11	1	–	1	2	3	–
Darlington	33	17	3	5	1	3	2	2
Dillon	17	8	1	–	2	3	2	1
Dorchester	34	24	2	2	2	–	–	4
Edgefield	12	6	–	–	2	–	2	2
Fairfield	14	7	–	4	1	–	–	2
Florence	45	20	3	4	3	2	5	8
Georgetown	24	19	1	1	–	–	–	3
Greenville	117	58	11	9	7	1	5	26
Greenwood	22	14	1	1	2	1	1	2
Hampton	14	9	–	–	–	1	–	4
Horry	66	41	2	2	5	1	5	10
Jasper	11	4	–	1	2	–	2	2
Kershaw	16	5	1	2	2	–	2	4
Lancaster	23	13	3	2	1	–	1	3
Laurens	32	16	1	2	2	–	2	9
Lee	7	6	–	–	–	–	–	1
Lexington	54	35	2	3	5	1	3	5
McCormick	6	–	–	1	–	–	3	2
Marion	20	12	–	–	4	–	1	3
Marlboro	9	5	–	1	–	–	–	3
Newberry	19	9	–	4	1	–	–	5
Oconee	25	14	2	1	2	2	–	4
Orangeburg	45	23	2	4	6	1	2	7
Pickens	29	15	–	5	3	2	–	4
Richland	115	60	4	11	10	3	10	17
Saluda	13	9	–	2	1	1	–	–
Spartanburg	102	46	4	10	14	2	6	20
Sumter	50	27	2	6	7	–	1	7
Union	8	3	–	1	1	–	–	3
Williamsburg	15	3	2	–	2	1	3	4
York	52	29	3	9	2	–	1	8

Table 56.
Major Causes of Accidental Death: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	Cause of Accidental Death							
	Total	Transportation	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E858	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,528	823	77	117	119	39	103	250
Abbeville	10	6	-	2	-	-	-	2
Aiken	57	29	1	4	11	2	3	7
Allendale	9	6	1	-	-	-	1	1
Anderson	67	32	3	3	8	2	6	13
Bamberg	11	8	-	1	-	-	-	2
Barnwell	15	4	5	-	2	2	-	2
Beaufort	38	27	1	1	1	1	4	3
Berkeley	35	24	2	2	-	-	2	5
Calhoun	12	5	-	3	2	-	1	1
Charleston	182	89	10	12	9	4	17	41
Cherokee	22	15	1	-	1	1	2	2
Chester	14	10	-	-	1	-	2	1
Chesterfield	17	6	1	1	-	2	4	3
Clarendon	19	8	-	-	6	-	3	2
Colleton	16	9	1	-	1	1	3	1
Darlington	23	15	2	1	1	2	1	1
Dillon	9	5	1	-	2	-	1	-
Dorchester	11	7	2	-	1	-	-	1
Edgefield	9	4	-	-	3	-	1	1
Fairfield	8	4	-	1	1	-	1	1
Florence	65	33	5	8	3	7	3	6
Georgetown	26	22	1	-	-	-	1	2
Greenville	138	78	11	10	7	2	3	27
Greenwood	29	16	1	3	2	1	2	4
Hampton	7	3	-	-	-	1	-	3
Horry	65	41	2	1	2	-	9	10
Jasper	10	5	-	-	1	-	2	2
Kershaw	14	6	2	1	2	-	2	1
Lancaster	20	10	3	1	1	-	-	5
Laurens	19	10	1	2	1	-	1	4
Lee	4	3	-	-	-	-	-	1
Lexington	47	33	2	-	3	-	6	3
McCormick	7	3	-	-	-	1	3	-
Marion	23	13	-	1	4	-	1	4
Marlboro	11	7	-	1	-	-	-	3
Newberry	17	10	-	3	1	-	-	3
Oconee	21	11	1	1	2	1	-	5
Orangeburg	45	24	4	5	5	1	1	5
Pickens	21	7	1	4	2	1	-	6
Richland	143	71	4	25	9	4	4	26
Saluda	8	6	-	-	1	1	-	-
Spartanburg	106	50	4	11	13	2	4	22
Sumter	34	17	1	4	6	-	1	5
Union	9	4	-	-	-	-	2	3
Williamsburg	13	5	-	-	2	-	3	3
York	42	22	3	5	2	-	3	7

Table 57.
Deaths From Suicides by Method: South Carolina, 1982 (Occurrence Data)

County of Occurrence	Total (E950-E959)	Firearms (E955)	Hanging Strangulation & Suffocation (E953)	Poisoning (E950-E952)	Residual (E950-E959)
SOUTH CAROLINA	370	269	40	53	8
Abbeville	-	-	-	-	-
Aiken	19	14	-	5	-
Allendale	2	2	-	-	-
Anderson	23	16	4	3	-
Bamberg	-	-	-	-	-
Barnwell	1	1	-	-	-
Beaufort	7	6	1	-	-
Berkeley	11	8	2	1	-
Calhoun	1	1	-	-	-
Charleston	44	31	2	9	2
Cherokee	2	2	-	-	-
Chester	4	4	-	-	-
Chesterfield	5	5	-	-	-
Clarendon	2	2	-	-	-
Colleton	3	3	-	-	-
Darlington	10	7	2	1	-
Dillon	4	1	2	1	-
Dorchester	3	3	-	-	-
Edgefield	3	2	-	1	-
Fairfield	-	-	-	-	-
Florence	11	10	-	-	1
Georgetown	1	1	-	-	-
Greenville	43	32	3	6	2
Greenwood	8	6	-	1	1
Hampton	2	2	-	-	-
Horry	17	12	3	2	-
Jasper	2	1	-	1	-
Kershaw	2	2	-	-	-
Lancaster	7	4	2	1	-
Laurens	8	6	-	2	-
Lee	-	-	-	-	-
Lexington	22	10	3	9	-
McCormick	-	-	-	-	-
Marion	1	1	-	-	-
Marlboro	2	2	-	-	-
Newberry	1	-	1	-	-
Oconee	6	3	1	2	-
Orangeburg	4	3	1	-	-
Pickens	8	6	-	1	1
Richland	30	22	4	3	1
Saluda	3	2	1	-	-
Spartanburg	24	19	2	3	-
Sumter	6	4	2	-	-
Union	4	3	1	-	-
Williamsburg	2	2	-	-	-
York	12	8	3	1	-

Table 58.
Deaths From Homicides by Types:
South Carolina, 1982
(Occurrence Data)

County of Occurrence	Total (E960-E978)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	Residual (E960-E978)
SOUTH CAROLINA	370	243	68	59
Abbeville	2	1	-	1
Aiken	13	11	-	2
Allendale	3	-	2	1
Anderson	20	15	3	2
Bamberg	-	-	-	-
Barnwell	-	-	-	-
Beaufort	4	3	-	1
Berkeley	9	5	1	3
Calhoun	-	-	-	-
Charleston	52	37	8	7
Cherokee	8	8	-	-
Chester	3	3	-	-
Chesterfield	1	1	-	-
Clarendon	4	4	-	-
Colleton	1	1	-	-
Darlington	9	7	1	1
Dillon	4	1	2	1
Dorchester	3	2	1	-
Edgefield	4	2	1	1
Fairfield	2	1	1	-
Florence	12	8	1	3
Georgetown	4	4	-	-
Greenville	25	20	4	1
Greenwood	7	3	2	2
Hampton	1	1	-	-
Horry	16	11	4	1
Jasper	1	1	-	-
Kershaw	4	4	-	-
Lancaster	6	2	3	1
Laurens	6	4	1	1
Lee	-	-	-	-
Lexington	10	7	2	1
McCormick	-	-	-	-
Marion	8	6	2	-
Marlboro	5	4	-	1
Newberry	2	-	-	2
Oconee	4	2	2	-
Orangeburg	15	7	4	4
Pickens	6	5	-	1
Richland	47	21	15	11
Saluda	1	1	-	-
Spartanburg	27	16	4	7
Sumter	8	4	2	2
Union	3	1	1	1
Williamsburg	1	1	-	-
York	9	8	1	-

Table 59.

Infant Deaths and Infant Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1982

(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	832	16.1	367	12.0	465	22.2
Abbeville	4	12.1	2	10.1	2	15.0
Abbeville	-	0	-	0	-	0
Honea Path(Part)	-	0	-	0	-	0
Balance of County	4	16.4	2	10.1	2	15.0
Aiken	21	12.1	9	7.9	12	19.8
Aiken	3	12.9	-	0	3	22.7
New Ellenton	-	0	-	0	-	0
North Augusta	4	18.8	3	18.3	1	20.4
Balance of County	14	11.3	6	7.2	8	19.6
Allendale	5	25.3	-	0	5	35.2
Allendale	1	11.8	-	0	1	14.9
Balance of County	4	35.4	-	0	4	53.3
Anderson	31	17.0	18	13.0	13	29.7
Anderson	8	19.9	2	9.4	6	31.6
Belton	1	13.3	1	17.2	-	0
Clemson Village(Part)	-	0	-	0	-	0
Honea Path(Part)	1	27.0	1	33.3	-	0
Pendleton	1	22.7	-	0	1	35.7
Williamston	1	22.7	1	25.6	-	0
Balance of County	19	15.6	13	12.7	6	31.4
Bamberg	3	9.6	-	0	3	14.6
Bamberg	-	0	-	0	-	0
Denmark	1	13.5	-	0	1	17.5
Balance of County	2	11.3	-	0	2	17.1
Barnwell	6	18.9	2	13.9	4	23.1
Barnwell	-	0	-	0	-	0
Blackville	2	34.5	-	0	2	57.1
Williston	1	21.7	1	41.7	-	0
Balance of County	3	22.2	1	16.9	2	26.3
Beaufort	27	18.8	12	14.0	15	25.8
Beaufort	3	15.2	1	8.5	2	25.3
Port Royal	1	11.6	-	0	1	30.3
Balance of County	23	19.9	11	16.0	12	25.6
Berkeley	33	16.2	22	15.9	11	16.8
Goose Creek	4	13.1	4	16.7	-	0
Hanahan	6	28.4	4	22.3	2	62.5
Moncks Corner	2	22.0	1	16.4	1	33.3
Balance of County	21	14.7	13	14.4	8	15.2

Table 59 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Calhoun..................	3	13.0	1	13.0	2	13.0
Balance of County......	3	13.0	1	13.0	2	13.0
Charleston...............	80	15.0	24	8.0	56	24.0
Charleston.............	23	13.5	4	5.3	19	20.0
Isle of Palms..........	–	0	–	0	–	0
Mt. Pleasant...........	2	6.0	2	8.0	–	0
N. Charleston..........	13	17.0	4	8.5	9	30.9
Summerville(Part)......	–	0	–	0	–	0
Balance of County......	42	16.9	14	4.7	28	27.9
Cherokee.................	12	19.6	3	7.4	9	44.3
Gaffney................	7	29.5	1	9.3	6	46.2
Balance of County......	5	13.4	2	6.6	3	41.1
Chester..................	16	29.5	6	23.3	10	35.1
Chester................	3	18.2	2	29.9	1	10.2
Great Falls............	–	0	–	0	–	0
Balance of County......	13	37.8	4	24.5	9	49.7
Chesterfield.............	13	23.4	4	12.5	9	38.1
Cheraw.................	4	40.4	–	0	4	76.9
Pageland..............	–	0	–	0	–	0
Balance of County......	9	20.8	4	15.4	5	28.9
Clarendon................	8	16.0	2	12.0	6	18.1
Manning................	2	23.5	–	0	2	36.4
Balance of County......	6	14.5	2	14.6	4	14.4
Colleton.................	8	14.7	1	4.1	7	23.0
Walterboro.............	2	14.7	–	0	2	25.3
Balance of County......	6	14.6	1	5.4	5	22.2
Darlington...............	19	20.7	6	12.4	13	29.9
Darlington.............	3	19.1	–	0	3	33.3
Hartsville.............	2	13.7	1	12.7	1	14.9
Balance of County......	14	22.7	5	14.8	9	32.4
Dillon...................	10	18.3	4	16.3	6	19.9
Dillon.................	5	29.8	3	34.9	2	24.4
Balance of County......	5	13.2	1	6.3	4	18.2
Dorchester...............	21	18.7		10.2	13	38.3
Summerville(Part)......	4	13.2	2	9.6	2	21.0
Balance of County......	17	20.7	6	10.4	11	45.1
Edgefield................	10	34.4	4	34.5	6	34.3
Edgefield..............	1	25.0	1	76.9	–	0
Johnston...............	3	61.2	–	0	3	96.8
Balance of County......	6	29.7	3	35.3	3	25.6
Fairfield................	2	6.3	–	0	2	9.1
Winnsboro..............	–	0	–	0	–	0
Balance of County......	2	7.4	–	0	2	10.2
Florence.................	31	16.7	11	11.9	20	21.4
Florence...............	11	18.3	4	16.1	7	19.8
Lake City..............	1	7.6	–	0	1	10.8
Balance of County......	19	16.9	7	11.0	12	24.6
Georgetown...............	11	14.5	1	3.1	10	22.8
Andrews(Part)..........	2	44.4	–	0	2	52.6
Georgetown.............	3	15.3	–	0	3	26.3
Balance of County......	6	11.6	1	4.4	5	17.4

Table 59 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenville...............	55	12.5	37	11.1	18	17.1
Fountain Inn(Part).....	3	115.4	3	200.0	–	0
Greenville............	17	13.0	7	9.6	10	17.4
Greer(Part)............	–	0	–	0	–	0
Mauldin................	–	0	–	0	–	0
Simpsonville...........	–	0	–	0	–	0
Travelers Rest.........	–	0	–	0	–	0
Balance of County......	35	12.0	27	10.9	8	18.3
Greenwood................	13	15.2	6	12.2	7	19.2
Greenwood..............	5	13.5	–	0		22.9
Balance of County......	8	16.5	6	17.6	2	13.7
Hampton..................	5	14.2	–	0	5	20.6
Hampton................	–	0	–	0	–	0
Balance of County......	5	16.3	–	0	5	22.7
Horry....................	29	15.6	18	13.8	11	19.6
Conway.................	1	6.0	1	12.5	–	0
Myrtle Beach...........	9	25.3	7	25.5	2	24.7
N. Myrtle Beach........	1	15.4	1	17.2	–	0
Surfside Beach.........	1	23.3	1	25.0	–	0
Balance of County......	17	13.8	8	9.4	9	23.5
Jasper...................	10	35.6	4	36.4	6	35.1
Balance of County......	10	35.6	4	36.4	6	35.1
Kershaw..................	6	10.3	4	11.9	2	8.2
Camden.................	3	27.5	1	20.0	2	33.9
Balance of County......	3	6.4	3	10.5	–	0
Lancaster................	10	12.4	7	13.4	3	10.4
Lancaster..............	4	19.8	2	24.4	2	16.7
Balance of County......	6	9.9	5	11.4	1	6.0
Laurens..................	11	14.5	4	8.6	7	23.9
Clinton................	4	32.3	2	32.8	2	31.7
Fountain Inn(Part).....	–	0	–	0	–	0
Laurens................	3	20.4	–	0	3	42.9
Balance of County......	4	8.3	2	6.2	2	12.7
Lee......................	9	30.9	2	25.6	7	32.9
Bishopville............	2	37.0	–	0	2	47.6
Balance of County......	7	29.5	2	30.3	5	29.2
Lexington................	20	9.7	13	7.5	7	20.6
Batesburg(Part)........	2	32.3	–	0	2	52.6
Cayce..................	1	6.6	–	0	1	27.8
Irmo (Part)...........	–	0	–	0	–	0
Springdale.............	–	0	–	0	–	0
West Columbia..........	6	20.1	5	20.7	1	17.5
Balance of County......	11	7.2	8	6.0	3	14.8
McCormick................	2	15.0	–	0	2	19.6
Balance of County......	2	15.0	–	0	2	19.6
Marion...................	7	11.3	2	9.4	5	12.3
Marion.................	2	13.5	1	21.3	1	9.9
Mullins................	–	0	–	0	–	0
Balance of County......	5	13.5	1	7.8	4	16.5

Table 59 (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Marlboro.................	13	25.1	5	23.4	8	26.4
Bennettsville..........	3	18.2	2	32.8	1	9.6
McColl.................	2	44.4	2	55.6	–	0
Balance of County........	8	26.1	1	8.5	7	36.8
Newberry.................	6	13.1	3	12.2	3	14.2
Newberry...............	2	13.3	–	0	2	24.1
Balance of County......	4	13.0	3	16.8	1	7.8
Oconee...................	10	14.1	7	11.0	3	39.5
Seneca.................	1	8.6	–	0	1	24.4
Walhalla...............	–	0	–	0	–	0
Westminster............	1	22.7	1	25.6	–	0
Balance of County......	8	15.9	6	12.6	2	83.3
Orangeburg...............	24	16.1	9	19.1	15	14.7
Orangeburg.............	2	6.5	2	20.6	–	0
Balance of County......	22	18.6	7	18.8	15	18.6
Pickens..................	16	16.2	16	18.0	–	0
Clemson Village(Part)..	–	0	–	0	–	0
Easley.................	5	43.5	5	53.8	–	0
Liberty................	1	37.0	1	45.4	–	0
Pickens................	–	0	–	0	–	0
Balance of County......	10	13.3	10	14.2	–	0
Richland.................	62	14.6	18	9.2	44	19.3
Columbia...............	40	18.9	10	12.4	30	23.0
Forest Acres...........	–	0	–	0	–	0
Irmo (Part)............	–	0	–	0	–	0
Balance of County......	22	10.6	8	7.2	14	14.5
Saluda...................	6	21.5	4	30.5	2	13.5
Saluda.................	1	16.7	–	0	1	23.8
Batesburg(Part)........	–	0	–	0	–	0
Balance of County......	5	23.8	4	36.7	1	9.9
Spartanburg..............	46	15.2	29	13.2	17	20.5
Greer(Part)............	–	0	–	0	–	0
Spartanburg............	18	22.4	6	16.0	12	28.0
Woodruff...............	–	0	–	0	–	0
Balance of County......	28	12.8	23	12.8	5	12.7
Sumter...................	31	17.6	11	12.2	20	23.3
Sumter.................	10	17.2	3	11.0	7	22.7
Balance of County......	21	17.9	8	12.8	13	23.6
Union....................	16	38.4	6	23.3	10	62.5
Union..................	6	40.8	2	25.0	4	59.7
Balance of County......	10	37.0	4	22.6	6	64.5
Williamsburg.............	18	24.9	1	5.0	17	32.5
Andrews(Part)..........	–	0	–	0	–	0
Kingstree..............	–	0	–	0	–	0
Balance of County......	18	28.5	1	5.7	17	37.1
York.....................	33	20.2	21	18.5	12	24.0
Clover.................	–	0	–	0	–	0
Fort Mill..............	3	50.0	2	46.5	–	58.8
Rock Hill..............	8	14.1	2	6.8	6	21.9
York...................	4	31.5	3	41.7	1	18.2
Balance of County......	18	22.1	14	20.7	4	29.0

Rate per 1,000 live births

Table 60.
Infant Deaths and Infant Mortality Rates by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	832	16.1	367	12.0	465	22.2
Abbeville	4	12.1	2	10.1	2	15.0
Aiken	21	12.1	9	7.9	12	19.8
Allendale	5	25.3	-	0	5	35.2
Anderson	31	17.0	18	13.0	13	29.7
Bamberg	3	9.6	-	0	3	14.6
Barnwell	6	18.9	2	13.9	4	23.1
Beaufort	27	18.8	12	14.0	15	25.8
Berkeley	33	16.2	22	15.9	11	16.8
Calhoun	3	13.0	1	13.0	2	13.0
Charleston	80	15.0	24	8.0	56	24.0
Cherokee	12	19.6	3	7.4	9	44.3
Chester	16	29.5	6	23.3	10	35.1
Chesterfield	13	23.4	4	12.5	9	38.1
Clarendon	8	16.0	2	12.0	6	18.1
Colleton	8	14.7	1	4.1	7	23.0
Darlington	19	20.7	6	12.4	13	29.9
Dillon	10	18.3	4	16.3	6	19.9
Dorchester	21	18.7	8	10.2	13	38.3
Edgefield	10	34.4	4	34.5	6	34.3
Fairfield	2	6.3	-	0	2	9.1
Florence	31	16.7	11	11.9	20	21.4
Georgetown	11	14.5	1	3.1	10	22.8
Greenville	55	12.5	37	11.1	18	17.1
Greenwood	13	15.2	6	12.2	7	19.2
Hampton	5	14.2	-	0	5	20.6
Horry	29	15.6	18	13.8	11	19.6
Jasper	10	35.6	4	36.4	6	35.1
Kershaw	6	10.3	4	11.9	2	8.2
Lancaster	10	12.4	7	13.4	3	10.4
Laurens	11	14.5	4	8.6	7	23.9
Lee	9	30.9	2	25.6	7	32.9
Lexington	20	9.7	13	7.5	7	20.6
McCormick	2	15.0	-	0	2	19.6
Marion	7	11.3	2	9.4	5	12.3
Marlboro	13	25.1	5	23.4	8	26.4
Newberry	6	13.1	3	12.2	3	14.2
Oconee	10	14.1	7	11.0	3	39.5
Orangeburg	24	16.1	9	19.1	15	14.7
Pickens	16	16.2	16	18.0	-	0
Richland	62	14.6	18	9.2	44	19.3
Saluda	6	21.5	4	30.5	2	13.5
Spartanburg	46	15.2	29	13.2	17	20.5
Sumter	31	17.7	11	12.2	20	23.3
Union	16	38.4	6	23.3	10	62.5
Williamsburg	18	24.9	1	5.0	17	32.5
York	33	20.2	21	18.5	12	24.0

Rate per 1,000 live births

Table 61.
Neonatal Deaths and Neonatal Mortality Rates by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	552	10.7	248	8.1	304	14.5
Abbeville	3	9.1	1	5.1	2	15.0
Aiken	13	7.5	5	4.4	8	13.2
Allendale	5	25.3	-	0	5	35.2
Anderson	22	12.1	14	10.1	8	18.3
Bamberg	3	9.6	-	0	3	14.6
Barnwell	2	6.3	1	6.9	1	5.8
Beaufort	15	10.4	9	10.5	6	10.3
Berkeley	24	11.8	15	10.9	9	13.7
Calhoun	2	8.7	1	13.0	1	6.5
Charleston	60	11.3	19	6.3	41	17.6
Cherokee	9	14.7	2	4.9	7	34.5
Chester	8	14.7	4	15.5	4	14.0
Chesterfield	7	12.6	2	6.3	5	21.2
Clarendon	4	8.0	2	12.0	2	6.0
Colleton	5	9.2	-	0	5	16.4
Darlington	10	10.9	4	8.3	6	13.8
Dillon	5	9.1	3	12.2	2	6.6
Dorchester	18	16.0	6	7.6	12	35.4
Edgefield	8	27.5	3	25.9	5	28.6
Fairfield	2	6.3	-	0	2	9.1
Florence	22	11.9	5	5.4	17	18.2
Georgetown	9	11.9	1	3.1	8	18.2
Greenville	39	8.9	27	8.1	12	11.4
Greenwood	13	15.2	6	12.2	7	19.2
Hampton	3	8.5	-	0	3	12.3
Horry	18	9.7	10	7.7	8	14.3
Jasper	6	21.4	3	27.3	3	17.5
Kershaw	3	5.2	2	6.0	1	4.1
Lancaster	3	3.7	3	5.8	-	0
Laurens	5	6.6	2	4.3	3	10.2
Lee	6	20.6	2	25.6	4	18.8
Lexington	13	6.3	8	4.6	5	14.7
McCormick	1	7.5	-	0	1	9.8
Marion	2	3.2	-	0	2	4.9
Marlboro	6	11.6	2	9.3	4	13.2
Newberry	5	10.9	2	8.2	3	14.2
Oconee	5	7.0	3	4.7	2	26.3
Orangeburg	15	10.1	5	10.6	10	9.8
Pickens	10	10.2	10	11.2	-	0
Richland	43	10.1	11	5.6	32	14.1
Saluda	5	17.9	4	30.5	1	6.8
Spartanburg	35	11.6	23	10.4	12	14.5
Sumter	18	10.3	8	8.9	10	11.7
Union	11	26.4	5	19.5	6	37.5
Williamsburg	7	9.7	1	5.0	6	11.5
York	24	14.7	14	12.4	10	20.0

Rates per 1,000 live births

Table 62.
Postneonatal Deaths and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	280	5.4	119	3.9	161	7.7
Abbeville	1	3.0	1	5.0	-	0
Aiken	8	4.6	4	3.5	4	6.6
Allendale	-	0	-	0	-	0
Anderson	9	4.9	4	2.9	5	11.4
Bamberg	-	0	-	0	-	0
Barnwell	4	12.6	1	6.9	3	17.3
Beaufort	12	8.3	3	3.5	9	15.5
Berkeley	9	4.4	7	5.1	2	3.1
Calhoun	1	4.3	-	0	1	6.5
Charleston	20	3.8	5	1.7	15	6.4
Cherokee	3	4.9	1	2.4	2	9.9
Chester	8	14.7	2	7.8	6	21.1
Chesterfield	6	10.8	2	6.2	4	16.9
Clarendon	4	8.0	-	0	4	12.0
Colleton	3	5.5	1	4.1	2	6.6
Darlington	9	9.8	2	4.1	7	16.1
Dillon	5	9.1	1	4.1	4	13.2
Dorchester	3	2.7	2	2.5	1	2.9
Edgefield	2	6.9	1	8.6	1	5.7
Fairfield	-	0	-	0	-	0
Florence	9	4.8	6	6.5	3	3.2
Georgetown	2	2.6	-	0	2	4.6
Greenville	16	3.6	10	3.0	6	5.7
Greenwood	-	0	-	0	-	0
Hampton	2	5.7	-	0	2	8.2
Horry	11	5.9	8	6.1	3	5.3
Jasper	4	14.2	1	9.1	3	17.5
Kershaw	3	5.2	2	6.0	1	4.1
Lancaster	7	8.7	4	7.7	3	10.4
Laurens	6	7.9	2	4.3	4	13.7
Lee	3	10.3	-	0	3	14.1
Lexington	7	3.4	5	2.9	2	5.9
McCormick	1	7.5	-	0	1	9.8
Marion	5	8.1	2	9.4	3	7.4
Marlboro	7	13.5	3	14.0	4	13.2
Newberry	1	2.2	1	4.1	-	0
Oconee	5	7.0	4	6.3	1	13.2
Orangeburg	9	6.0	4	8.5	5	4.9
Pickens	6	6.1	6	6.7	-	0
Richland	19	4.5	7	3.6	12	5.3
Saluda	1	3.6	-	0	1	6.6
Spartanburg	11	3.6	6	2.7	5	6.0
Sumter	13	7.4	3	3.3	10	11.7
Union	5	12.0	1	3.9	4	25.0
Williamsburg	11	15.2	-	0	11	21.0
York	9	5.5	7	6.2	2	4.0

Rate per 1,000 live births

Table 63.
Fetal Deaths and Fetal Mortality Rates by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	684	13.3	284	9.3	400	19.1
Abbeville	5	15.1	-	0	5	37.6
Aiken	22	12.6	9	7.9	13	21.5
Allendale	4	20.2	-	0	4	28.2
Anderson	15	8.2	11	8.0	4	9.1
Bamberg	3	9.6	-	0	3	14.6
Barnwell	3	9.5	-	0	3	17.3
Beaufort	29	20.1	12	14.0	17	29.3
Berkeley	27	13.3	16	11.6	11	16.8
Calhoun	2	8.7	1	13.0	1	6.5
Charleston	70	13.1	18	6.0	52	22.3
Cherokee	4	6.5	4	9.8	-	0
Chester	13	23.9	5	19.4	8	28.1
Chesterfield	9	16.2	2	6.3	7	29.7
Clarendon	8	16.0	1	6.0	7	21.1
Colleton	9	16.5	3	12.4	6	19.7
Darlington	6	6.5	1	2.1	5	11.5
Dillon	15	27.4	5	20.4	10	33.1
Dorchester	11	9.8	8	10.2	3	8.8
Edgefield	3	10.3	-	0	3	17.1
Fairfield	4	12.7	-	0	4	18.2
Florence	29	15.6	6	6.5	23	24.6
Georgetown	13	17.2	1	3.1	12	27.3
Greenville	50	11.4	30	9.0	20	19.0
Greenwood	15	17.5	7	14.2	8	22.0
Hampton	7	19.8	2	18.2	5	20.6
Horry	20	10.7	8	6.1	12	21.4
Jasper	6	21.4	-	0	6	35.1
Kershaw	12	20.7	6	17.9	6	24.6
Lancaster	10	12.4	6	11.5	4	13.9
Laurens	11	14.5	5	10.8	6	20.5
Lee	5	17.2	1	12.8	4	18.8
Lexington	21	10.2	18	10.4	3	8.8
McCormick	3	22.6	1	32.3	2	19.6
Marion	13	21.0	4	18.8	9	22.1
Marlboro	6	11.6	2	9.3	4	13.2
Newberry	6	13.1	2	8.2	4	18.9
Oconee	8	11.3	6	9.4	2	26.3
Orangeburg	23	15.5	7	14.9	16	15.7
Pickens	10	10.2	9	10.1	1	10.4
Richland	52	12.3	17	8.7	35	15.4
Saluda	4	14.3	1	7.6	3	20.3
Spartanburg	31	10.2	24	10.9	7	8.4
Sumter	28	15.9	11	12.2	17	19.8
Union	6	14.4	2	7.8	4	25.0
Williamsburg	11	15.2	-	0	11	21.0
York	22	13.5	12	10.6	10	20.0

Rates per 1,000 live births

Table 64.
Perinatal Deaths and Perinatal Mortality Rates by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	1,236	23.7	532	17.2	704	33.0
Abbeville	8	23.8	1	5.1	7	50.7
Aiken	35	19.8	14	12.2	21	33.9
Allendale	9	44.6	-	0	9	61.6
Anderson	37	20.2	25	18.0	12	27.1
Bamberg	6	19.0	-	0	6	28.7
Barnwell	5	15.6	1	6.9	4	22.7
Beaufort	44	30.0	21	24.1	23	38.5
Berkeley	51	24.7	31	22.2	20	30.0
Calhoun	4	17.2	2	25.6	2	12.9
Charleston	130	24.1	37	12.3	93	39.0
Cherokee	13	21.1	6	14.6	7	34.5
Chester	21	37.8	9	34.2	12	41.0
Chesterfield	16	28.3	4	12.2	12	49.4
Clarendon	12	23.7	3	17.9	9	26.5
Colleton	14	25.2	3	12.2	11	35.5
Darlington	16	17.3	5	10.3	11	25.0
Dillon	20	35.6	8	32.0	12	38.5
Dorchester	29	25.5	14	17.6	15	43.9
Edgefield	11	37.4	3	25.9	8	44.9
Fairfield	6	18.8	-	0	6	26.8
Florence	51	27.1	11	11.9	40	41.8
Georgetown	22	28.6	2	6.3	20	44.3
Greenville	89	20.0	57	16.9	32	29.8
Greenwood	28	32.1	13	26.0	15	40.3
Hampton	10	27.8	2	17.9	8	32.3
Horry	38	20.2	18	13.7	20	35.0
Jasper	12	41.8	3	27.3	9	50.8
Kershaw	15	25.3	8	23.4	7	28.0
Lancaster	13	15.9	9	17.1	4	13.7
Laurens	16	20.8	7	14.9	9	30.1
Lee	11	37.2	3	38.0	8	36.9
Lexington	34	16.3	26	14.9	8	23.4
McCormick	4	29.4	1	31.3	3	28.8
Marion	15	23.7	4	18.4	11	26.4
Marlboro	12	22.9	4	18.5	8	26.1
Newberry	11	23.8	4	16.2	7	32.4
Oconee	13	18.1	9	14.0	4	51.3
Orangeburg	38	25.1	12	25.2	26	25.1
Pickens	20	20.1	19	21.2	1	10.3
Richland	95	22.1	28	14.1	67	29.0
Saluda	9	31.8	5	37.9	4	26.5
Spartanburg	66	21.6	47	21.1	19	22.7
Sumter	46	25.8	19	2.1	27	30.9
Union	17	40.2	7	27.0	10	61.0
Williamsburg	18	24.5	1	5.0	17	31.8
York	46	27.8	26	22.7	20	39.3

Rate per 1,000 Deliveries

Table 65.
Maternal Death and Maternal Mortality Rate by Race: South Carolina and Each County, 1982
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	6	1.2	-	0	6	2.9
Charleston	1	1.9	-	0	1	4.3
Darlington	2	21.8	-	0	2	46.0
Greenwood	1	11.7	-	0	1	27.5
Horry	1	5.4	-	0	1	17.8
Marlboro	1	19.3	-	0	1	33.0

Rate per 10,000 live births

Table 66.
Maternal Death and Maternal Mortality Rate by Race: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	6	1.2	-	0	6	2.9
Charleston	2	2.2	-	0	2	5.7
Darlington	1	12.8	-	0	1	24.1
Florence	1	4.0	-	0	1	8.6
Greenwood	1	5.6	-	0	1	13.2
Horry	1	5.4	-	0	1	18.4

Rate per 10,000 live births

MARRIAGES, DIVORCES, AND ANNULMENTS

SUMMARY OF MARRIAGES, DIVORCES, AND ANNULMENTS

MARRIAGES

In 1982, there were 53,496 marriages recorded in South Carolina at a rate of 16.4 per 1,000 population. This is a decrease of 3.5 percent from the rate recorded in 1981.

As shown in Figure 10, the trend in residential status of persons obtaining marriage licenses in South Carolina over the past twenty years shows an interesting reversal in 1972. From 1963 through 1971, the majority of persons obtaining marriage licenses in South Carolina were not residents of this state. However, in 1972, 50.3 percent were South Carolina residents, and 49.7 percent were non-residents of South Carolina. The decrease in non-residents obtaining licenses continued in 1982, when the percentage of marriages where neither the bride nor the groom was a resident of South Carolina fell to 38.1.

Figure 10.
Percentage of Non-Residents Obtaining
Marriage Licenses in South Carolina, 1963-1982



Table 69 shows that there were 30,222 marriages, or 56.5 percent of total marriages, in which both the bride and the groom were residents of South Carolina. In 38.1 percent of the marriages, neither the bride nor groom were residents of this state. Over twice as many marriages occurred between resident brides and non-resident grooms as compared to resident grooms and non-resident brides.

Again in 1982, the greatest number of marriages occurred between brides within the 20-24 year age group and grooms within the 20-24 year age group. There were 17,499 persons under the age of twenty who married in South Carolina in 1982. Therefore, teenagers represent 16.4 percent of all persons married in this state in 1982. This percentage is lower than that for 1981, when 17.9 percent of all persons marrying were teenagers.

There were 930 marriages between persons of different races in South Carolina in 1982. Table 67 shows a cross-classification of race of bride by race of groom for South Carolina, 1982.

Table 67.
Marriages by Race of Bride by Race of Groom South Carolina, 1982

Race of Bride	Race of Groom							
	White	Black	Indian	Chinese	Japanese	Other	Not Stated	Total
White	40,655	324	124	7	6	49	-	41,165
Black	113	11,534	7	-	2	7	1	11,664
Indian	99	16	315	-	-	2	-	432
Chinese	5	-	-	5	-	2	-	12
Japanese	5	-	1	-	2	-	-	8
Other	134	21	-	5	-	55	-	215
Not Stated	-	-	-	-	-	-	-	-
Total	41,011	11,895	447	17	10	115	1	53,496

"Other" includes Hawaiian, Filipino, other Asian and Pacific Islander and other nonwhite.

DIVORCES AND ANNULMENTS

In 1982, South Carolina recorded 13,600 divorces and annulments. The rate of divorces and annulments was 4.2 per 1,000 estimated population. This is a decrease of 4.5 percent from the rate of 4.4 recorded in 1981.

The divorce rate for the white population has been consistently higher than the nonwhite divorce rate since 1962, the year divorces were first required to be registered with the Office of Vital Records and Public Health Statistics. In 1982 the white rate was 5.0 and the nonwhite rate was 2.3.

There were 12,367 children involved in divorces and annulments in 1982, which averaged to less than one child per divorce decree. The most frequently cited grounds for divorce were one year separation, which accounted for 69.6 percent of all grounds for divorce, followed by adultery, cruelty, and drunkeness. Table 74 shows divorces by legal grounds for decree, for South Carolina and each county, 1982.

Out of the total 27,200 persons in 1982 who were granted divorces, 36.0 percent were between the ages of 20 and 29.

Table 68.
Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1982

County License Issued	Total	Residence of Bride				Residence of Groom			
		S.C. Resident		Non-Resident		S.C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
SOUTH CAROLINA	53,496	32,183	60.2	21,313	39.8	31,167	58.3	22,329	41.7
Abbeville	193	149	77.2	44	22.8	149	77.2	44	22.8
Aiken	3,166	1,201	37.9	1,965	62.1	1,127	35.6	2,039	64.4
Allendale	233	82	35.2	151	64.8	78	33.5	155	66.5
Anderson	1,307	1,168	89.4	139	10.6	1,135	86.8	172	13.2
Bamberg	171	159	93.0	12	7.0	153	89.5	18	10.5
Barnwell	179	170	95.0	9	5.0	170	95.0	9	5.0
Beaufort	1,013	770	76.0	243	24.0	729	72.0	284	28.0
Berkeley	775	744	96.0	31	4.0	722	93.2	53	6.8
Calhoun	77	75	97.4	2	2.6	71	92.2	6	7.8
Charleston	4,392	4,008	91.3	384	8.7	3,937	89.6	455	10.4
Cherokee	2,164	449	20.7	1,715	79.3	439	20.3	1,725	79.7
Chester	326	278	85.3	48	14.7	266	81.6	60	18.4
Chesterfield	1,110	326	29.4	784	70.6	305	27.5	805	72.5
Clarendon	215	200	93.0	15	7.0	190	88.4	25	11.6
Colleton	307	285	92.8	22	7.2	283	92.2	24	7.8
Darlington	546	508	93.0	38	7.0	479	87.7	67	12.3
Dillon	6,767	476	7.0	6,291	93.0	455	6.7	6,312	93.3
Dorchester	417	395	94.7	22	5.3	382	91.6	35	8.4
Edgefield	155	131	84.5	24	15.5	124	80.0	31	20.0
Fairfield	129	126	97.7	3	2.3	120	93.0	9	7.0
Florence	1,133	1,012	89.3	121	10.7	982	86.7	151	13.3
Georgetown	450	403	89.6	47	10.4	389	86.4	61	13.6
Greenville	3,933	3,418	86.9	515	13.1	3,312	84.2	621	15.8
Greenwood	664	641	96.5	23	3.5	628	94.6	36	5.4
Hampton	172	155	90.1	17	9.9	154	89.5	18	10.5
Horry	1,927	1,158	60.1	769	39.9	1,125	58.4	802	41.6
Jasper	1,365	196	14.4	1,169	85.6	193	14.1	1,172	85.9
Kershaw	375	349	93.1	26	6.9	344	91.7	31	8.3
Lancaster	899	535	59.5	364	40.5	522	58.1	377	41.9
Laurens	503	485	96.4	18	3.6	484	96.2	19	3.8
Lee	120	113	94.2	7	5.8	106	88.3	14	11.7
Lexington	1,155	1,119	96.9	36	3.1	1,093	94.6	62	5.4
McCormick	132	57	43.2	75	56.8	59	44.7	73	55.3
Marion	275	254	92.4	21	7.6	238	86.5	37	13.5
Marlboro	1,173	276	23.5	897	76.5	273	23.3	900	76.7
Newberry	283	273	96.5	10	3.5	268	94.7	15	5.3
Oconee	1,537	513	33.4	1,024	66.6	490	31.9	1,047	68.1
Orangeburg	770	726	94.3	44	5.7	710	92.2	60	7.8
Pickens	821	684	83.3	137	16.7	677	82.5	144	17.5
Richland	3,580	3,372	94.2	208	5.8	3,212	89.7	368	10.3
Saluda	127	121	95.3	6	4.7	118	92.9	9	7.1
Spartanburg	2,297	2,038	88.7	259	11.3	1,986	86.5	311	13.5
Sumter	1,035	956	92.4	79	7.6	938	90.6	97	9.4
Union	282	268	95.0	14	5.0	264	93.6	18	6.4
Williamsburg	319	294	92.2	25	7.8	293	91.8	26	8.2
York	4,527	1,067	23.6	3,460	76.4	995	22.0	3,532	78.0

Table 69.
Marriages by Residents Status, by County of Marriage
South Carolina, 1982
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Resident Bride and Groom	Resident Groom Only	Resident Bride Only	Neither Res. Bride nor Groom
SOUTH CAROLINA	53,496	30,222	945	1,961	20,368
Abbeville	223	173	6	5	39
Aiken	3,163	1,040	99	167	1,857
Allendale	236	81	3	6	146
Anderson	1,317	1,137	18	53	109
Bamberg	180	156	3	12	9
Barnwell	188	169	5	5	9
Beaufort	1,000	669	38	77	216
Berkeley	856	782	14	33	27
Calhoun	104	98	-	5	1
Charleston	4,034	3,446	124	207	257
Cherokee	2,168	416	31	41	1,680
Chester	342	279	4	17	42
Chesterfield	1,140	320	17	37	766
Clarendon	249	221	1	13	14
Colleton	320	285	8	14	13
Darlington	533	466	3	31	33
Dillon	6,768	435	35	54	6,244
Dorchester	655	600	9	26	20
Edgefield	170	130	4	12	24
Fairfield	151	135	1	9	6
Florence	1,136	964	23	51	98
Georgetown	486	413	8	20	45
Greenville	3,816	3,149	53	153	461
Greenwood	610	562	11	22	15
Hampton	181	163	-	2	16
Horry	1,961	1,089	47	82	743
Jasper	1 368	192	12	16	1,148
Kershaw	407	365	7	14	21
Lancaster	882	495	17	29	341
Laurens	532	502	7	9	14
Lee	137	119	1	11	6
Lexington	1,380	1,288	16	43	33
McCormick	134	54	9	8	63
Marion	283	244	3	14	22
Marlboro	1,156	240	23	27	866
Newberry	308	287	4	10	7
Oconee	1,537	485	11	34	1,007
Orangeburg	785	710	14	27	34
Pickens	869	695	15	29	130
Richland	3,084	2,662	74	218	130
Saluda	159	149	1	5	4
Spartanburg	2,311	1,940	45	99	227
Sumter	1,055	920	38	56	41
Union	303	279	3	8	13
Williamsburg	329	301	7	5	16
York	4,486	915	73	144	3,354
Out-of-State	4	2	-	1	1

Table 70.
Marriages by Race, by Residential Status by Age Groups of Brides: South Carolina, 1982

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	32,183	100.0	24,715	100.0	7,468	100.0
Under 15 Yrs	101	.3	92	.4	9	.1
15-19	7,387	23.0	5,982	24.2	1 405	18 8
20-24	11,259	35.0	8,243	33.4	3,016	40.4
25-29	5,933	18.4	4,349	17.6	1,584	21.2
30-34	3,013	9.4	2,348	9.5	665	8.9
35-39	1,705	5.3	1,395	5.6	310	4.2
40-44	1,011	3.1	866	3.5	145	1.9
45-49	616	1.9	498	2.0	118	1.6
50-54	388	1.2	306	1.2	82	1.1
55-59	310	1.0	255	1.0	55	.7
60-64	207	.6	168	.7	39	.5
65-69	147	.5	124	.5	23	.3
70-74	76	.2	64	.3	12	.2
75 Yrs & Over	28	.1	24	.1	4	.1
Unknown	2	0.0	1	0.0	1	0.0
Non-Residents						
All Ages	21,313	100.0	16,311	100.0	5,002	100.0
Under 15 Yrs	189	.9	186	1.1	3	.1
15-19	4,633	21.7	3,792	23.2	841	16.8
20-24	5,654	26.5	4,014	24.6	1,640	32.8
25-29	3,819	17.9	2,761	6.9	1,058	21.2
30-34	2,424	11.4	1,867	11.4	557	11.1
35-39	1,686	7.9	1,355	8.3	331	6.6
40-44	1,085	5.1	884	5.4	201	4.0
45-49	712	3.3	561	3.4	151	3.0
0-54	435	2.0	348	2.1	87	1.7
55-59	277	1.3	223	1.4	54	1.1
60-64	197	.9	160	1.0	37	.7
65-69	120	.6	101	.6	19	.4
70-74	61	.3	42	.3	19	.4
75 Yrs & Over	21	.1	17	.1	4	.1
Unknown	-	0	-	0	-	0

Table 71.
Marriages by Race, by Residential Status, by Age Groups of Grooms: South Carolina, 1982

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	31,167	100.0	23,910	100.0	7,257	100.0
Under 15 Yrs	1	0.0	-	0	1	0.0
15-19	3,017	9.7	2,599	10.9	418	5.8
20-24	11,143	35.8	8,252	34.5	2,891	39.8
25-29	7,079	22.7	5,131	21.5	1,948	26.8
30-34	3,837	12.3	2,922	12.2	915	12.6
35-39	2,151	6.9	1,781	7.4	370	5.1
40 44	1,307	4.2	1,095	4.6	212	2.9
45-49	868	2.8	724	3.0	144	2.0
50-54	535	1.7	436	1.8	99	1.4
55-59	413	1.3	329	1.4	84	1.2
60-64	341	1.1	266	1.1	75	1.0
65-69	229	.7	183	.8	46	.6
70-74	146	.5	114	.5	32	.4
75 Yrs & Over	100	.3	78	.3	22	.3
Unknown	-	0	-	0	-	0
Non-Residents						
All Ages	22,329	100.0	16,990	100.0	5,339	100.0
Under 15 Yrs	-	0	-	0	-	0
15-19	2,171	9.7	1,916	11.3	255	4.8
20-24	6,499	29.1	4,647	27.4	1 852	34.7
25-29	4,569	20.5	3,280	19.3	1,289	24.1
30-34	2,979	13.3	2,255	13.3	724	13.6
35-39	1,935	8.7	1,549	9.1	386	7.2
40-44	1,287	5.8	1,039	6.1	248	4.6
45-49	945	4.2	756	4.4	189	3.5
50-54	692	3.1	569	3.3	123	2.3
55-59	490	2.2	392	2.3	98	1.8
60-64	333	1.5	253	1.5	80	1.5
65-69	221	1.0	168	1.0	53	1.0
70-74	124	.6	101	.6	23	.4
75 Yrs & Over	84	.4	65	.4	19	.4
Unknown	-	0	-	0	-	0

Table 72.
Marriages by Age of Bride, by Age of Groom
South Carolina, 1982

Age of Groom	Age of Bride														
	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 & Over	Not Stated
Total	53,496	290	12,020	16,913	9,752	5,437	3,391	2,096	1,328	823	587	404	267	137	49	2
Under 15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15 - 19	5,188	188	3,912	902	121	47	12	5	1	-	-	-	-	-	-	-
20 - 24	17,642	82	6,365	8,691	1,879	453	134	31	4	1	-	-	-	-	2	-
25 - 29	11,648	14	1,266	5,056	3,751	1,121	325	83	25	5	-	1	-	-	-	1
30 - 34	6,816	4	321	1,465	2,381	1,690	693	205	46	7	3	1	-	-	-	-
35 - 39	4,086	1	98	502	1,018	1,121	836	358	122	21	5	1	2	-	1	-
40 - 44	2,594	-	30	198	364	523	661	512	224	57	20	3	1	-	-	1
45 - 49	1,813	-	17	55	140	288	393	424	317	120	48	5	6	-	-	-
50 - 54	1,227	1	5	25	57	121	182	239	263	204	93	24	10	2	1	-
55 - 59	903	-	2	14	23	42	95	139	184	183	144	54	16	6	1	-
60 - 64	674	-	2	4	12	17	42	67	79	132	147	109	45	13	5	-
65 - 69	450	-	-	-	5	10	11	23	44	71	69	111	84	16	6	-
70 - 74	270	-	-	1	1	3	7	6	11	16	37	68	60	45	15	-
75 & Over	184	-	1	-	-	1	-	4	8	6	21	27	43	55	18	-
Not Stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1982

County of Decree	Divorces and Annulments			Children		
	Total	White	Nonwhite	Total	White	Nonwhite
SOUTH CAROLINA	13,600	11,233	2,367	12,367	9,634	2,733
Abbeville	78	56	22	71	47	24
Aiken	449	366	83	470	377	93
Allendale	12	8	4	9	4	5
Anderson	669	622	47	595	536	59
Bamberg	45	24	21	57	28	29
Barnwell	51	40	11	46	29	17
Beaufort	248	206	42	171	146	25
Berkeley	406	346	60	418	329	89
Calhoun	30	21	9	36	19	17
Charleston	1,380	1,131	249	1,204	930	274
Cherokee	199	184	15	205	192	13
Chester	115	85	30	118	77	41
Chesterfield	111	90	21	133	105	28
Clarendon	57	38	19	46	34	12
Colleton	106	79	27	97	77	20
Darlington	211	150	61	204	124	80
Dillon	103	78	25	125	89	36
Dorchester	219	200	19	223	195	28
Edgefield	39	30	9	46	31	15
Fairfield	64	43	21	67	42	25
Florence	398	324	74	371	293	78
Georgetown	148	113	35	142	104	38
Greenville	1,780	1,578	202	1,431	1,216	215
Greenwood	287	234	53	250	186	64
Hampton	36	25	11	35	23	12
Horry	513	448	65	430	355	75
Jasper	26	15	11	18	6	12
Kershaw	180	143	37	172	126	46
Lancaster	229	198	31	236	183	53
Laurens	223	176	47	210	155	55
Lee	29	24	5	39	30	9
Lexington	817	775	42	705	653	52
McCormick	25	14	11	32	17	15
Marion	146	99	47	156	93	63
Marlboro	127	90	37	138	93	45
Newberry	124	92	32	107	81	26
Oconee	220	211	9	229	212	17
Orangeburg	283	184	99	289	145	144
Pickens	301	289	12	277	264	13
Richland	1,043	728	315	824	504	320
Saluda	37	30	7	29	20	9
Spartanburg	1,114	942	172	1,011	826	185
Sumter	435	304	131	432	277	155
Union	122	105	17	128	108	20
Williamsburg	38	18	20	32	7	25
York	326	277	49	300	246	54
Unknown	1	-	1	3	-	3

By race of husband

Table 74.
Divorces by Plaintiff, by Legal Grounds for Decree: South Carolina and Each County, 1982

County of Decree	Plaintiff		Legal Grounds for Divorce*							Annul-ment	Unk
	Husband	Wife	Deser-tion	Cruelty	Drunk-enness	Habitual Drug Use	Adul-tery	Separated 1 Year	Multiple Grounds		
SOUTH CAROLINA	4,562	9,028	61	1,314	752	20	1,514	9,471	213	252	3
Abbeville	23	55	1	14	3	-	7	49	1	3	-
Aiken	159	289	3	44	22	-	45	311	8	15	1
Allendale	7	5	-	-	-	-	2	10	-	-	-
Anderson	183	485	2	151	66	2	74	337	17	20	-
Bamberg	8	36	-	2	8	-	5	29	-	1	-
Barnwell	24	27	-	5	1	-	2	42	-	1	-
Beaufort	91	157	1	16	9	-	34	178	2	8	-
Berkeley	165	241	3	16	11	-	39	320	9	8	-
Calhoun	10	20	1	2	-	-	1	26	-	-	-
Charleston	532	848	6	68	39	2	130	1,099	17	19	-
Cherokee	61	138	-	15	15	1	25	139	3	1	-
Chester	41	74	1	13	5	-	14	79	2	1	-
Chesterfield	27	84	1	8	8	-	10	78	2	4	-
Clarendon	19	38	-	4	-	-	10	43	-	-	-
Colleton	30	76	-	14	4	-	1	80	4	3	-
Darlington	50	161	-	34	10	1	22	137	4	3	-
Dillon	33	70	1	13	6	-	9	69	2	3	-
Dorchester	74	144	2	10	5	-	25	174	1	2	-
Edgefield	13	26	-	2	2	-	5	29	1	-	-
Fairfield	26	38	1	7	4	-	3	47	-	2	-
Florence	153	244	1	20	28	1	71	269	3	5	-
Georgetown	56	92	-	13	4	-	22	106	3	-	-
Greenville	613	1,167	7	210	109	3	256	1,125	30	40	-
Greenwood	97	190	-	28	17	-	34	197	6	5	-
Hampton	13	23	-	3	-	-	3	27	3	-	-
Horry	178	335	-	51	31	1	62	349	14	5	-
Jasper	12	14	-	3	-	-	1	21	-	1	-
Kershaw	68	112	-	17	4	-	15	139	4	1	-
Lancaster	62	167	-	13	17	-	25	170	1	3	-
Laurens	84	139	1	22	29	-	37	127	3	4	-
Lee	11	18	2	5	1	-	4	16	-	1	-
Lexington	238	578	7	75	35	1	102	579	5	13	-
McCormick	9	16	-	1	2	-	-	22	-	-	-
Marion	45	101	-	14	4	-	20	105	1	2	-
Marlboro	39	88	3	14	4	-	6	96	-	4	-
Newberry	44	80	-	19	7	-	12	85	1	-	-
Oconee	70	150	-	28	12	-	26	149	2	3	-
Orangeburg	86	197	1	24	15	-	17	215	7	4	-
Pickens	85	216	-	35	24	-	60	175	4	3	-
Richland	379	661	2	73	28	5	69	827	15	22	2
Saluda	11	26	-	2	3	-	2	29	-	1	-
Spartanburg	349	764	2	109	99	3	93	766	22	20	-
Sumter	146	289	7	39	25	-	61	279	8	16	-
Union	28	94	1	27	10	-	11	69	3	1	-
Williamsburg	12	26	1	2	1	-	2	31	-	1	-
York	98	228	3	29	25	-	40	221	5	3	-
Unknown	-	1	-	-	-	-	-	1	-	-	-

*Frequencies may not agree due to multiple grounds and incomplete reporting.

Table 75.
Divorces by Age Groups, by Race*:
South Carolina, 1982

YEARS OF AGE	TOTAL	WHITE	NONWHITE
* by age and race of husband			
All Ages	13,600	11,233	2,367
Under 15	6	6	-
15 - 19	77	74	3
20 - 24	1,777	1,600	177
25 - 29	3,150	2,594	556
30 - 34	2,924	2,295	629
35 - 39	2,116	1,758	358
40 - 44	1,287	1,057	230
45 - 49	878	747	131
50 - 54	516	430	86
55 - 59	297	237	60
60 - 64	186	154	32
65 - 69	83	60	23
70 - 74	42	33	9
75+	40	29	11
Unknown	221	159	62
* by age and race of wife			
All Ages	13,600	11,237	2,363
Under 15	11	9	2
15 - 19	404	387	17
20 - 24	2,718	2,389	329
25 - 29	3,362	2,717	645
30 - 34	2,573	2,029	544
35 - 39	1,773	1,444	329
40 - 44	1,068	920	148
45 - 49	632	514	118
50 - 54	356	296	60
55 - 59	203	168	35
60 - 64	114	96	18
65 - 69	48	36	12
70 - 74	28	19	9
75+	27	22	5
Unknown	283	191	92

Table 76.
Divorces by Duration of Marriage, by Plaintiff by Legal Grounds for Decree South Carolina, 1982

Duration of Marriage	Plaintiff		Legal Grounds for Decree*							Annul-ment	Unk
	Husband	Wife	Deser-tion	Cruelty	Drunk-enness	Habitual Drug Use	Adul-tery	Separated 1 Year	Multiple Grounds		
Total	4,562	9 028	61	1,314	752	20	1,514	9 471	213	252	3
Under 1 Year	44	96	-	34	18	-	12	8	3	65	-
1-4 Years	1,301	2,749	16	583	257	16	429	2,514	91	146	-
1 Year	203	418	-	160	60	6	112	164	21	98	-
2 Years	333	759	4	170	77	4	104	686	32	16	-
3 Years	402	839	5	134	60	6	116	880	23	17	-
4 Years	363	733	7	119	60	-	97	784	15	15	-
5-9 Years	1,321	2,740	16	350	201	3	436	2,982	53	22	1
5 Years	354	678	6	92	58	1	113	742	17	3	-
6 Years	277	587	-	80	43	2	89	632	12	5	1
7 Years	227	549	4	62	37	-	94	568	7	4	-
8 Years	256	462	3	67	30	-	62	542	11	5	-
9 Years	207	464	3	49	33	-	78	498	6	5	-
10-14 Years	766	1,638	10	75	114	-	288	1,777	35	6	-
15-19 Years	415	886	8	98	74	-	165	941	14	3	1
20-24 Years	295	37	4	46	38	1	90	540	11	2	1
25-29 Years	191	254	1	16	31	-	53	337	3	4	-
30 & Over	214	211	6	12	17	-	35	349	2	4	-
Unknown	15	17	-	-	2	-	6	23	1	-	-

* Frequencies may not agree due to multiple grounds and incomplete reporting.

MORBIDITY

Table 77.
Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	German Measles (Rubella)	Tetanus	Tuberculosis	Tularemia	Typhoid Fever	Rocky Mountain Spotted Fever	Ambeiasis	Influenza	Giardiasis	Salmonella	Shigella	Rabies
1981	8	3	541	3	2	102	282	1,615	481	545	51	50
1982	–	1	513	6	3	106	281	962	368	672	136	66
Abbeville	–	–	2	–	–	–	–	–	–	–	3	–
Aiken	–	–	18	–	–	1	–	–	–	44	–	–
Allendale	–	–	1	–	–	–	–	–	–	3	3	1
Anderson	–	–	19	–	–	6	–	1	4	23	–	1
Bamberg	–	–	4	–	–	–	–	–	–	5	–	1
Barnwell	–	–	3	–	–	–	–	–	–	8	–	–
Beaufort	–	–	11	–	–	–	–	–	7	12	11	4
Berkeley	–	–	20	–	1	–	–	–	–	3	2	5
Calhoun	–	–	6	–	–	–	–	–	–	–	–	2
Cnarleston	–	1	43	–	1	2	1	35	21	99	76	–
Cherokee	–	–	11	–	–	4	–	–	–	–	–	–
Chester	–	–	3	1	–	5	1	1	–	2	–	–
Chesterfield	–	–	5	–	–	–	–	23	–	4	3	1
Clarendon	–	–	5	–	–	–	–	–	–	6	–	–
Colleton	–	–	8	–	–	–	–	637	1	5	2	1
Darlington	–	–	13	–	–	–	–	–	2	21	3	–
Dillon	–	–	8	–	–	–	–	3	–	7	4	1
Dorchester	–	–	7	–	–	1	–	–	–	2	–	–
Edgefield	–	–	3	1	–	–	–	3	–	3	–	–
Fairfield	–	–	7	–	–	–	–	–	–	1	–	–
Florence	–	–	50	–	–	–	–	3	–	28	2	1
Georgetown	–	–	10	–	–	–	–	–	1	4	–	–
Greenville	–	–	22	–	–	14	–	18	5	32	–	2
Greenwood	–	–	7	–	–	2	–	16	–	19	–	–
Hampton	–	–	5	–	–	–	–	–	–	–	–	2
Horry	–	–	22	–	–	1	–	3	3	25	1	1
Jasper	–	–	–	–	–	–	–	–	–	–	–	–
Kershaw	–	–	2	–	–	–	–	–	–	36	2	5
Lancaster	–	–	4	–	–	3	–	–	–	12	2	–
Laurens	–	–	3	–	–	1	–	2	1	6	1	–
Lee	–	–	11	–	–	–	–	–	–	–	–	–
Lexington	–	–	12	–	–	2	–	2	–	35	–	4
McCormick	–	–	–	–	–	–	–	10	–	3	–	1
Marion	–	–	11	–	–	–	–	–	–	4	–	–
Marlboro	–	–	12	–	–	2	–	–	–	4	–	4
Newberry	–	–	2	–	–	1	–	–	–	1	–	–
Oconee	–	–	6	2	–	5	–	25	–	7	–	–
Orangeburg	–	–	9	–	–	1	–	–	–	15	–	1
Pickens	–	–	6	–	–	2	–	5	3	1	1	1
Richland	–	–	59	–	–	1	115	49	10	64	4	14
Saluda	–	–	–	1	–	–	–	–	–	–	–	–
Spartanburg	–	–	18	–	1	32	–	110	5	21	4	3
Sumter	–	–	24	1	–	–	–	–	4	22	–	6
Union	–	–	5	–	–	1	–	4	–	9	–	–
Williamsburg	–	–	10	–	–	–	–	1	1	11	2	3
York	–	–	6	–	–	18	14	2	1	7	2	1
Unknown County	–	–	–	–	–	1	150	9	299	58	8	–

Table 77 (Cont.)

County of Occurrence	Aseptic Meningitis	Brucellosis	Primary Encephalitis	Infectious Hepatitis-A	Serum Hepatitis-B	Hepatitis Non A - Non B	Unspecified Hepatitis	Measles (Rubeola)	Meningococcal Infections	Mumps	Pertussis	Malaria
1981	35	-	4	114	446	NR*	55	2	92	18	11	2
1982	58	2	2	316	466	26	86	-	70	18	16	4
Abbeville	1	-	-	-	-	-	-	-	-	-	-	-
Aiken	1	-	-	1	12	2	-	-	2	2	-	1
Allendale	-	-	-	-	1	-	-	-	-	-	-	-
Anderson	16	-	-	2	15	-	5	-	5	3	-	-
Bamberg	-	-	-	1	-	-	-	-	1	-	-	-
Barnwell	-	-	-	-	2	-	-	-	1	-	-	-
Beaufort	1	-	-	1	9	-	2	-	-	2	1	-
Berkeley	1	-	-	33	10	1	3	-	2	-	1	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	18	-	1	143	129	5	47	-	3	2	3	-
Cherokee	-	-	-	1	1	-	-	-	-	-	-	-
Chester	-	-	-	4	1	-	-	-	-	1	-	-
Chesterfield	-	-	-	-	2	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	-	5	2	-	-	-	-	-	-	-
Darlington	-	-	-	14	3	-	-	-	1	2	1	-
Dillon	-	-	-	-	2	-	-	-	-	1	1	-
Dorchester	-	-	-	-	8	1	3	-	-	-	-	-
Edgefield	-	-	-	-	-	1	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	-	13	1	-	-	2	-	-	-
Georgetown	-	-	-	-	6	-	-	-	-	-	-	-
Greenville	6	-	-	46	67	4	4	-	8	2	-	-
Greenwood	-	1	-	-	2	-	1	-	1	-	-	-
Hampton	-	-	-	-	-	-	-	-	1	-	-	-
Horry	-	-	-	1	9	1	2	-	3	-	1	-
Jasper	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	1	-	-	-	1	-	-	-	1	-	-	-
Lancaster	-	-	-	-	-	-	1	-	2	-	-	-
Laurens	-	-	-	-	39	1	-	-	1	-	-	-
Lee	-	-	-	1	1	-	-	-	-	-	-	-
Lexington	-	-	-	7	14	2	-	-	2	-	-	-
McCormick	-	-	-	-	-	1	-	-	-	-	-	-
Marion	-	-	-	-	1	-	-	-	1	-	-	-
Marlboro	-	-	-	-	3	-	-	-	2	-	-	-
Newberry	-	-	-	-	-	-	-	-	1	-	-	-
Oconee	-	-	1	-	1	-	-	-	-	-	-	-
Orangeburg	-	-	-	3	5	-	3	-	2	1	-	-
Pickens	4	-	-	5	6	2	1	-	3	-	1	-
Richland	2	-	-	8	60	-	1	-	5	-	-	-
Saluda	-	1	-	-	1	-	-	-	-	-	-	-
Spartanburg	1	-	-	26	25	4	6	-	5	-	5	1
Sumter	-	-	-	1	-	-	-	-	-	-	-	-
Union	-	-	-	1	-	-	-	-	1	-	-	-
Williamsburg	-	-	-	-	1	-	-	-	1	-	-	-
York	4	-	-	9	8	-	5	-	6	1	2	-
Unknown County	2	-	-	3	6	-	2	-	7	1	-	2

* Not Reportable in 1981

Table 78.
Reported Cases of Venereal Disease
South Carolina and Each County, 1982
(Occurrence Data)

County of Occurrence	Gonorrhea 1/	Syphilis 1/		Other V. D.	Total V. D.
		Infectious	Other 2/		
SOUTH CAROLINA 1981	23,899	587	678	6	21,570
1982	24,018	563	575	2	25,158
Abbeville	45	3	2	-	50
Aiken	283	21	11	-	315
Allendale	50	-	-	-	50
Anderson	775	3	4	-	782
Bamberg	254	6	7	-	267
Barnwell	65	9	23	-	97
Beaufort	323	15	7	-	345
Berkeley	226	3	2	-	231
Calhoun	79	1	2	-	82
Charleston	3,765	112	100	-	3,977
Cherokee	69	1	3	-	73
Chester	120	2	2	-	124
Chesterfield	148	1	5	-	154
Clarendon	305	5	6	-	316
Colleton	145	9	2	-	156
Darlington	345	5	20	-	370
Dillon	216	4	3	-	223
Dorchester	208	9	4	-	221
Edgefield	93	3	5	-	101
Fairfield	48	-	2	-	50
Florence	749	36	27	-	812
Georgetown	363	1	3	-	367
Greenville	3,177	39	50	2	3,268
Greenwood	336	9	10	-	355
Hampton	89	-	-	-	89
Horry	687	2	7	-	696
Jasper	32	-	1	-	33
Kershaw	372	3	2	-	377
Lancaster	248	10	7	-	265
Laurens	193	1	3	-	197
Lee	172	4	1	-	177
Lexington	262	9	12	-	283
McCormick	151	6	12	-	169
Marion	247	-	3	-	250
Marlboro	13	4	4	-	21
Newberry	284	-	3	-	287
Oconee	104	-	5	-	109
Orangeburg	1,121	38	47	-	1,206
Pickens	226	3	15	-	244
Richland	4,485	117	93	-	4,695
Saluda	147	4	4	-	155
Spartanburg	714	20	26	-	760
Sumter	1,310	20	7	-	1,337
Union	63	3	5	-	71
Williamsburg	203	1	2	-	206
York	705	12	10	-	727
Not Stated & Institutions	3	9	6	-	18

1/ Excluding Military: Gonorrhea, Military 1,350, Syphilis, Military 32

2/ Includes early latent, under 1 year, congenital, and all other Syphilis

APPENDIX



TYPE
OR PRINT
IN
PERMANENT
INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH

139-

BIRTH NUMBER

CHILD

1. CHILD—NAME FIRST MIDDLE LAST
2. SEX
3a. DATE OF BIRTH (Mo. Day Yr.)
3b. HOUR M
4a. HOSPITAL—NAME *(If not in hospital, give street and number)*
4b. CITY, TOWN OR LOCATION OF BIRTH
4c. COUNTY OF BIRTH

CERTIFIER

5a. I certify that the stated information concerning this child is true to the best of my knowledge and belief. (Signature) ▶
5b. DATE SIGNED (Mo. Day Yr.)
5c. NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER *(Type or print)*
5d. CERTIFIER—NAME AND TITLE *(Type or print)*
5e. MAILING ADDRESS *(Street or R.F.D. No., City or Town, State, Zip)*
6a. REGISTRAR (Signature) ▶
6b. DATE RECEIVED BY REGISTRAR (Month, Day, Year)

MOTHER

7a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST
7b. AGE (At time of this birth)
7c. STATE OF BIRTH (If not in U.S.A., name country)
8a. RESIDENCE—STATE
8b. COUNTY
8c. CITY, TOWN OR LOCATION
8d. STREET AND NUMBER OF RESIDENCE
8e. INSIDE CITY LIMITS (Specify yes or no)
9. MOTHER'S MAILING ADDRESS—*If same as above, enter Zip Code only*

FATHER

10a. FATHER—NAME FIRST MIDDLE [illegible]ST
10b. AGE (At time of this birth)
10c. STATE OF BIRTH (If not in U.S.A., name country)
11a. I certify that the personal information provided on this [illegible]rtific[illegible] correc[illegible]e best of m[illegible]nowledge and belief. (Signature of Parent or other Informant) ▶
11b. RELATION TO CHILD

DHEC-609 Rev. 1978

INFOR[illegible] MED[illegible]AL AND HEALTH USE ONLY

12. RACE—MOTHER (e.g. White, Black, American Indian, etc.) (Specify)
13. RACE—FATHER (e[illegible] Black, American Ind[illegible]
14. BIRT[illegible]WE[illegible]T
15a. THIS BIRTH—Single, twin, triplet, etc. (Specify)
15b. IF NOT SINGLE BIRTH—Born first, second, third, etc. (Specify)
16. IS MOTHER MARRIED? (Specify yes or no)

PREGNANCY HISTO[illegible]
(Complete each section)

LIVE BIRTHS
(Do not include this Child)

17a. Now living Number___ None ☐
17b. Now dead Number___ None ☐
17c. DATE OF LAST LIVE BIRTH (Month, Year)

OTHER TE[illegible]ONS
(Spontaneou[illegible]uced)

17d. Before 20 wks. Number___ None ☐
17e. After 20 wks. Number___ None ☐
17f. DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year)

EDUCATION—MOTHER
(Specify only highest grade completed)

18a. Elementary or Secondary (0-12) | College (1-4 or 5+)
18b. Usual Occupation
18c. Business or Industry

EDUCATION—FATHER
(Specify only highest grade completed)

19a. Elementary or Secondary (0-12) | College (1-4 or 5+)
19b. Usual Occupation
19c. Business or Industry

20. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
21a. MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify)
21b. PRENATAL VISITS Total number (If none, so state)
APGAR SCORE
22a. 1 min.
22b. 5 min.
23. COMPLICATIONS OF PREGNANCY *(Describe or write "none")*
24. CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")*
25. COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")*
26. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD *(Describe or write "none")*
27a. MOTHER'S BLOOD TESTED FOR SYPHILIS? (SPECIFY YES OR NO) DATE MONTH DAY YEAR
27b. LABORATORY
28. WHAT PROPHYLACTIC USED IN EYES? *(Specify)* TIME USED M.

DEATH UNDER ONE YEAR OF AGE
Enter State File Number of death certificate for this child

MULTIPLE BIRTHS
Enter State File Number for mate(s)

LIVE BIRTH(S)

FETAL DEATH(S)

SAMPLE



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF DEATH

STATE BIRTH NUMBER

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

DECEDENT

IF DEATH OCCURRED IN 'STITUTION SEE HANDBOOK REGARDING COMPLETION OF RESIDENCE ITEMS

DECEDENT—NAME FIRST 1	MIDDLE	LAST				SEX 2	DATE OF DEATH (Mo. Day Yr.) 3
RACE—(e.g. White, Black, American Indian, etc.) (Specify) 4	AGE—Last Birthday (Yrs.) 5a	UNDER 1 YEAR MOS. 5b	DAYS	UNDER 1 DAY HOURS 5c	MINS.	DATE OF BIRTH (Mo. Day Yr.) 6	COUNTY OF DEATH 7a
CITY, TOWN OR LOCATION OF DEATH 7b.	HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number) 7c						IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify) 7d
STATE OF BIRTH (If not in U.S.A., name country) 8.	CITIZEN OF WHAT COUNTRY 9	MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify) 10	SURVIVING SPOUSE (If wife, give maiden name) 11				WAS DECEDENT EVER IN U.S. ARMED FORCES? (Specify Yes or No) 12
SOCIAL SECURITY NUMBER 13.	USUAL OCCUPATION (Give kind of work done during most of working life, even if retired) 14a.		KIND OF BUSINESS OR INDUSTRY 14b.				
RESIDENCE—STATE 15a	COUNTY 15b	CITY, TOWN OR LOCATION 15c.	STREET AND NUMBER 15d.				INSIDE CITY LIMIT (Specify Yes or No) 15e

PARENTS

FATHER—NAME FIRST MIDDLE LAST 16.	MOTHER DEN NAME FIRST MIDDLE LAST 17	
INFORMANT—NAME (Type or Print) 18a.	MAILING ADDRESS 18b.	STREET OR NO. CITY OR TOWN STATE Zip

DISPOSITION

BURIAL, CREMATION, REMOVAL, Other (Specify) 19a.	CEMETERY OR CREMATORY—NAME 19b.		LOCATION CITY OR TOWN STATE 19c.
FUNERAL DIRECTOR OR PERSON ACTING AS SU (Signature) 20a. ▶	20	EM ER'S SIGNATURE 20c	LIC. NO. 20d
NAME OF FACILITY 20e.	LIC 20f	ADDRESS OF FACILITY 20g	

SAMPLE

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only

21a. To the best of my kno death o the time, date and place and due to the cau ated.
(Signature and Title) ▶

DATE SIGNED (Mo. Day Yr.) 21b.	HOUR OF DEATH 21c. M
NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER (Type or Print) 21d	

To be Completed by MEDICAL EXAMINER or CORONER Only

22a. On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated.
(Signature and Title) ▶

DATE SIGNED (Mo. Day Yr.) 22b.	HOUR OF DEATH 22c. M
PRONOUNCED DEAD (Mo. Day Yr.) 22d. ON	PRONOUNCED DEAD (Hour) 22e. AT M

NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print) 23a.	LIC. NO. 23b.
REGISTRAR 24a. (Signature) ▶	DATE RECEIVED BY REGISTRAR (Mo. Day Yr.) 24b

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

CAUSE OF DEATH

25. PART I IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).]

(a)	Interval between onset and deat
DUE TO, OR AS A CONSEQUENCE OF: (b)	Interval between onset and deat
DUE TO, OR AS A CONSEQUENCE OF: (c)	Interval between onset and deat

PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)		AUTOPSY (Specify Yes or No) 26.	WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER (Specify Yes or No) 27.
ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify) 28a.	DATE OF INJURY (Mo. Day Yr.) 28b.	HOUR OF INJURY 28c. M	DESCRIBE HOW INJURY OCCURRED 28d.
INJURY AT WORK (Specify Yes or No) 28e	PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify) 28f.	LOCATION STREET OR R.F.D. NO. CITY OR TOWN STATE 28g.	

DHEC-670
Rev. 1978



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

HOSPITAL—NAME *(If not in hospital, give street and number)* 1a.
CITY, TOWN OR LOCATION OF DELIVERY 1b.
COUNTY OF DELIVERY 1c.
DATE OF DELIVERY *(Month, Day, Year)* 2a.
HOUR OF DELIVERY 2b. M
SEX OF FETUS 3.
WEIGHT OF FETUS 4.

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST 5a.
AGE (At time of this delivery) 5b.
RESIDENCE—STATE 6a.
COUNTY 6b.
CITY, TOWN OR LOCATION 6c.
STREET AND NUMBER 6d.
INSIDE CITY LIMITS (Specify Yes or No) 6e.
RACE— (e.g. White, Black, American Indian, etc.) (Specify) 7.
EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) 8. College (1-4 or 5+)
DATE LAST NORMAL MENSES BEGAN (Month, Day, Year) 9.
IS MOTHER MARRIED? (Specify yes or no)

PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS
11a. Now living Number___ None ☐
11b. Now dead Number___ None ☐
DATE OF LAST LIVE BIRTH (Month, Year) 11c.

OTHER TERMINATIONS (Spontaneous and Induced)
11d. Before 20 wks. Number___ None ☐
11e. After 20 wks. Number___ (Do not include this fetus) None ☐
DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year) 11f.

MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify) 12a.
PRENATAL VISITS—Total number (If none, so state) 12b.
THIS BIRTH—Single, twin, triplet, etc. (Specify) 13a.
IF NOT SI E BIRTH— orn first, s d, third, c. (Specify)

FATHER

FATHER—NAME FIRST MIDDL LAS 14a.
AGE me of this d y) 14b.
RA (e.g. Americ (Specify 4c.
EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) 14d. College (1-4 or 5+)

CAUSE OF FETAL DEATH

15 PART I
MEDIATE CA NTER ONLY ONE CAUSE PER LINE (a), (b), AND (c).]
Fetal or maternal condition directly causing fetal death (a) Specify Fetal or Maternal
DUE TO AS A ONS UENCE OF: Specify Fetal or Maternal
Fetal and/or maternal conditions, if any giving rise to the immediate cause (a), stating the underlying cause last (b)
DUE TO, OR AS A CONSEQUENCE OF: Specify Fetal or Maternal
(c)

PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to fetal death but not related to cause given in (a)
FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify) 16.
PHYSICIAN'S ESTIMATE OF GESTATION 17. Weeks
AUTOPSY (Specify yes or no) 18.

MULTIPLE BIRTHS Enter State File Number for mate(s)
LIVE BIRTH(S)
FETAL DEATH(S)

COMPLICATIONS OF PREGNANCY *(Describe or write "none")* 19.
COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")* 20.
CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")* 21.
CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS *(Describe or write "none")* 22.
NAME OF PHYSICIAN OR ATTENDANT *(Type or print)* 23.
NAME OF PERSON COMPLETING REPORT *(Type or print)* TITLE 24.
DATE REPORT COMPLETED 25.
DATE RECEIVED BY HEALTH DEPARTMENT 26.

DHEC-665
Rev. 1978

SAMPLE



LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

LICENSE NUMBER

COUNTY

GROOM—NAME (FIRST) (MIDDLE) (LAST) (1)

BIRTHDATE (MONTH, DAY, YEAR) (2a)

AGE (2b)

BIRTHPLACE (State or foreign country) (3)

RACE (4)

RESIDENCE (Street and Number) (5a)

CITY, TOWN OR LOCATION (5b)

COUNTY (5c)

STATE (5d)

NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)

BRIDE—NAME (FIRST) (MIDDLE) (LAST) (7)

BIRTHDATE (MONTH, DAY, YEAR) (8a)

AGE (8b)

BIRTHPLACE (State or foreign country) (9)

RACE (10)

RESIDENCE (Street and Number) (11a)

CITY, TOWN OR LOCATION (11b)

COUNTY (11c)

ST[illegible] (11d)

NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)

MAIDEN NAME OF BRIDE (If Different From Above) (13)

SAMPLE

Application for a license was filed with this co[illegible] ___ M. on the ___ day of ______, 19___. These are, therefore, to authorize any [illegible] qu[illegible] to [illegible] marriage ceremonies to perform the marriage ceremony for the persons above named, and [illegible] the [illegible]ing this shall be sufficient warrant. Given under my hand and seal at ______ M. this the ______ [illegible]ay of ______, A.D. 19______.

Signature of Issuing Officer

Title of Issuing Officer

GROOM—Signature (14)

BRIDE—Signature (15)

I certify that the above named persons were married on (MONTH) (DAY) (YEAR) (16)

Place of Marriage COUNTY (17) SOUTH CAROLINA

OFFICIANT—Signature (18a)

OFFICIANT—Title (18b)

OFFICIANT—Mailing Address (18c)

DHEC 681 (REV 8/82)

SCDHEC—682—Rev. 4-1979 15M

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

SAMPLE

ADDRESS

ATTORNEY FOR PLAINTIFF

HUSBAND—NAME (first) (middle) (last) 1	DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4	NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE—MAIDEN NAME (first) (middle) (last) 7	DATE OF BIRTH 8	STATE OF BIRTH 9
RESIDENCE (state) (county) (city) 10	NUMBER OF THIS MARRIAGE 11	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE (state) (county) 13	DATE OF MARRIAGE (month) (day) (year) 14	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16 — DECREE GRANTED TO (specify) 17	WAS DIVORCE CONTESTED (specify yes or no) 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20	TYPE OF DECREE absolute divorce or annulment (specify) 21	
MAIDEN NAME RESUMED BY DECREE 22a Yes ☐ No ☐	SUPPLEMENTAL ORDER (if any) (month-day-year) 22b	
COUNTY 23	DOCKET NUMBER 24	

I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON:
signature of clerk of court month day year
25

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-3-230 CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court. When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decree is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Office of Vital Records and Public Health Statistics, Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce of Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED, RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to		Estimated comparability ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0558	0.9077
Certain other intestinal infections	007-009	008-009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0118	0.7901	0.7436
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0080	0.0258	1.0586	0.9574
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098- 139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0020	0.0017	1.0053	0.9987
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0288	0.9946
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188-189	0.9824	0.0095	1.0011	0.9637
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0086	0.9619	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.8296	0.0124	0.8538	0.8054
Meningitis	320-322	320	0.8459	0.0163	0.8777	0.8141
Major cardiovascular diseases	390-448	390-448	1.0088	0.0004	1.0096	1.0080
Diseases of heart	390-398,402,404-429	390-398,402,404, 410-429	1.0126	0.0038	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.8648	0.0080	0.8804	0.8492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2110	0.0438	1.2970	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8858	0.8708
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1790	0.9178
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2128
Cerebrovascular diseases	430-438	430-438	1.0048	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9970	0.0068	1.0102	0.9838
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9848	0.0081	1.0007	0.9689
Atherosclerosis	440	440	1.0645	0.0246	1.1130	1.0160
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7219

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to		Estimated comparability ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Acute bronchitis and bronchiolitis	466	466	0.8903	0.0274	0.9425	0.8381
Pneumonia and influenza	480-487	470-474, 480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0631	1.4780	1.2308
Other chronic obstructive pulmonary diseases and allied conditions	494-496	2	3		3	3
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0708
Appendicitis	540-543	540-543	1.0080	0.0264	1.0587	0.9583
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553, 560	550-553, 560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574-575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580-581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583, 587	582, 584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586, 588-589	583, 584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9978	0.0041	1.0058	0.9898
Hyperplasia of prostate	600	600	1.0232	0.0220	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639, 650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9788
Certain conditions originating in the perinatal period	760-779	760-769.2, 769.4-772, 774-778	1.0785	0.0236	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-768	764-768, 772, 776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766, 770-779	Remainder of 760-778	1.4630	0.0371	1.5357	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7788	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0168	1.0065
All other accidents and adverse effects	E800-E807, E826-E949	E800-E807, E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to		Estimated comparability ratio[1] (3)	Standard Error of The Estimate in Column (3) (4)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICD-8 Revision (2)			Upper (5)	Lower (6)
All causes			1.0000			
Certain gastrointestinal diseases	008-009, 535, 555-558	004, 006, 009, 535, 561, 563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480-487	470-474, 480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3), 772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769					
Other conditions originating in the perinatal period	760-764, 766, 770-779	Remainder of 760-778	0.8482	0.0093	0.8663	0.8301
Sudden infant death syndrome	798.0					
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5336

[1] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.